Introduction to computer security: fundamentals

By

Dr. Imran Ullah Khan
Informatics, University of Sussex

Overview

- Computer security concepts
  - Definition
  - Challenges
  - Model
- Threats, attacks, and assets
  - Threats and attacks
  - Threats and assets
- Security functional requirements
- Standards

- Fundamental security design principles
- Attack surfaces and attack trees
  - Attack surfaces
  - Attack trees

Assignment Project Exam Help

https://powcoder.com

Add WeChat powcoder

The NIST Internal/Interagency Report NISTIR 7298 (*Glossary of Key Information Security Terms* , May 2013) defines the term *computer security* as follows:

" Measures and controls that ensure confidentiality, integrity, and availability of information system assets including hardware, software, firmware, and information being processed, stored, and communicated."

Figure 1.1 Essential Network and Computer Security Requirements

Key Security Concepts

Confidentiality

Integrity

Availability

- **Preserving authorized restrictions on information access and disclosure, including means for protecting personal privacy and proprietary information**

- **Guarding against improper information modification or destruction, including ensuring information nonrepudiation and authenticity**

- **Ensuring timely and reliable access to and use of information**

Levels of Impact

Low

The loss could be expected to have a limited adverse effect on organizational operations, organizational assets, or individuals

Moderate

The loss could be expected to have a serious adverse effect on organizational operations, organizational assets, or individuals

High

The loss could be expected to have a severe or catastrophic adverse effect on organizational operations, organizational assets, or individuals

Computer Security Challenges

1. Computer security is not as simple as it might first appear to the novice

2. In developing a particular security mechanism or algorithm, one must always consider potential attacks on those security features

3. Procedures used to provide particular services are often counterintuitive

4. Physical and logical placement needs to be determined

5. Security mechanisms typically involve more than a particular algorithm or protocol and also require that participants be in possession of some secret information which raises questions about the creation, distribution, and protection of that secret information

6. Attackers only need to find a single weakness, while the designer must find and eliminate all weaknesses to achieve perfect security

7. Security is still too often an afterthought to be incorporated into a system after the design is complete, rather than being an integral part of the design process

8. Security requires regular and constant monitoring

9. There is a natural tendency on the part of users and system managers to perceive little benefit from security investment until a security failure occurs

10. Many users and even security administrators view strong security as an impediment to efficient and user-friendly operation of an information system or use of information

Table 1.1

Computer Security Terminology, from RFC 2828, *Internet Security Glossary*, May 2000

Adversary (threat agent)
    Individual, group, organization, or government that conducts or has the intent to conduct detrimental activities.

Attack
    Any kind of malicious activity that attempts to collect, disrupt, deny, degrade, or destroy information system resources or the information itself.

Countermeasure
    A device or techniques that has as its objective the impairment of the operational effectiveness of undesirable or adversarial activity, or the prevention of espionage, sabotage, theft, or unauthorized access to or use of sensitive information or information systems.

Risk
    A measure of the extent to which an entity is threatened by a potential circumstance or event, and typically a function of 1) the adverse impacts that would arise if the circumstance or event occurs; and 2) the likelihood of occurrence.

Security Policy
    A set of criteria for the provision of security services. It defines and constrains the activities of a data processing facility in order to maintain a condition of security for systems and data.

System Resource (Asset)
    A major application, general support system, high impact program, physical plant, mission critical system, personnel, equipment, or a logically related group of systems.

Threat
    Any circumstance or event with the potential to adversely impact organizational operations (including mission, functions, image, or reputation), organizational assets, individuals, other organizations, or the Nation through an information system via unauthorized access, destruction, disclosure, modification of information, and/or denial of service.

Vulnerability
    Weakness in an information system, system security procedures, internal controls, or implementation that could be exploited or triggered by a threat source.

(Table can be found on page 8 in the textbook)

Figure 1.2 Security Concepts and Relationships

Assets of a Computer System

Hardware

Assignment Project Exam Help

https://powcoder.com

Software

Add WeChat powcoder

Data

Communication between network

Vulnerabilities, Threats and Attacks

- Categories of vulnerabilities
  - Corrupted (loss of integrity)
  - Leaky (loss of confidentiality)
  - Unavailable or very slow (loss of availability)

- Threats
  - Capable of exploiting vulnerabilities
  - Represent potential security harm to an asset

- Attacks (threats carried out)
  - Passive – attempt to learn or make use of information from the system that does not affect system resources
  - Active – attempt to alter system resources or affect their operation
  - Insider – initiated by an entity inside the security parameter
  - Outsider – initiated from outside the perimeter

Countermeasures

Means used to
deal with
security attacks

- Prevent
- Detect
- Recover

Residual
vulnerabilities
may remain

May itself
introduce new
vulnerabilities

Goal is to
minimize
residual level of
risk to the
assets

Threat Consequence	Threat Action (Attack)
Unauthorized Disclosure A circumstance or event whereby an entity gains access to data for which the entity is not authorized.	**Exposure:** Sensitive data are directly released to an unauthorized entity. **Interception:** An unauthorized entity directly accesses sensitive data traveling between authorized sources and destinations. **Inference:** A threat action whereby an unauthorized entity indirectly accesses sensitive data (but not necessarily the data contained in the communication) by reasoning from characteristics or byproducts of communications. **Intrusion:** An unauthorized entity gains access to sensitive data by circumventing a system's security protections.
Deception A circumstance or event that may result in an authorized entity receiving false data and believing it to be true.	**Masquerade:** An unauthorized entity gains access to a system or performs a malicious act by posing as an authorized entity. **Falsification:** False data deceive an authorized entity. **Repudiation:** An entity deceives another by falsely denying responsibility for an act.
Disruption A circumstance or event that interrupts or prevents the correct operation of system services and functions.	**Incapacitation:** Prevents or interrupts system operation by disabling a system component. **Corruption:** Undesirably alters system operation by adversely modifying system functions or data. **Obstruction:** A threat action that interrupts delivery of system services by hindering system operation.
Usurpation A circumstance or event that results in control of system services or functions by an unauthorized entity.	**Misappropriation:** An entity assumes unauthorized logical or physical control of a system resource. **Misuse:** Causes a system component to perform a function or service that is detrimental to system security.

Table 1.2

Threat Consequences, and the Types of Threat Actions That Cause Each Consequence

Based on RFC 4949

**Table is on page 10 in the textbook.

Computer System

④ **Sensitive files must be secure (file security)**

Data

① **Access to the data must be controlled (protection)**

③ **Data must be securely transmitted through networks (network security)**

Processes representing users

Guard

② **Access to the computer facility must be controlled (user authentication)**

Users making requests

Computer System

Data

**Processes representing users**

Guard

Figure 1.3   Scope of Computer Security. This figure depicts security concerns other than physical security, including control of access to computers systems, safeguarding of data transmitted over communications systems, and safeguarding of stored data.

Table 1.3
Computer and Network Assets, with Examples of Threats

	Availability	Confidentiality	Integrity
Hardware	Equipment is stolen or disabled, thus denying service.	An unencrypted CD-ROM or DVD is stolen.	
Software	Programs are deleted, denying access to users.	An unauthorized copy of software is made.	A working program is modified, either to cause it to fail during execution or to cause it to do some unintended task.
Data	Files are deleted, denying access to users.	An unauthorized read of data is performed. An analysis of statistical data reveals underlying data.	Existing files are modified or new files are fabricated.
Communication Lines and Networks	Messages are destroyed or deleted. Communication lines or networks are rendered unavailable.	Messages are read. The traffic pattern of messages is observed.	Messages are modified, delayed, reordered, or duplicated. False messages are fabricated.

Passive and Active Attacks

Passive Attack

- Attempts to learn or make use of information from the system but does not affect system resources

- Eavesdropping on, or monitoring of, transmissions

- Goal of attacker is to obtain information that is being transmitted

- Two types:

  - Release of message contents

  - Traffic analysis

Active Attack

- Attempts to alter system resources or affect their operation

- Involve some modification of the data stream or the creation of a false stream

- Four categories:

  - Replay

  - Masquerade

  - Modification of messages

  - Denial of service

Attack Surfaces

Consist of the reachable and exploitable vulnerabilities in a system

Assignment Project Exam Help

Examples:

https://powcoder.com

Add WeChat powcoder

Open ports on outward facing Web and other servers, and code listening on those ports	Services available on the inside of a firewall	Code that processes incoming data, email, XML, office documents, and industry-specific custom data exchange formats	Interfaces, SQL, and Web forms	An employee with access to sensitive information vulnerable to a social engineering attack

Attack Surface Categories

Network Attack Surface

Vulnerabilities over an enterprise network, wide-area network, or the Internet

Included in this category are network protocol vulnerabilities, such as those used for a denial-of-service attack, disruption of communications links, and various forms of intruder attacks

Software Attack Surface

Vulnerabilities in application, utility, or operating system code

Particular focus is Web server software

Human Attack Surface

Vulnerabilities created by personnel or outsiders, such as social engineering, human error, and trusted insiders

Figure 1.4 Defense in Depth and Attack Surface

Figure 1.5 An Attack Tree for Internet Banking Authentication

Fundamental Security Design Principles

Economy of mechanism	Fail-safe defaults	Complete mediation	Open design
Separation of privilege	Least privilege	Least common mechanism	Psychological acceptability
Isolation	Encapsulation	Modularity	Layering
	Least astonishment		

Standards

- Standards have been developed to cover management practices and the overall architecture of security mechanisms and services

- The most important of these organizations are:
  - **National Institute of Standards and Technology (NIST)**
    - **NIST is a U.S. federal agency that deals with measurement science, standards, and technology related to U.S. government use and to the promotion of U.S. private sector innovation**
  - **Internet Society (ISOC)**
    - **ISOC is a professional membership society that provides leadership in addressing issues that confront the future of the Internet, and is the organization home for the groups responsible for Internet infrastructure standards**
  - **International Telecommunication Union (ITU-T)**
    - **ITU is a United Nations agency in which governments and the private sector coordinate global telecom networks and services**
  - **International Organization for Standardization (ISO)**
    - **ISO is a nongovernmental organization whose work results in international agreements that are published as International Standards**

Summary

- Computer security concepts
  - Definition
  - Challenges
  - Model
- Threats, attacks, and assets
  - Threats and attacks
  - Threats and assets
- Security functional requirements
- Standards

- Fundamental security design principles
- Attack surfaces and attack trees
  - Attack surfaces
  - Attack trees

Assignment Project Exam Help

https://powcoder.com

Add WeChat powcoder