

# Text Technologies for Data Science INFR11145

### **Comparing Text Corpora**

Instructor:

### Assignment Project Exam Help

11-Nov-2020

https://powcoder.com

## Initial Add WeChat powcoder

- · Scenario: you are given access to a new dataset
  - 2 corpora, each contains thousands of plain text files
  - · You want to understand and quantify:
    - What is the content of these documents? What are they about?
    - · How does the content of these corpora differ?
- What are some things you might try first?



#### **Lecture Objectives**

- Analyze text corpora
  - Content analysis background
  - Word-level differences
  - Dictionaries and Lexicons
  - Topic modeling
  - Annotation + classification

## Assignment Project Exam Help

Steve Wilson, TTDS 2020/2021



1 4 4

## https://powcoder.com

## content dda We Chat powcoder

- · Goal: given some documents determine
  - What are the types of content present? (themes/topics)
  - Which documents contain which topics?
- Traditionally a manual process
  - 1. Read a subset of documents, define themes/topics
  - 2. Determine consistent coding\* methodology
  - 3. Read all documents and label them according to codes
  - Check agreement between human coders
  - Settle disagreements via a third-party
  - 6. Analyze resulting annotations

THE UNIVERSITY of EDINBURGH

#### **Content Analysis**

- Can this process be automated?
  - Yes, to an extent
- Should this process be automated?
  - Humans are better than machines at this task (for now?)
  - Computers are much, much faster
    - Avg. human reading speed: 250 wpm
    - Assume 1K words/document, 50K documents...
      - Average person needs > 4 months to read
      - · This is a relatively small corpus for modern NLP
    - · Modern computers can process millions of words/second

## Assignment Project Exam Help

Steve Wilson, TTDS 2020/2021



https://powcoder.com

## Automadd CWeChatapowcoder

- Single corpus/class
  - Word frequency analysis
  - Dictionaries & Lexicons
  - Topic modelling

- Multiple corpora/classes
  - Word-level differences
  - Dominance Scores
  - Topic-level differences

of EDINBURGH

### **Word Level Analysis**

## Assignment Project Exam Help

Steve Wilson, TTDS 2020/2021



https://powcoder.com

## word Add We Chatipowcoder

- Very simple starting point
- 1. Preprocess as usual (lowercasing? stemming?...)
- 2. Count words
- 3. Normalize by document length
- 4. Average across all documents





#### **Word-level Differences**

- Which words best characterize a corpus?
  - Need a reference corpus
- Some methods to do this:
  - Mutual information
  - Chi squared
- Can also be used for feature selection

### Assignment Project Exam Help

Steve Wilson, TTDS 2020/2021



https://powcoder.com

## Mutua Addr We Chat powcoder

- I(X;Y)
  - How much can I learn about X by observing Y?
  - Is the same as information gain
  - Is **not** the same as pointwise mutual information
- We want to learn about important words in our corpus
- What should X and Y be?
  - X = U = document contains term t (Boolean)
  - Y = C = class is the target class (Boolean)

$$I(U;C) = \sum_{e_t \in \{1,0\}} \sum_{e_c \in \{1,0\}} P(U = e_t, C = e_c) \log_2 \frac{P(U = e_t, C = e_c)}{P(U = e_t)P(C = e_c)}$$



#### **Mutual Information**

$$I(U;C) = \sum_{e_t \in \{1,0\}} \sum_{e_c \in \{1,0\}} P(U = e_t, C = e_c) \log_2 \frac{P(U = e_t, C = e_c)}{P(U = e_t)P(C = e_c)}$$

Given count data for 2 classes, can be computed as:

$$I(U;C) = \frac{N_{11}}{N} \log_2 \frac{NN_{11}}{N_{1.}N_{.1}} + \frac{N_{01}}{N} \log_2 \frac{NN_{01}}{N_{0.}N_{.1}} + \frac{N_{10}}{N} \log_2 \frac{NN_{10}}{N_{1.}N_{.0}} + \frac{N_{00}}{N} \log_2 \frac{NN_{00}}{N_{0.}N_{.0}}$$

## Assignment Project Exam Help

Source: Manning, Raghavan, and Schütze, 2008

Steve Wilson, TTDS 2020/2021



https://powcoder.com

## Mutua Add We Chat powcoder


$$I(U;C) = \frac{N_{11}}{N} \log_2 \frac{NN_{11}}{N_{1.}N_{.1}} + \frac{N_{01}}{N} \log_2 \frac{NN_{01}}{N_{0.}N_{.1}} + \frac{N_{10}}{N} \log_2 \frac{NN_{10}}{N_{1.}N_{.0}} + \frac{N_{00}}{N} \log_2 \frac{NN_{00}}{N_{0.}N_{.0}}$$

- Example:
  - What is I(U;C) given these values?

$$egin{array}{c|c} e_c = e_{poultry} = 1 & e_c = e_{poultry} = 0 \\ e_t = e_{ ext{export}} = 1 & N_{11} = 49 & N_{10} = 27,652 \\ e_t = e_{ ext{export}} = 0 & N_{01} = 141 & N_{00} = 774,106 \\ \hline \end{array}$$

Example: Manning, Raghavan, and Schütze, 2008





## Chi-squadd WeChat powcoder

- Hypothesis testing approach
- H<sub>0</sub>: Term appearance is independent from a document's class
  - i.e., P(U=1,C=1) = P(U=1)P(C=1)
- Compute:

$$X^{2}(\mathbb{D},t,c) = \sum_{e_{t} \in \{0,1\}} \sum_{e_{c} \in \{0,1\}} \frac{(N_{e_{t}e_{c}} - E_{e_{t}e_{c}})^{2}}{E_{e_{t}e_{c}}}$$

Or to directly plug in values like before:

$$X^{2}(\mathbb{D},t,c) = \frac{(N_{11} + N_{10} + N_{01} + N_{00}) \times (N_{11}N_{00} - N_{10}N_{01})^{2}}{(N_{11} + N_{01}) \times (N_{11} + N_{10}) \times (N_{10} + N_{00}) \times (N_{01} + N_{00})}$$

THE UNIVERSITY of EDINBURGH

Steve Wilson, TTDS 2020/2021

#### Chi-squared

$$X^{2}(\mathbb{D},t,c) = \frac{(N_{11} + N_{10} + N_{01} + N_{00}) \times (N_{11}N_{00} - N_{10}N_{01})^{2}}{(N_{11} + N_{01}) \times (N_{11} + N_{10}) \times (N_{10} + N_{00}) \times (N_{01} + N_{00})}$$

- Example
  - What is the value of X<sup>2</sup> given the example data?

$$egin{array}{c|c} e_{c} = e_{poultry} = 1 & e_{c} = e_{poultry} = 0 \\ e_{t} = e_{\mathsf{export}} = 1 & N_{11} = 49 & N_{10} = 27,652 \\ e_{t} = e_{\mathsf{export}} = 0 & N_{01} = 141 & N_{00} = 774,106 \\ \hline \end{array}$$

## Assignment Project Exam Help



16

https://powcoder.com

### Add WeChat powcoder

**Dictionaries and Lexicons** 



#### **Dictionaries and Lexicons**

- What if we know what we are looking for?
- Dictionaries (lexicons) are prebuilt mappings
  - Category -> word list
  - E.g., a tiny sentiment lexicon:
    - Positive: good, great, happy, amazing, wonderful, best, incredible
    - Negative: terrible, horrible, bad, awful, nasty, gross, worst, poor
- Domain can be important
  - "unpredictable movie plot" ✓
  - "unpredictable coffee pot" X

### Assignment Project Exam Help

Steve Wilson, TTDS 2020/2021



18

## https://powcoder.com

### Dictionald We Chat powcoder

How to get a score per category?

num\_dictionary\_words\_in\_document num total words in document

- That's it!
- Can also be used as machine learning features
- A more advanced approaches to quantifying categories (optional reading)
  - https://www.ncbi.nlm.nih.gov/pubmed/28364281



#### **Some Dictionaries**

• LIWC (Pennebaker et al. 2015)

General Inquirer (Stone 1997)

Roget's Thesaurus Categories

VADER (Hutto and Gilbert, 2014)

Sentiwordnet (Esuli and Sebastiani 2006)

Wordnet Domains (Magnini and Cavaglia, 2000)

EmoLex (Mohammad and Turney, 2010)

• Empath (Fast et al., 2016)

Personal Values Lexicon (Wilson et al., 2018)

• ...

## Assignment Project Exam Help

Steve Wilson, TTDS 2020/2021



20

### https://powcoder.com

#### Reaction do We Chat powered to Lex Surprise Disgust Fear Anger Sadness Anticipation Joy Trust .15 .2 .25 .05 % User Responses = reactions to false rumors Green = reactions to true rumors Vosoughi, Roy, and Aral, 2018 THE UNIVERSITY of EDINBURGH Steve Wilson, TTDS 2020/2021

#### **Dominance Scores**

• The dominance score for a category w.r.t. a corpus:

<u>category\_score\_in\_target\_corpus</u> <u>category\_score\_in\_background\_corpus</u>

## Assignment Project Exam Help

Steve Wilson, TTDS 2020/2021



22

### https://powcoder.com

## LIWC Add We Chat powcoder

| Truthful   |       |         |       |  |
|------------|-------|---------|-------|--|
| Interviews |       | Trials  |       |  |
| Class      | Score | Class   | Score |  |
| Metaphor   | 2.98  | You     | 3.99  |  |
| Money      | 2.74  | Family  | 3.07  |  |
| Inhibition | 2.74  | Home    | 2.45  |  |
| Home       | 2.13  | Humans  | 1.87  |  |
| Humans     | 2.02  | Posemo  | 1.81  |  |
| Family     | 1.96  | Insight | 1.64  |  |

| Deceptive  |       |          |       |  |
|------------|-------|----------|-------|--|
| Interviews |       | Trials   |       |  |
| Class      | Score | Class    | Score |  |
| Assent     | 4.81  | Anger    | 2.61  |  |
| Past       | 2.59  | Anxiety  | 2.61  |  |
| Sexual     | 2.00  | Certain  | 2.28  |  |
| Other      | 1.87  | Death    | 1.96  |  |
| Motion     | 1.68  | Physical | 1.77  |  |
| Negemo     | 1.44  | Negemo   | 1.52  |  |

Pérez-Rosas et al, 2015



### **Topic Level Analysis**

## Assignment Project Exam Help

Steve Wilson, TTDS 2020/2021



Steele Wittsort, 1125 2020/ 2021


24

## https://powcoder.com


## Intro tAddi We Chat powcoder


- Goals are similar to traditional content analysis:
  - What are the main themes/topics in this corpus?
  - Which documents contain which topics?


THE UNIVERSITY of EDINBURGH

















## Topic Add We Chat powcoder

- Most often used for text data, but can also be applied in other settings:
  - · Bioinformatics (Liu et al. 2016)
  - · Computer code (McBurney et al. 2014)
  - Music (Hu and Saul 2009)
  - Network data (Cha and Cho 2014)

THE UNIVERSITY
of EDINBURGH

33

Steve Wilson, TTDS 2020/2021

#### **Topic Modeling Methods**

- Most popular: Latent Dirichlet Allocation (LDA)
  - Introduced by David Blei, Andrew Ng, and Michael Jordan (2003)
- Other methods include
  - pLSI
  - PCA-based methods
  - Non-negative matrix factorization
  - Deep learning based topic modeling
  - ...

Assignment Project Exam Help 34

Steve Wilson, TTDS 2020/2021



34

### https://powcoder.com

## Topic Add We Chat powcoder

- Most popular: Latent Dirichlet Allocation (LDA)
  - Introduced by David Blei, Andrew Ng, and Michael Jordan (2003)
- Other methods include
  - pLSI
  - PCA-based methods
  - Non-negative matrix factorization
  - Deep learning based topic modeling
  - ...

35



### **Latent Dirichlet Allocation (LDA)**

· More details coming up in next lecture...

## Assignment Project Exam Help 36

Steve Wilson, TTDS 2020/2021

36



https://powcoder.com

Add WeChat powcoder