

Assignment Project Exam Help

Add WeChat powcoder

Assignment Project Exam Help  
MSBA 403:

# Optimization

Add WeChat powcoder

## Lecture 1

November 6, 2020

# Optimization and decision-making

Add WeChat powcoder

- We live in a world that is resource-constrained:

- Money
- Time
- Labor
- Physical space

Assignment Project Exam Help

<https://powcoder.com>

- Optimization is fundamentally about making **decisions** that lead to favorable outcomes in the face of **constraints**
- Building optimization models is both an art and science
  - Science because we rely on math and algorithms
  - Art because we often want to translate **real-world** problems into a **model**. The best way to do this is not always obvious!

# Assignment Project Exam Help

# Example: Pricing and revenue management

Add WeChat powcoder  
How should Expedia set prices and manage capacity to maximize revenue?



Assignment Project Exam Help



Garza Blanca Los Cabos All Inclusive

Cabo San Lucas

Lower price available

\$580  
per night



Garza Blanca Resort & Spa Los Cabos

Cabo San Lucas

Lower price available

\$335  
per night



Medano Hotel and Suites

El Medano Ejidal

Lower price available


\$104  
per night

4.4/5 Excellent (243 reviews)

# Example: GPS Routing

Add WeChat powcoder

What is the optimal route to get home the fastest?



# Assignment Project Exam Help

# Example: Portfolio optimization

Add WeChat powcoder


Which financial assets should we invest in to maximize returns?



Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder




# Assignment Project Exam Help

## Example: Radiation therapy

Add WeChat powcoder


How can we maximize radiation to a tumor while minimizing damage to surrounding tissues?



Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



# Example: Ride-hailing matching


Add WeChat powcoder  
How should Uber match riders and drivers to minimize wait times?



Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



# Course Objectives

Add WeChat powcoder

- Understand the fundamentals of optimization
- Express various optimization problems as mathematical models  
Assignment Project Exam Help  
<https://powcoder.com>
- Implement and solve optimization models computationally  
<https://powcoder.com>
- Gain an appreciation for the value of optimization modeling **in practice**  
Add WeChat powcoder

Assignment Project Exam Help

Add WeChat powcoder

Assignment Project Exam Help

**Syllabus**

<https://powcoder.com>

Add WeChat powcoder

# Models vs reality

Add WeChat powcoder

“All models are wrong, but some are useful.”

<https://powcoder.com>

Add WeChat powcoder  
George Box



- Mathematical models are just an *approximation* of reality
- Goal is to capture the most important features of the problem

# Model structure: Decision variables

Add WeChat powcoder

- **Decision variables** are denoted by letters, for example:  $x_1, x_2, \dots, x_n$
- Decision variables are at the heart of optimization
  - What prices should we set to maximize profit?
  - Which streets should we take?
  - How much should we invest in each stock?
  - How much radiation should be delivered from each beam?
  - Which rider should be matched to which Uber driver?
- The value of these variables are to be set by the decision-maker
- Often interpretable, but not always the case

# Model structure: Constraints

- **Constraints** are denoted by functions of decision variables:

$$f_1(x_1, x_2, \dots, x_n) \leq 0$$

$$f_2(x_1, x_2, \dots, x_n) \leq 0$$

Assignment Project Exam Help

$$f_m(x_1, x_2, \dots, x_n) \leq 0$$

<https://powcoder.com>

- Can have sign  $\leq$ ,  $\geq$  or  $=$
- Constraints capture limitations on functions of the decision variables, e.g.
  - Prices cannot be negative
  - Geographic constraints in GPS routing
  - Maximum acceptable risk or variance in portfolio
  - Maximum acceptable dose to healthy organs
  - Maximum time or distance constraints in ride-hailing matching

# Model structure: Objective function

- The **objective** is a function we would like to either **maximize** or **minimize**:

$$\max f_0(x_1, x_2, \dots, x_n)$$

Assignment Project Exam Help  
or  
<https://powcoder.com>

- The objective function is the quantity that we are trying to optimize, e.g.
  - Revenue from bookings
  - Total travel time by car
  - Return on investment
  - Radiation dosage to tumor
  - Total ride-hailing passenger wait time

# Model structure: Summary

- The general form of an optimization model is given by

$$\begin{aligned} & \max f_0(x_1, x_2, \dots, x_n) \\ \text{s.t. } & f_1(x_1, x_2, \dots, x_n) \leq 0 \end{aligned}$$

Assignment Project Exam Help

$$\begin{array}{c} \vdots \\ \text{https://powcoder.com} \\ \vdots \\ f_m(x_1, x_2, \dots, x_n) \leq 0 \end{array}$$

Add WeChat powcoder

- Optimization problems written in this form are often called **mathematical programs**
- Development of algorithms to solve mathematical programs is a significant area of research (although we won't focus on algorithms too much in this course)
- The format above is very general: We will first focus on an important class known as **linear programming**

# Linear programming (LP)

Add WeChat powcoder

- A linear program is an optimization model in which the objective function  $f_0$  and constraints  $f_1, f_2, \dots, f_m$  are all linear functions of the decision variables  $x_1, x_2, \dots, x_n$
- Sounds restrictive, but this is an **extremely useful** class of models  
<https://powcoder.com>
- In practice, LPs can be solved very efficiently for thousands (or sometimes millions) of decision variables, which makes them a powerful optimization framework
- We will focus on LPs for the remainder of this class

# Assignment Project Exam Help

## Example: Bag production

Add WeChat powcoder

- Consider a company that produces UCLA-branded bags to be sold in the UCLA Store.
- Two types of bags can be made: Standard and Deluxe
- Each standard bag sold generates a profit of \$10; each Deluxe bag sold generates a profit of \$9
- Due to machine and labor restrictions, the company has 630 hours of cutting, 600 hours of sewing, 708 hours of finishing, and 135 hours of inspecting
- Each Standard bag requires  $\frac{7}{10}$  hours of cutting,  $\frac{1}{2}$  hours of sewing, 1 hour of finishing, and  $\frac{1}{10}$  hour of inspecting
- Each Deluxe bag requires 1 hour of cutting,  $\frac{5}{6}$  hours of sewing,  $\frac{2}{3}$  hours of finishing, and  $\frac{1}{4}$  hours of inspecting
- **How many of each bag should be produced to maximize profit?**

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



Assignment Project Exam Help

Add WeChat powcoder

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

# Assignment Project Exam Help

## Example: Bag production

Add WeChat powcoder

- Let  $x_S$  and  $x_D$  be the decision variables for the number of standard and deluxe bags to produce, respectively
- The bag production problem can be formulated as the following linear program:

$$\max_{x_S, x_D} 10x_S + 9x_D \quad \text{Profit function}$$

hours of cutting used      s.t.  $\frac{7}{10}x_S + x_D \leq 630$  hours of cutting available

hours of sewing used       $\frac{1}{2}x_S + \frac{5}{6}x_D \leq 600$  hours of sewing available

hours of finishing used       $x_S + \frac{2}{3}x_D \leq 708$  hours of finishing time available

hours of inspection used       $\frac{1}{10}x_S + \frac{1}{4}x_D \leq 135$  hours of inspection time available

$x_S, x_D \geq 0$ . non-negativity constraints

Add WeChat powcoder

# Assignment Project Exam Help Example: Cargo revenue management

You are the manager of a cargo plane that ships goods overseas. You are deciding how much cargo to accept for an upcoming flight. The cargo plane has three compartments: front, center and back. Each of these compartments have capacities on both weight and volume:

Compartment	Weight Capacity (tons)	Volume Capacity (cubic feet)
Front	12	7,000
Center	18	9,000
Back	10	5,000

## Assignment Project Exam Help

To ensure that the weight distribution on the plane remains balanced, the *ratio of cargo weights* in the respective compartments must be equal to the *ratio of weight capacities*. The following four cargoes have been offered for shipment for the flight:

<https://powcoder.com>

Cargo	Weight (tons)	Volume(cubic feet./ton)	Profit (\$/ton)
1	20	500	320
2	16	700	400
3	25	600	360
4	13	400	290

Add WeChat powcoder

Any portion of each cargo can be accepted. Your decision problem is to determine how much of each cargo to accept, and how to distribute them among the compartments of the plane to maximize profit. Formulate a linear program for this problem.



Assignment Project Exam Help

Add WeChat powcoder

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

Assignment Project Exam Help

Add WeChat powcoder

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

# Assignment Project Exam Help

# Example: Cargo revenue management

## Add WeChat powcoder

Decision variables: Let  $x_{ij}$  be the amount of cargo  $i$  accepted into compartment  $j$ , where  $j = 1$  is the front compartment,  $j = 2$  is the center, and  $j = 3$  is the back

### Objective function:

$$\text{maximize } 320(x_{11} + x_{12} + x_{13}) + 400(x_{21} + x_{22} + x_{23}) + 360(x_{31} + x_{32} + x_{33}) + 290(x_{41} + x_{42} + x_{43})$$

Assignment Project Exam Help

### Weight capacity constraints:

$$x_{11} + x_{21} + x_{31} + x_{41} \leq 12$$

$$x_{12} + x_{22} + x_{32} + x_{42} \leq 18$$

$$x_{13} + x_{23} + x_{33} + x_{43} \leq 10$$

<https://powcoder.com>

Add WeChat powcoder

### Volume capacity constraints:

$$500x_{11} + 700x_{21} + 600x_{31} + 400x_{41} \leq 7000$$

$$500x_{12} + 700x_{22} + 600x_{32} + 400x_{42} \leq 9000$$

$$500x_{13} + 700x_{23} + 600x_{33} + 400x_{43} \leq 5000$$



# Assignment Project Exam Help

## Example: Cargo revenue management

Add WeChat powcoder

Maximum available cargo:

$$x_{11} + x_{12} + x_{13} \leq 20$$

$$x_{21} + x_{22} + x_{23} \leq 16$$

$$x_{31} + x_{32} + x_{33} \leq 25$$

$$x_{41} + x_{42} + x_{43} \leq 13$$

Assignment Project Exam Help

Balance constraints:

<https://powcoder.com>

$$18(x_{11} + x_{21} + x_{31} + x_{41}) = 12(x_{12} + x_{22} + x_{32} + x_{42})$$

$$10(x_{11} + x_{21} + x_{31} + x_{41}) = 12(x_{13} + x_{23} + x_{33} + x_{43})$$

Non-negativity constraints:

$$x_{ij} \geq 0, \quad i = 1, 2, 3, 4, \quad j = 1, 2, 3.$$



# Solving linear programs

Assignment Project Exam Help

Add WeChat powcoder

- How do we solve a linear program?
- Let's focus on the bag production problem again

Assignment Project Exam Help

$$\max_{x_S, x_D} 10x_S + 9x_D$$

$$\text{s.t. } \frac{1}{10}x_S + x_D \leq 630$$

$$\frac{1}{2}x_S + \frac{5}{6}x_D \leq 600$$

$$x_S + \frac{2}{3}x_D \leq 708$$

$$\frac{1}{10}x_S + \frac{1}{4}x_D \leq 135$$

$$x_S, x_D \geq 0.$$

# Assignment Project Exam Help

# Feasible solutions and optimal solutions

Add WeChat powcoder

- A **feasible solution** to a linear program is a set of values for the decision variables that does not violate any constraints
  - E.g.  $(x_S, x_D) = (100, 200)$  is *feasible*, because it satisfies all constraints
  - E.g.  $(x_S, x_D) = (50, 550)$  is *infeasible*, because it violates the inspection time constraint

Assignment Project Exam Help


- An **optimal solution** is a feasible solution that produces *at least* as good of an objective function value as every other possible feasible solution
- We will refer to the best possible *objective function value* as the **optimal value**
- There can be more than one optimal solution! In other words, two different solutions can attain the optimal value

# Graphic representation

Assignment Project Exam Help

Add WeChat powcoder


- Because we have two decision variables in the bag production problem, we can represent the feasible solution of this LP graphically



# Graphic representation

Add WeChat powcoder


- Because we have two decision variables in the bag production problem, we can represent the feasible solution of this LP graphically



# Graphic representation

Add WeChat powcoder


- Because we have two decision variables in the bag production problem, we can represent the feasible solution of this LP graphically



# Graphic representation

Add WeChat powcoder

- Because we have two decision variables in the bag production problem, we can represent the feasible solution of this LP graphically




# Graphic representation

Assignment Project Exam Help

Add WeChat powcoder

- Because we have two decision variables in the bag production problem, we can represent the feasible solution of this LP graphically




# Graphical representation

Assignment Project Exam Help

Add WeChat powcoder

- The **feasible region** is the set of all feasible solutions




# Assignment Project Exam Help

## Visualizing the objective function

Add WeChat powcoder


- What is the objective function value (i.e. profit) associated with each solution?
- We can visualize the objective by using profit line: every point along this line yields the same profit



# Assignment Project Exam Help

## Visualizing the objective function


- Add WeChat powcoder
- Shifting the profit line yields a higher profit



# Assignment Project Exam Help Visualizing the objective function

## Add WeChat powcoder

- Optimal solution is attained at an **extreme point** of the feasible region
- Optimal solution is to make **540** Standard bags and **252** Deluxe bags, which gives profit of **\$7668**
- Is an optimal solution to a linear program always attained at an extreme point of the feasible region? **Yes!**




# Solving linear programs

Assignment Project Exam Help

## Add WeChat powcoder

- Property of LP that a solution is always obtained at an extreme point is useful – we only need to search extreme points to find an optimal solution
- Note that each extreme point is a solution to a set of linear equations

Assignment Project Exam Help



Solution to:

$$\frac{1}{10}x_S + \frac{1}{4}x_D = 135$$

$$x_S = 0$$


# Solving linear programs

Assignment Project Exam Help

Add WeChat powcoder

- Property of LP that a solution is always obtained at an extreme point is useful – we only need to search extreme points to find an optimal solution
- Note that each extreme point is a solution to a set of linear equations

Assignment Project Exam Help



Solution to:

$$\frac{7}{10}x_S + x_D = 630$$

$$\frac{1}{10}x_S + \frac{1}{4}x_D = 135$$


# Solving linear programs

Assignment Project Exam Help

Add WeChat powcoder

- Property of LP that a solution is always obtained at an extreme point is useful – we only need to search extreme points to find an optimal solution
- Note that each extreme point is a solution to a set of linear equations

Assignment Project Exam Help



Solution to:

$$x_S + \frac{2}{3}x_D = 708$$
$$\frac{7}{10}x_S + x_D = 630$$


# Solving linear programs

Assignment Project Exam Help

## Add WeChat powcoder

- Property of LP that a solution is always obtained at an extreme point is useful – we only need to search extreme points to find an optimal solution
- Note that each extreme point is a solution to a set of linear equations

Assignment Project Exam Help



Solution to:

$$x_D = 0$$

$$x_S + \frac{2}{3}x_D = 708$$


# Solving linear programs

Assignment Project Exam Help

## Add WeChat powcoder

- Property of LP that a solution is always obtained at an extreme point is useful – we only need to search extreme points to find an optimal solution
- Note that each extreme point is a solution to a set of linear equations

Assignment Project Exam Help



Solution to:

$$x_D = 0$$

$$x_S = 0$$

# Solving linear programs

Assignment Project Exam Help

Add WeChat powcoder

- What if we just solved for every possible extreme point? How many are there?
- An upper bound on the number of extreme points of the feasible region is the number of intersections between constraint lines
- Because we have 6 constraints (including non-negativity) and 2 variables, there are a total of

$$\binom{6}{2} = \frac{6!}{2!(6-2)!} = 15$$

intersection points.

- In general, with  $m$  constraints and  $n$  variables, the number of intersection points is **combinatorial**:


$$\binom{m}{n} = \frac{m!}{n!(m-n)!}$$

Enumerating all possible solutions is not practical!

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



# The Simplex Method

Assignment Project Exam Help


Add WeChat powcoder

- LPs can be solved using an extremely efficient algorithm known as the simplex method (also known as “simplex algorithm”)
- The simplex algorithm is the reason why we can solve large scale linear programs with thousands or millions of variables

Assignment Project Exam Help

## (Rough) Simplex Method Steps

- Start at an extreme point.
- Check to see if objective function can be improved by moving to an *adjacent* extreme point.
- If objective can be improved, move to adjacent extreme point, and go back to step 2.
- If objective cannot be improved, current extreme point is optimal.



# The Simplex Method


Assignment Project Exam Help

Add WeChat powcoder

The simplex method moves from one extreme point to another, by traversing edges of the feasible region, until an optimal solution is found.

Assignment Project Exam Help

Add WeChat powcoder



# Linear programs: General notation

Add WeChat powcoder

- For larger problems, it may not be realistic to write out all of the variables and constraints explicitly
- We can write linear programs in a concise way by using *set* and *index notation*

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

# Assignment Project Exam Help

## Example: Product delivery

### Add WeChat powcoder

Consider a company that wishes to delivery a product to a set of customers in different locations in the most cost-efficient way possible.

- The available supply of the product is  $s_i$  at warehouses  $i = 1, 2, \dots, m$ .
- The company must satisfy demand  $d_j$  at locations  $j = 1, 2, \dots, n$ .
- The cost of delivering the product warehouse  $i$  to location  $j$  is given by  $c_{ij}$ .

Formulate a linear program that provides a cost-minimizing delivery plan.

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



# Assignment Project Exam Help

## Example: Product delivery

Add WeChat powcoder

The linear program for the product delivery problem is given by:

$$\min_{\mathbf{x}} \sum_{i=1}^m \sum_{j=1}^n c_{ij} x_{ij} \quad \leftarrow \text{Minimize total delivery cost}$$

$$\text{s.t. } \sum_{i=1}^m x_{ij} \geq d_j, \quad j = 1, 2, \dots, n, \quad \leftarrow \begin{array}{l} \text{Total delivery to each location must satisfy} \\ \text{demand} \end{array}$$

$$\sum_{j=1}^n x_{ij} \leq s_i, \quad i = 1, 2, \dots, m, \quad \leftarrow \begin{array}{l} \text{Each warehouse cannot deliver more than} \\ \text{available supply} \end{array}$$

$$x_{ij} \geq 0, \quad i = 1, 2, \dots, m, \quad j = 1, 2, \dots, n. \quad \leftarrow \text{Non-negativity constraints}$$

# Solving LPs with Python and Gurobi

Add WeChat powcoder

- We will use Python to implement and solve optimization models in this class
- In particular, we will use optimization solver called Gurobi, which implements various solution algorithms (including the Simplex Method)  
<https://powcoder.com>
- Let's look at a couple of examples

Add WeChat powcoder

# Python and Gurobi Installation

1. Install Python 3.8 using the Anaconda distribution

<https://www.anaconda.com/distribution/>

2. Request a free academic license for Gurobi using your UCLA email address. Follow the steps in the page below to retrieve and install your license key.

<https://www.gurobi.com/academia/academic-program-and-licenses/>

## Assignment Project Exam Help

3. Install Gurobi. To do this, open terminal (Mac) or cmd (Windows) and type

<https://powcoder.com>

```
conda config --add channels http://conda.anaconda.org/gurobi  
conda install gurobi
```

## Add WeChat powcoder

4. We will use a user-friendly interface for Python called Jupyter Notebook. To launch Jupyter Notebook, open terminal or cmd and type

```
jupyter notebook
```

This will launch Jupyter Notebook in your browser. We can now open and run Jupyter Notebook files (extension .ipynb) from within the browser.

**Do this before lecture 2!**