LEARNING OUTCOMES

- Understand the basic bonding mechanisms in solid materials
- Identify some basic crystallographic principles
- Develop an understanding of the fundamental relationships between structure and mechanical properties of metallic materials.

ACTIVITY

A series of activities is presented below. Within your group work through these activities ensuring that you are all aware of principles involved, the information given, the determinations required

Random groups will be selected to present their summaries to the class.

Activity 1 Identifying Primary and Secondary Bonding in Materials (15 minutes) ASS12nment Project Exam Help Working as a group cominate what type(s) of sonding would be expected for each of the

Working as a group cominate what type(s) of bonding would be expected for each of the following materials:

| Material | nttps Printing Over Corrections |
|-----------------|---------------------------------|
| Rubber | Https://poweoder.com |
| Sodium chloride | N/A |
| Nylon | 1 1 1 1 1 1 1 1 |
| Solid Argon | Add WeChat poweoder |
| Bronze | N/A |
| Steel | N/A |
| Aluminium | |
| phosphide | |

Activity 2: Identifying Crystal Structures (20 minutes)

In the three diagrams below, determine the Miller Indices for the 'shaded' crystallographic planes shown, and demonstrate that determination.

| Plane | Intercepts | Reciprocals | Reduction | Miller Index |
|------------------|------------|-------------|-----------|--------------|
| Figure 1 | | | | |
| Figure 2 | | | | |
| Figure 3 Plane A | | | | |
| Figure 3 Plane B | | | | |





Figure 1 Figure 2

Figure 3

Activity 3: Elastic Deformation in Materials (15 minutes)

For a bronze alloy, loaded in tension, the stress at which *plastic* deformation begins is 285 MPa and the Young's Modulus (E) of easticity is 1114GFa.

i. What is the maximum load (kN) that may be applied to a specimen of circular cross section, with a radius of 9 mm, without causing plastic deformation?




ii. If the original specimen length is 110 mm, what is the maximum length (mm) to which it may be stretched *without causing plastic deformation?*

| Maximum Length (mm) |
|---------------------|
| |
| |
| |
| |

Activity 4: Stress-Strain curves for various materials (20 minutes)

Figure 4.1 shows the stress strain curves for three materials. For these materials, answer the following questions, giving reasons for your selection.

- a) Which material has the lowest yield strength?
- b) Which material has the highest ductility?
- c) Which material has the highest toughness?
- d) Which material has the highest elastic modulus?
- e) Which material has the lowest ultimate tensile strength (UTS)?
- f) State respectively which material behaves like a:
 - i. Ceramic
 - ii. Metal
 - iii. Polymer



| Question | Material Selected | Reason |
|----------|----------------------|--------|
| (a) | | |
| (b) | | |
| (c) | | |
| (d) | | |
| (e) | | |
| (f) | Material Selected | Reason |
| ceramic | | |
| metal | | |
| polymer | | |

Activity 5: Strengthening Mechanisms – Grain Size Reduction (20 minutes)

The yield strength of a steel, with an average grain size of 0.040 mm, is 148 MPa. For the same steel with a grain size of 0.023 mm the yield strength is 178 MPa. In order to strengthen this steel, the grain size has been further reduced to 0.016 mm.

Plot the above values according to the Hall-Petch equation below. and graphically estimate the new yield strength of the steel. Confirm this value analytically.

Given: Yield Strength and representative grain sizes

Assumption(s): Hall-Petch equation is valid and all strengthening is due to grain size changes.

$$\sigma_v = \sigma_0 + K.d^{-1/2}$$

Assignment Project Exam Help

https://powcoder.com

Add WeChat powcoder

Graphically, yield strength
$$\sigma_{v}$$
 ~ (MPa)

Analytically, yield strength
$$\sigma_{v}$$
 = (MPa)

$$\sigma_0 =$$
 (units?)

$$K =$$
 (units?)

4