

Copyright warning

COMMONWEALTH OF AUSTRALIA

Copyright Regulations 1969

Assignment Project Exam Help

This material has been reproduced and communicated to you by or ship of the Orliver Sity of Sydney Office pursuant to Part VB of the Copyright Act 1968 (the Act).

Add WeChat powcoder

The material in this communication may be subject to copyright under the Act. Any further copying or communication of this material by you may be the subject of copyright protection under the Act.

Do not remove this notice.

Agenda

- Creational Design Pattern
 - Singleton

Assignment Project Exam Help

- Structural Design Pattern
 - Decorator and Fattes://powcoder.com

Add WeChat powcoder

Singleton Pattern

https://powcoder.com

Add WeCha

Object Creational





Creational Patterns (GoF)

Pattern Name	Description
Factory Method	Define an interface for creating an object, but let sub-class decide which class to instantiate (class instantiation deferred to subclasses)
Builder	Separate the construction of a complex object from its representation so that the same construction process can create different representations
Prototype	Specify the kinds to bject power objects by copying this prototype
Singleton	Ensure a class And cha Wie instructe polypionic albeat point of access to it

Singleton

Intent

- Ensure a class only has one instance, and provide a global point of access toxitssignment Project Exam Help


Motivation

- Make the class itself responsible for keeping track of its sole instance (intercept requests to create new objects and provide a way to access its instance) hat powcoder
- There can be many printers in a system, but there should be only one printer queue

Singleton

- Applicability
 - There must be exactly one instance of a class, and it must be accessible to clients from a well-known a rees point
 - The sole instance should be extensible by subclassing, and clients should behaple: topuse and extended instance without modifying their code
- Structure

Add WeChat powcoder



Singleton

- Participants

- Defines an instance() operation that lets clients access its unique instance. instance() is atclassific peration. Help
- May be responsible for creating its own unique instance
- Collaboration https://powcoder.com
 - Clients access a Singleton instance solely through Singleton's instance() operation.

Singleton Implementation

Singleton instance Singleton getInstance() operations if(instance == null) instance = new Singleton(); return instance;

```
public class Singleton {
      private static Singleton instance = null;
   initialisation.
      private Singleton()
                        https://powcoder.com
      public static Singleton getInstance()
         if (instance == null) {
            instance = new din Wetch hat powcoder
         return instance;
public class Client {
       Singleton single = Singleton.getInstance();
```

Decorator Pattern

https://powcoder.com

Add WeCha

Object Structural





Structural Patterns (GoF)

Pattern Name	Description
Adapter	Allow classes of incompatible interfaces to work together. Convert the interface of signs into the content of t
Decorator	Attach additional responsibilities to an object dynamically (flexible alternative to the policy of the color
Façade	Provides a unified interface to a set of interfaces in a subsystem. Defines a higher-level interface to a set of interfaces in a subsystem. Defines a higher-level interface to a set of interfaces in a subsystem. Defines a higher-level interface to a set of interfaces in a subsystem. Defines a higher-level interface to a set of interfaces in a subsystem. Defines a higher-level interface to a set of interfaces in a subsystem. Defines a higher-level interface to a set of interfaces in a subsystem.

Decorator Pattern


Intent

Attach additional responsibilities to an object dynamically. Decorators provide a flexible alternative to sub-classing for extending functionality Assignment Project Exam Help


Applicability

- to add responsibilities to individual objects dynamically and transparently, without affecting other objects.
 For responsibilities that can be withdrawn
- When extension by sub-classing is impractical
 - Sometimes a large number of independent extensions are possible and would produce an explosion of subclasses to support every combination.

Decorator – Structure



Decorator – Structure



Decorator Pattern – Why Not Inheritance?

- We want to add responsibilities to individual objects, not an entire class
 - E.g., A GUI toolkit should let you add properties like borders or behaviors like scrolling to any user interface component

https://powcoder.com

- Is adding responsibilities using inheritance a good design? For example, inheriting about design? For instance
 - Why, why not?

Decorator Pattern – Why Not Inheritance?

- Adding responsibilities using inheritance restricts runtime change, and requirementation for personal decoration.
 - This design is in the powcoder.com
 - The choice of border is made statically; a client cannot control how and when to detail the component with a border
 - More flexible design is to enclose the component in another object that adds the border

Decorator Pattern – Text Viewer Example

TextView


TextView object has no scroll bars and border by default (not always needed) Assignment Project Exam Help Some applications would benefit from using objects to model every aspect of their functionality, but a naive design approach would be For example, most document ed-ScrollDecorator to add thettps://powcoder.com itors modularize their text formatting and editing facilities to some extent. However, they invariably stop short of using objects to represent each character and graphical element in the document. at the finest level in the application. Text and graphics BorderDecorator to add And Wechat powcoder black border around the

Decorator Pattern – Text Viewer Example

Compose the decorators with the TextView to produce both the border and the scroll behaviours for the TextView Assignment Project Exam Help



Decorator Pattern – Text Viewer Example



Decorator – Text Viewer Example

- VisualComponent is the abstract class for visual objects
 - It defines their drawing and event handling interface
- Decorator is an abstract class for visual components
 - It simply forwards draw requests to its component; Decorator subclasses can extend this operation
 Add WeChat powcoder
- The ScrollDecorator and BorderDecorator classes are subclasses of Decorator
 - Can add operations for specific functionality (e.g., ScrollTo)

Decorator – Participants

- **Component** (*VisualComponent*)
 - Defines the interface for objects that can have responsibilities added to them dynamically.

 Assignment Project Exam Help
 ConcreteComponent (TextView)
- - Defines an object to property additional responsibilities can be attached
- **Decorator**
 - Maintains a reference to a computation of the compu that conforms to Component's interface.
- ConcreteDecorator (BorderDecorator, ScrollDecorator)
 - Adds responsibilities to the component

Decorator – Collaborations

Collaborations

 Decorator forwards requests to its Component object. It may optionally perform additional operations before and after forwarding the request. https://powcoder.com

Add WeChat powcoder

Consequences (1)

- More flexibility and less complexity than static inheritance
 - Can add and remove responsibilities to objects at run-time
 - Inheritance requires adding pew class for party sponsibility (increase complexity)

- https://powcoder.com Avoids feature-laden (heavily loaded) classes high up in the hierarchy Add WeChat powcoder
 - Defines a simple class and add functionality incrementally with Decorator objects – applications do not need to have un-needed features
 - You can define new kinds of Decorators independently from the classes of objects they extend, even for unforeseen extensions

Consequences (2)

- Decorator and its component are not identical
 - Decorated component is not identical to the component itself you shouldn't rely on object identity when you use decorator
- Many little objects https://powcoder.com
 - Can become hard to learn and debug when lots of little objects that look alike
 Add WeChat powcoder
 Still not difficult to customize by those who understand them

Façade Pattern

https://powcoder.com

Add WeCha

Object Structural





Structural Patterns (GoF)


Pattern Name	Description
Adapter	Allow classes of incompatible interfaces to work together. Convert the interface of signs into the content of t
Decorator	Attach additional responsibilities to an object dynamically (flexible alternative to http://www.exeloring.com/tionality)
Façade	Provides a unified interface to a set of interfaces in a subsystem. Defines a higher devel that the post of interfaces in a subsystem use.

Façade Pattern

- Intent
 - Provide a unified interface to a set of interfaces in a subsystem. It defines a higher-level interface that makes the subsystem easier to use Assignment Project Exam Help
- Applicability
 - https://powcoder.com


 You want to provide a simple interface to a complex subsystem
 - There are many dependencies between clients and the implementation classes of an abstraction
 - You want to layer your subsystem. Façade would define an entry point to each subsystem level

Façade Motivation



A **facade** object provides a single, simplified interface to the more general facilities of a subsystem

Façade – Structure



Façade Pattern - Example

façade.methodA();

```
class subClass1 {
    public void method1() {
        // method body }
    }
    Assignment Project ExtbicFetade() {
        s1 = new subClass1();
        s1 = new subClass2();
        public void method2();
        // method body }
    }
    Add We Chat powerblic void methodA() {
        s1.method1();
        s2.method2();
    }

How about Client?

Façade façade = new Façade();
}
```

Façade – Participants

Facade

- Knows which subsystem classes are responsible for a request.
- Delegates client requests to appropriate subsystem objects.
- Subsystem classes ignment Project Exam Help
 - Implement subsystem functionality.
 - Handle work assigned by the Paçade bject
 - Have no knowledge of the facade; they keep no references to it.

Collaborations

- Clients communicate with the subsystem by sending requests to Façade, which forwards them to the appropriate subsystem object(s).
 - Although the subsystem objects perform the actual work, the façade may have to do work of its own to translate its interface to subsystem interfaces
- Clients that use the facade don't have to access its subsystem objects directly

Consequences

- Simplify the usage of an existing subsystem by defining your own interface
- Shields clients from subsystem compensates Herbuce the number of objects that clients deal with and make the subsystem easier to use.

 https://powcoder.com
- Promote weak coupling between the subsystem and the clients
 - Vary the components of the class and the components of the class and the components of the class and the class are the components of the class and the class are the components of the class are the components of the class are the class are the components of the class are the class
 - Reduce compilation dependencies (esp. large systems) when subsystem classes change
- Does not prevent applications from using subsystem classes if they need to. Choice between ease of use and flexibility.

Façade Pattern

- Façades can simplify using a series of complicated method calls and interactions
- Façades can wagpigramplepsetet packages with a simpler interface
 - Easier to use https://powcoder.com
 - Easier to maintain
- Promote weak coupling with the acomplex signer
- Doesn't prevent using the complex system directly if needed

Task for Week 11

- Submit weekly exercise on canvas before 23.59pm Sunday
- Well organize time for assignment 3
- Attend Helpdesk session if project Exam Helpions/difficulties on implementation perspective coder.com

Add WeChat powcoder

What are we going to learn on week 12?

- Unit Review

Assignment Project Exam Help

https://powcoder.com

Add WeChat powcoder

References

- Craig Larman. 2004. Applying UML and Patterns: An Introduction to Object-Oriented Analysis and Design and Iterative Development (3rd Edition).
 Prentice Hall PTR, Upper Saddle River, NJ, USA.

 Assignment Project Exam Help
- Erich Gamma, Richard Helm, Ralph Johnson, and John Vlissides.
 1995. Design Patterns: Elements of Reusable Object-Oriented Software.
 Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA.
 Add WeChat powcoder