

EMERGENCY REGULATION KIT

System Protocol for Nervous System Overload

CLINICAL CONTEXT:

This kit is designed for moments when behavior is driven by nervous system overload, not choice. During these moments, reasoning, teaching, and consequences are ineffective. This system restores safety first. Understanding comes later.

SYSTEM DEPLOYMENT INSTRUCTIONS:

1. **RESPONSE, NOT CURRICULUM:** Use this only during active dysregulation.
2. **SELECT, DON'T STACK:** Choose the ONE tool matching the physiological state.
3. **PRESENCE IS PRIMARY:** Your stability is the most effective tool.

STATUS: EMERGENCY REFERENCE

PHASE 1: RAPID RESPONSE PROTOCOL

WHEN TO USE: Active Meltdown. Thinking Brain is Offline.

CONTRAINDICATIONS (DO NOT DO):

- DO NOT ask questions or request explanations.
- DO NOT negotiate, reason, or instruct.
- DO NOT require eye contact.
- DO NOT reference consequences.

RESPONSE SEQUENCE

- 1. SECURE SAFETY:** Remove dangerous objects. Relocate if needed.
- 2. REDUCE LOAD:** Stop talking. Turn off screens. Dim lights.
- 3. ESTABLISH PRESENCE:** Sit nearby. Eye level or lower. Do not block exits.
- 4. ALLOW RELEASE:** Wait for breathing to slow and muscles to soften.

PHASE 2: CO-REGULATION SCRIPTING

PURPOSE: To signal safety through tone, not conversation.

INTERNAL ANCHORING (Silent for Parent):

"This is not an emergency."

"I am safe. They are safe."

"My only job is presence."

EXTERNAL VOCALIZATION (Spoken to Child):

Rules: Low volume. Slow tempo. Long pauses (10s).

"I am right here."

"You are safe."

"I am staying close."

"There is no rush."

"We will get through this."

PHASE 3: PHYSIOLOGICAL REGULATION

WHEN TO USE: After the body begins to settle.

THE WALL PRESS: Push firmly against a wall for 10 seconds. Releases isometric tension.

COLD CONTACT: Place ice pack on back of neck. Triggers 'Dive Reflex' to lower heart rate.

WEIGHTED COMPRESS: Apply firm downward pressure on shoulders or use weighted blanket.

FLOOR ANCHOR: Lie flat. Press heels and head into the floor. Grounds the body.

REGULATION STRATEGY DECK

Instructions: Cut along lines. Practice during calm moments.

BOX BREATHING

1. Inhale (4s)
2. Hold (4s)
3. Exhale (4s)
4. Pause (4s)

5-4-3-2-1 SCAN

- 5 See
- 4 Touch
- 3 Hear
- 2 Smell
- 1 Taste

PALM RUB

Rub hands fast until hot.
Place over eyes.
Focus on the heat.

COLOR SEARCH

Pick a color (e.g. Blue).
Find 5 blue things.
Point to them.