

The Morning Launch System

Subtitle: Executive Function Scaffolds & Scripts for Neurodivergent Families

Theme: Operationalizing the morning to reduce chaos, friction, and decision fatigue.

How to Use This Without Overwhelm

STOP. Do not read this guide from cover to cover.

This is not a book. This is not more homework. This is a **Navigation System**.

If you try to read all 50 strategies at once, you will feel overwhelmed. Instead, keep this guide closed until you need it. When the morning goes sideways, pause and ask just one question:

"What is our specific failure point right now?"

Identify the bottleneck below, open **ONLY** that section, pick **ONE** tool, and ignore the rest.

If your child cannot get out of bed:

- **Use Tool #1:** The Dopamine Bridge Framework
- **Use Tool #2:** The Sensory Wake-Up Protocol
- **Use Tool #6:** The "Announcement" Audio Script

If dressing causes meltdowns:

- **Use Tool #9:** The Night-Before Prep Framework
- **Use Tool #11:** The "Choice Architecture" Script
- **Use Tool #15:** The Safe Outfit Strategy (Uniforms)

If time disappears (Time Blindness):

- **Use Tool #24:** The Visual Sequence Strip
- **Use Tool #25:** The Analog Clock Visualizer

- **Use Tool #27:** The Playlist Timer Tool

 If mornings destroy your relationship:

- **Use Tool #4:** The "Check-In" Escalation Ladder
- **Use Tool #6:** Robot Announcements (Externalizing Authority)
- **Use Tool #8:** The "Weekend Practice" Run

Section 1: Wake-Up & Getting Out of Bed

Overcoming sleep inertia and the "freeze" response.

1. The Dopamine Bridge Framework

- **Best Used When:** Your child physically cannot get out of bed because the transition from sleep to "demand" is too harsh.
- **What This Helps With:** Overcoming sleep inertia, building momentum, reducing refusal.
- **Plaintext:** My child struggles with "Sleep Inertia" (waking up is painful/slow). Help me create a "Dopamine Bridge." Suggest 3 small, high-interest activities (audiobook, specific music, pet time) that we can insert before they have to get out of bed, to bridge the gap between sleep and the first demand.

Parent Note: You cannot drive a car with a cold engine. Warm it up first.

2. The Sensory Wake-Up Protocol

- **Best Used When:** Yelling "wake up" only causes a meltdown, and they are sensitive to light/sound.
- **What This Helps With:** Gentle arousal, nervous system regulation, reducing cortisol spikes.
- **Plaintext:** We need a "Sensory Wake-Up Menu." My child is sensory sensitive. Suggest 5 non-verbal, gentle ways to wake a child (e.g., smell of toast, opening curtains slowly, pressure massage) that gently activate the brain without startling it.

Parent Note: Waking up shouldn't feel like an air raid siren.

3. The "Human Burrito" Unrolling Script

- **Best Used When:** Your child refuses to leave the warmth of the blankets.
- **What This Helps With:** Playfulness, connection, physical activation.
- **Plaintext:** My child refuses to get out of the blankets. Give me a playful script for "Unrolling the Burrito." I want a game I can play to physically (but

gently) get them out of bed using humor and touch rather than commands.
Parent Note: Laughter wakes up the brain faster than nagging.

4. The "Check-In" Escalation Ladder

- **Best Used When:** You find yourself nagging 20 times and then yelling.
- **What This Helps With:** Parenting consistency, reducing parental rage, predictability.
- **Plaintext:** I nag too much in the morning. Create a 3-Step "Wake Up Ladder" for me.
 1. The Gentle Nudge (Time minus 15 mins).
 2. The Clear Command (Time minus 10 mins).
 3. The Consequence/Action (Time minus 5 mins). Give me the specific script for each step so I don't repeat myself endlessly.
- **Parent Note:** Your voice loses power every time you repeat a command without action.

5. The Sleep Inertia Explainer Tool

- **Best Used When:** Your child is grumpy and irrational for the first 20 minutes, and you take it personally.
- **What This Helps With:** Managing expectations, biological empathy, reducing conflict.
- **Plaintext:** Explain "Sleep Inertia" in ADHD/Autism to me in one paragraph. Then, give me a "Grumpiness Buffer" script to say to myself when my child is rude in the morning, so I don't fight back.
Parent Note: The morning monster is not your child; it's their biology booting up.

6. The "Announcement" Audio Script

- **Best Used When:** You are tired of being the "clock watcher" and shouting the time.
- **What This Helps With:** Externalizing authority, reducing vocal strain, automating cues.
- **Plaintext:** I want to record a set of "Morning Announcements" on my phone or smart speaker so I don't have to yell. Write 3 funny/energetic scripts for: "15 minutes to go," "Shoes on time," "Bus is coming!" Make

them sound like a train conductor or game show host.

Parent Note: Let the robot be the bad guy.

7. The Reverse Alarm Clock Method

- **Best Used When:** The alarm clock itself is a trigger for anxiety or anger.
- **What This Helps With:** Autonomy, reducing auditory stress, ownership.
- **Plaintext:** My child hates alarm clocks. Suggest 3 creative alternatives (e.g., light-up alarms, vibrating watches, musical playlists) that give them autonomy over waking up without the jarring noise.

Parent Note: How the day starts sets the tone for how the day goes.

8. The "Weekend Practice" Run

- **Best Used When:** You try new routines on Monday morning and they fail because stress is high.
- **What This Helps With:** Low-stakes practice, muscle memory, troubleshooting.
- **Plaintext:** We need to practice our morning routine, but mornings are too stressful. Design a "Saturday Morning Drill" game where we practice the routine for a reward (like donuts) without the pressure of school.

Parent Note: Don't try to learn to swim during a drowning.

Section 2: Dressing Systems

Winning the wardrobe war and sensory battles.

9. The Night-Before Prep Framework

- **Best Used When:** Morning decision fatigue leads to meltdowns over what to wear.
- **What This Helps With:** Reducing decision fatigue, streamlining mornings, executive function.
- **Plaintext:** We fight about clothes every morning. Create a "Night-Before Clothing Ritual" checklist. It needs to cover: checking the weather, choosing the outfit (including socks/underwear), and laying it out in a specific "ready to wear" shape on the floor.

Parent Note: Morning You will thank Evening You.

10. The Sensory Tag & Seam Checklist

- **Best Used When:** Your child puts on clothes and immediately rips them off screaming.
- **What This Helps With:** Sensory validation, wardrobe auditing, reducing pain.
- **Plaintext:** My child has tactile sensitivity. Act as a Sensory Detective. Give me a checklist to "Audit" their wardrobe. What specific things should I look for (seams, tags, fabric types, tight waistbands) to eliminate the "hurting clothes"?

Parent Note: If it feels like sandpaper to them, it doesn't matter how cute it looks.

11. The "Choice Architecture" Script

- **Best Used When:** "Get dressed" is too vague, but picking for them causes rebellion.
- **What This Helps With:** Autonomy within boundaries, speed, reducing overwhelm.
- **Plaintext:** My child takes forever to choose clothes. Give me a script to offer "Choice Architecture" (Limited Choices). "Do you want the red shirt or the blue shirt?" Explain how to present this so it feels like freedom, not

control.

Parent Note: Unlimited choice is paralysis. Limited choice is freedom.

12. The "Flash" Challenge (Gamification)

- **Best Used When:** Your child is capable of dressing but gets distracted halfway through.
- **What This Helps With:** Motivation, focus, speed.
- **Plaintext:** My child gets distracted while dressing (one sock on, playing with Lego). Create a "Beat the Clock" game script. "I bet you can't get fully dressed before this song ends." Suggest 3 high-energy songs to use as the timer.

Parent Note: Turn the chore into a challenge.

13. The Capsule Wardrobe System

- **Best Used When:** The closet is full of clothes they won't wear, causing visual clutter.
- **What This Helps With:** Visual calm, efficiency, reducing laundry stress.
- **Plaintext:** Help me design a "Capsule Wardrobe" for a neurodivergent child. We need to reduce the clutter. Suggest a rule (e.g., 5 pants, 5 shirts, all mix-and-match) to simplify the closet so any combination works.

Parent Note: Clutter in the closet leads to clutter in the mind.

14. The "Body Awareness" Mirror Tool

- **Best Used When:** Your child puts clothes on backward or inside out and doesn't notice.
- **What This Helps With:** Independence, self-checking, attention to detail.
- **Plaintext:** My child often puts clothes on backward. Create a simple visual checklist we can tape to the mirror (e.g., "Label is in back," "Buttons in front") so they can self-check before coming downstairs.

Parent Note: Teach them to inspect their own work so you don't have to be the inspector.

15. The Safe Outfit Strategy (Uniforms)

- **Best Used When:** Your child only wants to wear one specific outfit every day.

- **What This Helps With:** Picking battles, sensory safety, routine.
- **Plaintext:** My child wants to wear the same [Type of Clothes] every day. Help me accept this. Give me a strategy to buy multiples of the same "Safe Outfit" (Steve Jobs style) to eliminate the battle entirely.
Parent Note: Einstein wore the same suit every day to save brainpower. Maybe your kid is onto something.

16. The Temperature Visualizer

- **Best Used When:** Your child refuses to wear a coat in winter or wears a hoodie in summer.
- **What This Helps With:** Logic vs. Sensation, interoception, weather appropriateness.
- **Plaintext:** My child has poor interoception (doesn't feel cold/hot). Create a "Weather Station" visual for our hallway. If the number is X, we wear Y. Make it a rule of the house, not a command from Mom.
Parent Note: Argue with the thermometer, not the parent.

Section 3: Tasks & Hygiene Sequences

Automating the "boring stuff."

17. The Toothbrushing DJ Script

- **Best Used When:** Hygiene tasks are boring and sensory-aversive.
- **What This Helps With:** Distraction, timing, sensory tolerance.
- **Plaintext:** Toothbrushing is a fight. Suggest the "DJ Toothbrush" method. We play a specific 2-minute song. We brush until the song stops. Give me a script to introduce this new rule enthusiastically.
Parent Note: Two minutes feels like an hour when you're bored. Music fixes time.

18. The Breakfast Menu Board

- **Best Used When:** Your child rejects breakfast or takes 30 minutes to decide what to eat.
- **What This Helps With:** Nutrition speed, reducing decision fatigue, routine.
- **Plaintext:** We lose time deciding on breakfast. Help me create a "Monday-Friday Breakfast Menu" (e.g., Monday = Toast, Tuesday = Yogurt). It needs to be predictable and visual so the child knows exactly what is coming.
Parent Note: Predictability is calming. Surprise is expensive (energetically).

19. The "Launchpad" Station Design

- **Best Used When:** Shoes, socks, and backpacks are scattered all over the house.
- **What This Helps With:** Environment design, reducing lost items, visual cues.
- **Plaintext:** We lose things constantly. Help me design a "Launchpad" by the door. What specific items (hooks, baskets, visuals) do I need to create a station where everything lives so it is impossible to lose shoes?
Parent Note: A place for everything means everything is in its place.

20. The "Chain Linking" Method

- **Best Used When:** Your child does one task and then wanders off, forgetting the next one.
- **What This Helps With:** Habit stacking, sequencing, flow.
- **Plaintext:** My child has "gaps" between tasks where they get lost. Teach me "Habit Chaining." How can I link "Brushing Teeth" directly to "Washing Face" so one triggers the other automatically?
Parent Note: Don't let them leave the bathroom until the bathroom chain is done.

21. The "Protein First" Strategy

- **Best Used When:** Your child is hangry and unfocused, leading to meltdowns.
- **What This Helps With:** ADHD brain function, blood sugar regulation, mood stability.
- **Plaintext:** I suspect low protein is affecting my child's ADHD in the morning. List 5 "Grab and Go" high-protein breakfast components (e.g., cheese stick, hard-boiled egg, protein shake) that require zero cooking/sitting.
Parent Note: Protein is the building block of dopamine.

22. The "One Touch" Rule

- **Best Used When:** Your child moves piles of stuff around but doesn't actually pack their bag.
- **What This Helps With:** Efficiency, executive function, organization.
- **Plaintext:** Teach my child the "One Touch" rule for packing their backpack. "Don't put it down, put it away." Give me a simple script/mantra to practice this while packing the lunchbox.
Parent Note: Clutter is just deferred decisions.

23. The "Meds" Ritual

- **Best Used When:** Remembering (or taking) daily medication is a struggle.
- **What This Helps With:** Compliance, routine, health.
- **Plaintext:** We struggle to remember meds (or the child resists). Suggest a "Medication Ritual" that pairs the pill with a high-reward immediate treat

(e.g., a specific juice or a chocolate chip) to create a positive association.

Parent Note: Make the 'have-to' stick to the 'want-to'.

24. The Visual Sequence Strip

- **Best Used When:** You have to repeat the order of tasks every single day.
- **What This Helps With:** Visual processing, reducing verbal nagging, independence.
- **Plaintext:** Create a text-based description for a "Morning Visual Strip." It should have 4 icons: Toilet, Teeth, Clothes, Face. I want to tape this to the bathroom mirror. Explain how to use it to replace my voice (e.g., "Check the strip").

Parent Note: Visuals are permanent; words are temporary.

Section 4: Transitions & Time Management

Moving through time without getting stuck.

25. The Analog Clock Visualizer

- **Best Used When:** Your child has time blindness and doesn't understand "10 minutes."
- **What This Helps With:** Time blindness, visualizing passing time, urgency.
- **Plaintext:** My child doesn't understand digital time. Explain how to use an analog clock with dry-erase markers to color in the "wedges" of time (e.g., Red wedge = Getting dressed time).
Parent Note: To them, time is invisible. You have to make it visible.

26. The "Two-Minute Warning" Script

- **Best Used When:** Sudden transitions cause explosions.
- **What This Helps With:** Transition ease, preparation, respect.
- **Plaintext:** My child hates switching tasks. Give me a script to deliver a "Two-Minute Warning" that requires a "verbal receipt" (they have to look at me and say "Roger that") so I know they heard me.
Parent Note: Don't ambush them with a transition.

27. The Playlist Timer Tool

- **Best Used When:** Timers cause anxiety, but silence allows drifting.
- **What This Helps With:** Pacing, dopamine, mood regulation.
- **Plaintext:** Help me build a "Morning Playlist." Suggest a structure: 3 calm songs for waking up, 3 upbeat songs for dressing, and 1 "Hurry Up" song for the final shoe-putting-on phase.
Parent Note: Music bypasses the logic center and speaks to the motor center.

28. The "Shoe Station" Bottleneck Fix

- **Best Used When:** The entire morning falls apart at the door because shoes are missing or difficult to put on.
- **What This Helps With:** Reducing friction, final transition speed, lowering parental stress.
- **Plaintext:** The "Shoe Station" is our biggest bottleneck. Help me design a specific physical system for the entryway. It needs to account for a child who [Specific Issue: e.g., can't tie laces/loses shoes]. Suggest 3 specific "hacks" (e.g., elastic laces, a specific "shoe bucket" rule) to solve this.
Parent Note: If the shoes are the problem, change the shoes (or the laces), not the child.

29. The "Time Timer" Logic Script

- **Best Used When:** Your child ignores verbal warnings about time remaining.
- **What This Helps With:** Visualizing time, reducing nagging, creating urgency.
- **Plaintext:** My child ignores me when I say "5 minutes left." Explain the logic of a "Visual Timer" (where the red disk disappears) to them. Give me a script to introduce it: "My voice is annoying, so we are going to let the Red Disk be the boss of time."
Parent Note: Make the clock the bad guy, not Mom or Dad.

30. The "Transition Object" Protocol

- **Best Used When:** Your child refuses to get in the car because they have to leave their toys/world behind.
- **What This Helps With:** Emotional safety, bridging environments, reducing separation anxiety.
- **Plaintext:** My child struggles to leave the house. Help me establish a "Car Toy" or "Pocket Friend" rule. We need a specific, small object they are allowed to bring with them to bridge the gap between home and school.
Parent Note: A small toy in the pocket is a piece of home they can hold onto.

31. The "Race the Parent" Gamification

- **Best Used When:** The energy is low and everyone is dragging their feet.

- **What This Helps With:** Energy injection, competition (healthy), speed.
- **Plaintext:** My child moves in slow motion. Create a "Race Script." "I bet I can load the dishwasher before you put your shoes on." Give me ground rules for the race so it stays fun and doesn't end in tears if they lose.
Parent Note: Motion creates emotion. Get them moving to change the mood.

32. The "Walk and Talk" Strategy

- **Best Used When:** Your child stops moving every time they start talking.
- **What This Helps With:** Maintaining momentum, multitasking, keeping the flow.
- **Plaintext:** My child stops moving to talk. Give me a gentle redirect phrase (like "Walk and Talk") that I can use to remind them that their feet need to keep moving even while their mouth is moving.
Parent Note: The brain can do two things, but sometimes it needs a reminder.

Section 5: Emotional Regulation in Mornings

Handling the "I don't want to go" feelings.

33. The Low-Dopamine Morning Plan

- **Best Used When:** Your child wakes up already overstimulated or grumpy.
- **What This Helps With:** Sensory preservation, reducing conflict, peace.
- **Plaintext:** We are having a "Low Dopamine Morning." Create a plan for a "Silent Morning" where we communicate only via notes/signals and keep the lights low. Give me a script to explain this to the family so it doesn't feel like a punishment, just a reset.

Parent Note: Silence is a valid form of care.

34. The "I Hate School" Validation Script

- **Best Used When:** Your child is crying and refusing to go to school because they hate it.
- **What This Helps With:** Emotional validation, reducing resistance, feeling heard.
- **Plaintext:** My child says "I hate school" every morning. Give me a script that validates the feeling ("I know it's hard/boring/loud") without agreeing to let them stay home. The goal is "Empathy + Boundary."

Parent Note: You can validate the feeling while still holding the boundary.

35. The "Panic Button" Reset Tool

- **Best Used When:** The morning has gone off the rails and everyone is yelling.
- **What This Helps With:** Stopping the spiral, repairing connection, starting over.
- **Plaintext:** The morning has turned into a disaster. Give me a "Reset Button" script. I want to physically stop everyone, take a deep breath, and say: "We are starting over from right now. I love you, let's try again."

Parent Note: It's never too late to restart the morning.

36. The Dysregulation Detective

- **Best Used When:** You can't tell if they are being naughty or if they are hungry/tired.
- **What This Helps With:** Root cause analysis, troubleshooting, biological needs.
- **Plaintext:** My child is acting out. Help me run a quick "Body Scan" interrogation. Give me 3 questions to ask them to determine if the root cause is Hunger, Thirst, or Fatigue, so we can fix the biology before fixing the behavior.
Parent Note: A hungry kid cannot be a good kid.

37. The "Love Sandwich" Connection Tool

- **Best Used When:** You feel like a drill sergeant and the connection is fraying.
- **What This Helps With:** Relationship banking, softening commands, cooperation.
- **Plaintext:** I feel like a drill sergeant. Give me a "Love Sandwich" script for the morning.
 1. Connection (Hug/Kind word).
 2. Command (Put on shoes).
 3. Connection (High five/Smile).
- **Parent Note:** Connection is the fuel that powers compliance.

38. The Anxiety Off-Loader

- **Best Used When:** Your child is worried about a test or event later in the day.
- **What This Helps With:** Reducing anticipatory anxiety, externalizing worry, clearing the mind.
- **Plaintext:** My child is anxious about today. Create a "Worry Deposit" ritual by the door. We will "write down the worry" and leave it in a box at home so they don't have to carry it to school.
Parent Note: Leave the heavy bags at home.

39. The Car Regulation Kit

- **Best Used When:** The transition to the car is the tipping point for a meltdown.
 - **What This Helps With:** Sensory regulation, transition ease, distraction.
 - **Plaintext:** Design a "Car Regulation Kit" for the backseat. List 5 sensory items (fidgets, heavy lap pad, sunglasses, chewelry) that should stay in the car to help them regulate during the drive to school.
- Parent Note:** The car ride is the decompression chamber.

40. The "Good Enough" Doorway

- **Best Used When:** You are obsessing over them forgetting something or looking messy.
 - **What This Helps With:** Perfectionism, prioritizing attendance, letting go.
 - **Plaintext:** I am obsessing over perfect hair/perfect packing. Give me a mantra for the "Good Enough Doorway." Help me accept that if they are fed, dressed, and loved, that is enough for today.
- Parent Note:** Perfect is the enemy of 'on time'.

Section 6: Systems & Visual Supports

Frameworks that do the remembering for you.

41. The Flow Chart Creator

- **Best Used When:** Your child asks "What do I do next?" every 30 seconds.
- **What This Helps With:** Independence, visual sequencing, reducing verbal load.
- **Plaintext:** Help me design a "Morning Flow Chart" for a non-reader (or visual learner). Describe the icons and arrows I need to draw to show the path from Bed -> Bathroom -> Kitchen -> Door.
Parent Note: When they ask 'what's next?', point to the chart.

42. The Sunday Night Staging Area

- **Best Used When:** Monday mornings are a shock to the system.
- **What This Helps With:** Preparation, reducing Monday anxiety, executive function.
- **Plaintext:** Create a "Sunday Night Launch Sequence." List the 5 critical things we must stage on Sunday night (e.g., locate library book, sign forms, find shoes) to ensure Monday isn't a crisis.
Parent Note: Monday morning is won on Sunday night.

43. The "If/Then" Logic Map

- **Best Used When:** Your child gets distracted by screens or toys before they are ready.
- **What This Helps With:** Logical consequences, motivation, First/Then thinking.
- **Plaintext:** We need a "When/Then" or "If/Then" rule. Give me a script to explain: "WHEN you are fully dressed and fed, THEN you can watch TV." Help me frame this as a key to unlock the fun, not a punishment.
Parent Note: Work first, play second. It's the rule of life.

44. The Reward Token System

- **Best Used When:** You need a tangible short-term motivator for getting out the door.
- **What This Helps With:** Dopamine reinforcement, positive behavior, speed.
- **Plaintext:** We need a short-term incentive. Create a "Morning Token" system. If they are ready by 7:30, they get a token. What are 3 simple, free rewards they can "buy" with 5 tokens (e.g., pick the Friday movie, dessert for breakfast)?

Parent Note: Reinforce the behavior you want to see repeated.

45. The "Captain of the Ship" Role

- **Best Used When:** Your child fights for control.
- **What This Helps With:** Autonomy, leadership, buy-in.
- **Plaintext:** My child wants to be in charge. Give them the job of "Time Captain." Their job is to tell me when it's time to leave. Give me a script to "hire" them for this role.

Parent Note: Give them power so they don't have to take it.

46. The Checklist Manifesto (Physical vs Digital)

- **Best Used When:** You aren't sure if a paper list or an app is better.
- **What This Helps With:** Choosing the right tool, personalization, trial and error.
- **Plaintext:** Help me decide between a physical checklist (laminated, dry erase) vs. a digital one (iPad app) for my [Age] year old with [ADHD/Autism]. List the pros and cons of each for a neurodivergent brain.

Parent Note: The best tool is the one they will actually use.

47. The "Missing Item" Bin

- **Best Used When:** Essential items (gloves, hats) vanish constantly.
- **What This Helps With:** Organization, object permanence, reducing loss.
- **Plaintext:** We lose small items (gloves/hats). Suggest a specific "containment system" strategy, like Velcro-ing items to the coat or using a specific "landing zone" basket that is visually impossible to miss.

Parent Note: Make it harder to lose than to keep.

48. The Backpack Tag Framework

- **Best Used When:** Your child forgets what belongs in their bag.
- **What This Helps With:** Visual reminders, independence, packing accuracy.
- **Plaintext:** Create a text design for a "Backpack Luggage Tag." On one side, it says "Going to School" (List: Lunch, Folder, Library Book). On the other side, "Coming Home" (List: Lunchbox, Homework, Jacket).
Parent Note: Externalize the memory.

49. The "Done" Definition Visual

- **Best Used When:** Your child thinks "dressed" means wearing a shirt but no pants.
- **What This Helps With:** Clarifying expectations, quality control, reducing arguments.
- **Plaintext:** My child thinks they are ready when they aren't. Help me create a "What Does DONE Look Like?" visual. We will take a photo of them fully ready (shoes on, bag on back). Explain how to use this photo as the standard they have to match.
Parent Note: Don't explain it; show it.

50. The Family Huddle Framework

- **Best Used When:** The routine isn't working and you need to change it.
- **What This Helps With:** Collaborative problem solving, buy-in, iteration.
- **Plaintext:** Our routine is broken. Give me an agenda for a "Family Huddle" to fix it. We need to ask the child: "What part of the morning is hardest for you?" and "What is one thing we can change to make it easier?"
Parent Note: They are the expert on their own struggle. Ask them.

Bonus: System Customization Worksheet

How to tailor these tools to your specific family ecosystem.

1. Change the Persona

- "Act as a specialized ADHD Coach..."
- "Act as a gentle Occupational Therapist..."
- "Act as a playful Camp Counselor..."

2. Adjust the Tone

- "Make this script shorter and punchier."
- "Use 'Star Wars' metaphors."
- "Focus strictly on sensory regulation."

3. The Repair Script

- "This framework is too complex for my child. Simplify it to just 2 steps."

4. Build Your Own Framework

- "Act as [Role]. My child struggles with [Specific Morning Task]. The barrier is [Sensory/Executive Function]. Build me a [Game/Visual/Script] to bridge this gap."