

ZHONG TIAN 39 Introduction

(1) Ship Name: ZHONG TIAN 39

Classification: Floating Crane

Flag: CHINA

Year of built: 2024

(2) Vessel Dimensions

L.O.A.: 215.0m

BREADTH: 51.8m

DEPTH: 19.0m

DESIGN DRAFT: 10.0m

MAX. WORKING DRAFT: 14.0m

Main deck area : $\sim 3580\text{m}^2$

Design load of the main deck cargo area : 15t/m^2

Deck cargo capacity: 10000t

(3) Accommodation

Cabins: 210P

Mess room: Crew Restaurant; Senior Crew Restaurant; VIP Restaurant

Meeting room: Video meeting room (30P) ; meeting room(18P);meeting room(8P)

Hospital/recreation: One hospital and one ward each; One recreation room

Others: Gymnasium; Cinema

(4) Derrick Crane

5000T Derrick Crane

15T deck crane and 30T deck crane

(5) Machinery

Main Generators: 4300kw*6

Aux Gen: 1460kw

Em. Gen: 600kw

Azimuth Thrusters: 3000kw*3

Bow Thrusters: 3000kw*3

FW maker: one secondary reverse osmosis water maker and one distilled water maker

(6) Tank Capacity

Fuel oil: $\sim 5940\text{m}^3$

FW: $\sim 2212\text{m}^3$

Drink water: $\sim 1106\text{m}^3$

Ballast tank: $\sim 100984\text{m}^3$

(7) Deck

Equipment

Mooring system(winch, rope, anchor,..): Winch, rated tension 150T, wire rope diameter 92mm, rope capacity 1600m, quantity 8 units. Positioning anchor, Delta high holding power anchors , weight 20000kg, quantity 8.

The dynamic positioning system(DP2) is being reformed.

Mooring windlass: Rated tension of mooring drum: 300 kN; Rated tension of the side drum: 150 kN. Quantity 6

Windlass: Anchor chain wheel working load: ≥ 1000 kN; Rated tension of cable reel: 300kN; Rated tension of auxiliary drum: 150 kN. Quantity 2


Anchor chain: $\Phi 132$ mm, AM3 navigation anchor chain

Anchor: AC-14 anchor, weight 25000kg, quantity 2

(8) Navigation&Communication

X-band radar, S-band radar, electronic nautical chart, integrated display, bridge and building interface, magnetic compass, electric compass, depth sounder, Doppler log, satellite log, navigation data recorder, sound receiving system, autopilot, satellite navigation, Beidou navigation, automatic recognition system, wind speed and direction indicator, wireless radio, medium and high frequency radio, satellite ground station C, very high frequency telephone, meteorological fax machine, navigation alarm receiver, two-way handheld phone, handheld intercom, explosion-proof intercom, emergency satellite positioning marker, radar responder, VSAT, FBB station, fixed ultra-high frequency intercom, handheld ultra-high frequency intercom, BNWAS

Lifting capacity:



Ship effect pictures:

