

GLASORA a.s.
Levická 3, 949 01 Nitra

Spojenie funkcie a estetiky

A variety of insulating glass: www.glasora.com

Price list for Insulating Glass

for company :

(all prices in EUR/m², no tax included)

ELWIDO s.r.o.

č.436
951 43 Čakajovce

Tel +38 (066)-740-40-97
e-mail komfort_line@ukr.net

COMPOSITION of IGU		THICKNESS	Ug (W/m ² .K)	Price €/m ²
sgg CLIMALIT	4 / 16 / 4 air	24mm	3,0	25,81
sgg CLIMAPLUS XN	4 / 16 / 4 argon	24mm	1,1	25,81
sgg CLIMAPLUS One	4 / 16 / 4 argon	24mm	1,0	27,98
sgg CLIMAPLUS ECLAZ	4 / 16 / 4 argon	24mm	1,1	27,98
sgg CLIMATOP XN	4 / 16 / 4 / 16 / 4 argon	44mm	0,6	43,00
sgg CLIMATOP One	4 / 16 / 4 / 16 / 4 argon	44mm	0,5	48,00
sgg CLIMATOP ECLAZ	4 / 16 / 4 / 16 / 4 argon	44mm	0,6	53,00
price surcharges for insulating glass €/m ²				ESG
PLANICLEAR 4mm	(Clear glass - float)			10,69
PLANICLEAR 5mm	(Clear glass - float)		2,00	XXX
PLANICLEAR 6mm	(Clear glass - float)		3,60	16,64
PLANICLEAR 8mm	(Clear glass - float)		7,20	25,60
PLANICLEAR 10mm	(Clear glass - float)		11,90	37,43
PLANITHERM XN 4mm	(Glass with low emissivity Ug = 1,1)		XXX	20,72
PLANITHERM XN 6mm	(Glass with low emissivity Ug = 1,1)		4,65	28,34
PLANITHERM XN 8mm	(Glass with low emissivity Ug = 1,1)		10,60	38,86
PLANITHERM XN 10mm	(Glass with low emissivity Ug = 1,1)		11,72	38,48
PLANITHERM ONE 4mm	(Glass with low emissivity Ug = 1,0)		XXX	39,99
PLANITHERM ONE 6mm	(Glass with low emissivity Ug = 1,0)		3,30	43,32
PARSOL 4mm bronze	(Body tinted glass)	3210x2250mm	13,38	41,06
PARSOL 6mm bronze	(Body tinted glass)		20,76	61,93
STOPSOL CLASSIC CLEAR 6mm (Ant.clear)	(Solar control reflec. glass)	3210x2250mm	30,38	56,42
STOPSOL CLASSIC BRONZ 6mm (Ant.bronz)	(Solar control reflec. glass)	3210x2250mm	39,52	57,72
STOPSOL SUSI CLEAR 6mm (Ant.silver)	(Solar control reflec. glass)	3210x2250mm	30,38	56,42
SATINOVO Mate 4mm	(Etched glass)		9,18	39,00
SATINOVO Mate 6mm	(Etched glass)	3210x2250mm	12,86	41,60
STADIP 33.1 (2B2)	(Laminated safety glass)		14,00	XXX
STADIP 33.1 MAT (2B2)	(Laminated safety glass matt)	3210x2250mm	30,27	XXX
STADIP 33.1 Planitherm XN (2B2)	(Laminated safety glass with low emissivity)		17,89	XXX
STADIP 33.2 (P1A)	(Burglary resistance glass)		18,00	XXX
STADIP 44.1	(Laminated safety glass)		16,95	XXX
STADIP 44.2 (P2A)	(Burglary resistance glass)		19,10	XXX
STADIP 44.4 (P4A)	(Burglary resistance glass)		34,40	XXX
STADIP 44.1 Planitherm XN	(Laminated safety glass with low emissivity)		21,20	XXX
STADIP 44.2 Planitherm XN (P2A)	(Burglary resistance glass with low emissivity)		21,34	XXX
STADIP 44.4 Planitherm XN (P4A)	(Burglary resistance glass with low emissivity)		44,41	XXX
STADIP 55.2 Planitherm XN (P2A)	(Burglary resistance glass with low emissivity)		27,21	XXX
Cool-Lite 6mm SKN 165, SKN 176, SKN 183	(Multifunctional solar control glass)		18,05	36,35
Cool-Lite 6mm XTREME 61/29; XTREME 70/33	(Multifunctional solar control glass)		19,55	37,85
Warm edge spacer SWISSPACER AD 10,12,14,16,18mm titan-grey; black				1,50 € / sqm
Warm edge spacer SWISSPACER AD 10,12,14,16,18mm light brown, dark brown, white				2,50 € / sqm
Warm edge spacer SWISSPACER ULTIMATE 8,10,12,14,16,18mm titan-grey; black				2,50 € / sqm
Minimum invoiced area :		0,4m2	Offer valid from :	offer valid to :
Extra fee for area over 4m2 :		30%	16.6.2025	
Extra fee for area over 6m2 :		50%		

aluminium spacer

The prices include energy surcharge.

GLASORA a.s. reserves the right to change the price list.

Any change in the price list undertakes to negotiate with the buyer at least 15 days before the amendment takes efficiency.

Other terms and conditions are stated on page 6.

The Head of Business Department : Rastislav Svečula rastislav.svecula@glasora.com

Price list surcharges IGU - ornaments

(all prices in EUR/m², no tax included)

for company :

ELWIDO s.r.o.

ESG

sgg Arena clear 4mm (Crepi)	4,32	31,33
sgg Listral D clear 4mm (Krizet)	6,00	35,22
sgg Optica clear 4mm (Konfeta)	(on request) XXX	XXX
sgg Waterfall clear 4mm (crust)	5,31	33,92
sgg Silvit clear 4mm	9,79	38,23
sgg Silvit bronz 4mm	(on request) XXX	XXX
sgg Madera clear 4mm	(on request) XXX	XXX
sgg Altdeutsch clear 4mm	23,90	XXX
sgg Altdeutsch bronz 4mm	(on request) XXX	XXX
sgg Cathedral MIN clear 4mm	6,47	32,84
sgg Cathedral MAX clear 4mm	6,47	32,84
sgg Vison clear 4mm (Chinchilla)	16,27	51,18
sgg Vison bronz 4mm (Chinchilla)	(on request) XXX	XXX
sgg Laliva clear 4mm (Delta)	(on request) XXX	XXX
sgg Laliva bronz 4mm (Delta)	(on request) XXX	XXX
sgg Thela 4mm	25,89	51,61
sgg MASTER Point,Ligne,Ray 4mm	Ligne, Ray - (on request) 25,89	60,41
sgg MASTER Carre,Lens,Shine 4mm	Lens, Shine - (on request) 25,89	60,41
sgg Tarassa 4mm	9,79	38,23
sgg Spotlyte 4mm	(on request) XXX	XXX

storage format:

width (mm)	height (mm)
3300	2160
2160	1650
1200	2000
2160	3300
1650	2500
1650	2160
1650	2160
1650	2160
1650	3200
1650	2160
1650	2160
2160	3300
2160	3000
2160	1420
2160	1420
2000	3210
2000	3210
2000	3210
1718	2160
1650	2160

ornament orientation:

does not have the orientation
does not have the orientation
does not have the orientation
along the height
along the height
along the height
along the height
along the height
along the height
does not have the orientation
does not have the orientation
along the height
along the height
along the height
along the height
along the height
along the height
along the height
along the height
along the height

Price list of surcharges for insulating glass - other types

ESG

PLANICLEAR 12mm	39,50	101,02
ECLAZ 4mm	XXX	47,98
ECLAZ 6mm	6,64	55,77
STADIP 44.2 ECLAZ	44,16	XXX
Diamant 4mm (extra clear glass)	9,63	28,12
STADIP 44.1 SILENCE Planitherm XN	46,58	XXX
STADIP 44.2 SILENCE Planitherm XN	58,45	XXX
STADIP 44.1 MAT 3210x2250mm	49,16	XXX
STADIP 33.2 Planitherm XN	30,27	XXX
STADIP 33.2 Planitherm ONE	30,27	XXX
STADIP 44.2 Planitherm ONE	33,53	XXX

Warm edge spacer SWISSPACER AD 24mm	2,50
Warm edge spacer SWISSPACER ULTIMATE 20mm	3,00

extra fee for insulating glass with overlap	10,00	€/pc. insulating glass
extra fee for sealing with UV resistant silicon DC 3363 DGU	16,26	€/ m2
extra fee for sealing with UV resistant silicon DC 3363 TGU	32,51	€/ m2
extra fee for blackening of overlap with UV resistant silicone	11,62	€/ m overlap
extra fee for arised edge	0,58	€/ rm
extra fee for the smooth edge shape U matt	3,00	€/ rm
extra fee for sandblasting (full area)	30,00	€/ m2


Price list of acoustically insulated triple-glazed units

STRUCTURE	THICKNESS	Rw (dB)	Ug (W/m ² .K)	price €/m ²
sgg CLIMATOP XN ACOUSTIC 48/32 4/ 18SWS AR/ 4/ 18SWS AR/ 4	48mm	32	0,5	46,00
sgg CLIMATOP XN ACOUSTIC 48/37 6/ 16SWS AR/ 4/ 16SWS AR/ 6	48mm	37	0,6	55,30
sgg CLIMATOP XN ACOUSTIC 53/39 6/ 18SWS AR/ 4/ 18SWS AR/ 33.2	52,8mm	39	0,5	80,92
sgg CLIMATOP XN ACOUSTIC 47/41 6/ 14SWS AR/ 4/ 14SWS AR/ 44.2	46,8mm	41	0,6	71,99
sgg CLIMATOP XN ACOUSTIC 55/42 6/ 18SWS AR/ 4/ 18SWS AR/ 44.2	54,8mm	42	0,5	71,99
sgg CLIMATOP XN SILENCE 47/43 6/ 14SWS AR/ 4/ 14SWS AR/ 44.2 SI	46,8mm	43	0,6	109,10
sgg CLIMATOP XN SILENCE 55/44 6/ 18SWS AR/ 4/ 18SWS AR/ 44.2 SI	54,8mm	44	0,5	109,10
sgg CLIMATOP XN SILENCE 44/45 8/ 12SWS AR/ 4/ 12SWS AR/ 44.1 SI	44,4mm	45	0,7	103,18

Overlap - Recommended Solution:

ESG Low-E Low-E

Planiclear



GLASORA a.s.
Levická 3, 949 01 Nitra

Price list of services

for company :
ELWIDO s.r.o.

Modification of glass built in the higher altitude by ALTIMETER :

extra fee for adjustment of insulating DGU : 2,00 € / piece
extra fee for adjustment of insulating TGU : 4,00 € / piece



If there is a difference in heights above the sea level between production site (e.g. Nitra 200 m) of insulating glass and place of its installation higher than 800 m (500m for TGU!), it is necessary to adjust the pressure of the insulating glass.

Altimeter adjustment device is the most advanced method of pressure adjustment in the insulating glass at its place of installation and there is no further intervention needed.

Based on the input data: height above sea level at place of installation, the average annual temperature, minimum and maximum altitude during transport the insulating glass with specific composition is checked with software (unsatisfactory composition must be changed) and subsequently modified by device.

Surcharge for valve SWISSPACER AIR 8,00 € / piece



Surcharge for EXPRESS production (up to appr. 24 hours) : + 50% to the cost of glass

Technical informations

Producible minimum dimension of insulating glass : 180x350 mm

Producible maximum dimension of insulating glass : 2500x3500 mm

Producible maximum dimension of E S G glass : 2400x3200 mm

Maximum dimension of E S G glass depending on the thickness: 4mm: 1200x2200mm; 6mm: 2450 x 3500mm

Maximum weight of insulating glass: approximately 400 kg

Recommended glass thickness depending on the size and area :

DGU - thickness	4 / 4	6 / 4	6 / 6	8 / 6	8 / 8	10 / 8	10 / 10
Maximum size:	1400x2400	1500x2500	2100x2700	2300x2800	2400x3000	2600x3300	2800x4000
Minimum width of edge spacer (mm) :	≥12	≥12	≥14	≥14	≥14	≥14	≥14
The maximum recommended ratio:	1:3	1:5	1:6	1:7	1:8	1:10	1:10
Recommended maximum glass area (m2):	3,4	3,7	5,7	6,1	7,2	8,4	11,2
Maximum Square:	1500	1600	2200	2400	2600	2800	3000
Weight (kg/m2)	20	25	30	35	40	45	50

TGU - thickness	4 / 4 / 4	6 / 4 / 4	6 / 4 / 6	6 / 6 / 6	8 / 6 / 6	8 / 6 / 8	10 / 6 / 8	10 / 8 / 10
Maximum size:	1400x2500	1550x2550	2000x2800	2150x2900	2300x3000	2400x3000	2550x3000	2800x3800
Minimum width of edge spacer (mm) :	≥12	≥12	≥14	≥14	≥14	≥14	≥14	≥14
The maximum recommended ratio:	1:3	1:5	1:6	1:6	1:7	1:8	1:8	1:10
Recommended maximum glass area (m2):	3,5	3,8	5,9	6	6,9	7,2	7,6	11,0
Maximum Square:	1550	1650	2100	2300	2500	2600	2700	3000
Weight (kg/m2)	30	35	40	45	50	55	60	70

Replacement for glass VSG (STADIP) is simplified as:

4 = 33.x
6 = 44.x
8 = 55.x
10 = 66.x

Price list of Georgian Bars

for company :
ELWIDO s.r.o.

price in €/ running meter		HELIMA			
		8 mm	18 mm	26 mm	45 mm
White RAL 9010	standard	5,31	4,65	5,31	8,80
Gold		5,31	xx	xx	xx
Bronze		5,31	xx	xx	xx
HD golden oak (GOLDEN OAK)		xx	5,97	6,80	17,66
HD golden oak / white RAL 9010		xx	6,64	6,80	19,58
(wood decor) - both sides	laminated	xx	15,93	16,27	19,58
(wood decor) // white RAL 9010		xx	15,93	16,27	19,58
(wood decor) // (wood decor)		xx	15,93	16,27	19,58
RAL // white RAL 9010	RAL	xx	15,93	16,27	19,58
RAL Both sides		xx	15,93	16,27	19,58
RAL // RAL		xx	15,93	16,27	19,58

Price for crossing v € / pc.	8 mm	18 mm	26 mm	45 mm
Helima	3,98	1,99	2,66	6,64

price in €/ running meter	DUPLEX / Wiener sprosse)		
	20 mm	24 mm	30 mm
Duplex SWISSPACER titan grey, black	9,89	9,89	9,89

Price for crossing v € / pc.	20 mm	24 mm	30 mm
Duplex SWISSPACER titan grey, black	6,44	6,44	6,44

Quantitative conditions and terms for HELIMA:

1) STANDARD variant (White and Golden Oak variants)

- In stock - no quantity limit
- Delivery is usually within a week


2) LAMINATED option (Foil)

- All available films on the market and their mutual combinations (Renolit, Hornschuch, Sullivan....)
for the order we need to know the name and foil number eg. Anthracite gray 701605 - 116700
- Delivery time is usually within 2 weeks.
- Price by quantity and price list: for example 18mm Laminated - 16,10 € / rm for quantity 20 rm and more
for quantities 4-20 rm + 100%
for quantities 0-4 rm + 200 %

3) Non-Standard Variant - RAL - additionally sprayed (shiny or matte)

- These are all RAL colors and their combinations
RAL scale designation, for example RAL 7016
- The standard finish is shiny, MATT on request
- Due to production technology (preparation, spraying, curing, Fogging test) the delivery date is usually within 3 weeks
- Price by quantity and price list: for example 18mm RAL - 16,27 € / rm for quantity 20 rm and more
for quantities 4-20 rm + 100%
for quantities 0-4 rm + 200 %

Surcharges for atypical shapes



Terms and conditions**1. Pricing**

The prices are set without tax, taxation is governed by the law of value added tax.

The prices are calculated to minimum invoicing dimension of 0,4 m², glass with surface larger than 4 m² will have a surcharge of 30%, glass with surface larger than 6 m² will have a surcharge of 50%

The prices include energy surcharge.

2. Packaging

The packaging is secured on the stillages. The usage of stillages is included in price.

The replacement of stillages depends on individual agreement.

Customers that do not have the stillages replacement included in contract are required to return stillages within 21 working days. In that case, if customer do not return the stillage, its value will be invoiced.

3. Transport

EX WORKS: NITRA

4. Orders and delivery dates

Orders are accepted by customer service: by e-mail, post, or in person.

Delivery date is at least 4 working days for standard glass. Orders must be received no later than 12.00.

Otherwise the delivery date move forward automatically to the next working day.

(e.g. from Monday to Friday: Customer service has to receive the order on Monday until 12.00. so the delivery date will be on Friday.)

Delivery date for insulating glass with tempered or laminated safety glass is at least 5 working days.

Sending of orders in one "package" with information about completed order has an impact on processing the orders in our system. The orders are placed into the same batch, it is easier to optimize layout on stillages and also planning the transport. The complete order is the first step towards the complete delivery.

The orders with a shortened delivery date - e.g. 1 working day, related to complaints, broken glass, etc.. These orders have to be received until 11.00 and are acceptable only in minimal quantities. It relates to standard insulating glass only.

If insulating glass contains the tempered or laminated glass, we cannot confirm the delivery date for the next working day.

Any additional information, e.g. delivery place, packaging specification, etc. have to be sent together with the order as this information has to be entered into our system during processing the order.

5. Complaints

Complaints have to be received in written form, included the reason and identification of product

(order number / position). Complaints are applied and considered in terms of "Complaints Procedure", "Handbook tolerance" and "CLIMALIT guideline for considering the visual quality of insulating glass" that are listed on the website and STN 70 1621:2010.

6. Other conditions

Other conditions apply under the "Framework Agreement for the supply of goods", "Conditions of transport, storage, handling and installation of insulating glass", "Complaints Procedure" and the "Handbook of tolerance". (www.glasora.com)

7. CONTACTS

Head of Business Department:	Rastislav Svečula	tel. +421 902 913 101	e-mail: rastislav.svecula@glasora.com
Sales representative :	Jozef Drevenák	tel. +421 902 913 100	e-mail: jozef.drevenak@glasora.com
Sales representative :	Ivan Fehér	tel. +421 910 723 685	e-mail: ivan.fehér@glasora.com
Sales Assistant	Monika Moravčíková	tel. +421 911 909 512	e-mail: monika.moravcikova@glasora.com
Customer Service :	Dominika Morvaiová	tel. +421 911 167 674	e-mail: dominika.morvaiova@glasora.com
Customer Service :	Mária Janigová	tel. +421 904 947 548	e-mail: maria.janigova@glasora.com
Customer Service :	Maroš Ehrenhold	tel. +421 903 273 236	e-mail: maros.ehrenhold@glasora.com
Expedition :	Karina Péliová	tel. +421 902 913 102	e-mail: karina.peliova@glasora.com
Industrial Manager	Branislav Bogár	tel. +421 902 463 563	e-mail: branislav.bogar@glasora.com
Head of Financial Department :	Helena Kalužáková	tel. +421 903 522 877	e-mail: helena.kaluzakova@glasora.com