ENAC / DGAC — GSEA Semester Module: Regulatory Documentation

Class 1: Navigating Regulations & Modal Precision (Part-ADR.OPS)

Part 1: Student Handout

Student Name: _____


Date: _____


Course: GSEA Aviation English & Regulatory Literacy

Focus: EASA Easy Access Rules for Aerodromes — Subpart ADR.OPS.B (Apron Safety & FOD)

Section 1: The EASA Regulatory Architecture & Modal Commitment

In European civil aviation regulations, modal verbs define the exact legal status of an action. Understanding this distinction is critical for TSEEAC personnel conducting inspections, certifications, or drafting local operational directives.





Modal Spectrum Table

- **SHALL / MUST (100% Commitment):** Mandatory. Imposes an inescapable requirement on the regulated entity.
- **SHALL NOT (Prohibition):** Zero tolerance. Strictly forbidden under law.
- **SHOULD (75% Commitment):** Acceptable Means of Compliance (AMC). Presumed compliance path; alternative means (AltMOC) require formal safety justification and authority validation.
- **MAY / CAN (Discretionary / 0–50%):** Guidance Material (GM) or statutory permission. An authorized option or practical method.

Section 2: Jargon Buster — De-coding Legal Terminology

Match each formal EASA expression with its plain operational equivalent:

#	Official Legal Formulation	Letter	Plain English Equivalent
1	Pursuant to Article 4(...)	[ ]	**A.** Combined updated text containing all previous amendments
2	Without prejudice to Subpart C(...)	[ ]	**B.** Following / According to Article 4
3	Shall enter into force on(...)	[ ]	**C.** An authorized exception to the general requirement
4	Competent authority	[ ]	**D.** Formal exemptions permitted to Member States
5	Derogation from the rule	[ ]	**E.** Becomes legally binding and active on
6	Consolidated version	[ ]	**F.** The official oversight body (e.g., DSAC / DGAC in France)
7	Opt-outs notified by Member States	[ ]	**G.** Without affecting or altering the existing rules in Subpart C
8	Repealed with effect from(...)	[ ]	**H.** Officially cancelled and replaced starting on

Section 3: Scanning Drill — Authentic EASA Extract

Read the extract below and answer the 4 comprehension checks using **no more than 3 words** per answer.

Plaintext

SUBPART ADR.OPS.B.016 — Foreign Object Debris (FOD) Control Programme
(a) Hard Law:
The aerodrome operator shall establish and implement a foreign object debris (FOD) control
programme on the movement area. The operator shall coordinate the programme with airside
operators and ground handling service providers operating at the aerodrome.

(b) Acceptable Means of Compliance (AMC1 ADR.OPS.B.016):
The aerodrome operator should ensure that all personnel working on the airside receive initial
and recurrent FOD awareness training. Dedicated FOD bins should be positioned at each aircraft
stand and clearly marked with international high-visibility symbols.

(c) Guidance Material (GM1 ADR.OPS.B.016):
Aerodrome operators may deploy automated continuous FOD detection systems utilizing radar,
electro-optical sensors, or vehicle-mounted cameras to complement manual runway inspections.

1. Who is legally mandated to establish the FOD control programme?

   Answer: _____

2. What training interval is expected for airside staff regarding FOD?

   Answer: _____

3. Where should dedicated receptacles for debris be installed?

   Answer: _____

4. Is continuous automated radar FOD detection strictly mandatory?

   Answer: _____

Section 4: Short Writing — De-Nominalization & Direct Phrasing

Convert the passive, nominalized sentences into clear, active operational instructions suitable for ramp personnel.

Example:

Legal: "Performance of a visual inspection of the aircraft stand prior to arrival is required by all handling staff."

Ramp instruction: **Ground staff must visually inspect the aircraft stand before arrival.**

1. *Legal:* "Implementation of immediate containment measures shall be conducted by the operator upon the identification of a hydraulic fluid spill exceeding 5 square metres."

*Your version:*_____
_____

2. *Legal:* "Notification of the competent authority regarding runway incursions should be executed by the safety manager within a timeframe not exceeding 72 hours."

   *Your version:*_____
   _____

3. *Legal:* "Placement of rubber chocks against the main landing gear tyres shall be performed immediately upon the complete cessation of aircraft movement."

   *Your version:*_____
   _____

Part 2: Teacher Answer Keys & Lesson Roadmap

120-Minute Lesson Schedule

- **00–15 min: Contextual Framing & The Legal Spectrum.** Introduce the DSAC oversight context for TSEEACs. Present Hard Law vs. AMC vs. GM with the modal hierarchy.
- **15–35 min: Jargon Buster & Text Architecture.** Students complete Section 2; review answers with a focus on word roots (e.g., *repeal, prejudice, derogation*).
- **35–55 min: The Fast-Scanning Sprint.** Timed race using Section 3 extract. Students practice scanning for headings and numbers rather than reading word-for-word.
- **55–90 min: Collaborative "Spot the Compliance Bug" (Activity Cards).** Paired barrier activity (see Part 3). Focus on listening discrimination and verification phrases.
- **90–105 min: De-Nominalization & Active Phrasing Clinic.** Complete Section 4 exercises; review on board.
- **105–120 min: Spoken Fluency Output: "Rules to Reality."** Pairs select an EASA clause and deliver an unscripted 60-second operational scenario describing real ramp behavior.

Section 2: Jargon Buster Answer Key

1. **B** — *Pursuant to Article 4* = Following / According to Article 4
2. **G** — *Without prejudice to Subpart C* = Without affecting or altering existing rules in Subpart C
3. **E** — *Shall enter into force on* = Becomes legally binding and active on
4. **F** — *Competent authority* = The official oversight body (e.g., DSAC / DGAC in France)
5. **C** — *Derogation from the rule* = An authorized exception to the general requirement
6. **A** — *Consolidated version* = Combined updated text containing all previous amendments
7. **D** — *Opt-outs notified by Member States* = Formal exemptions permitted to Member States
8. **H** — *Repealed with effect from* = Officially cancelled and replaced starting on

Section 3: Scanning Drill Answer Key

1. **The aerodrome operator** *(Must not be just "airlines" or "ground handlers")*
2. **Initial and recurrent**
3. **(Each) aircraft stand**
4. **No (guidance/optional)** *(Governed by GM / "may deploy")*

Section 4: Short Writing Answer Key (Accept variations that preserve meaning)

1. **The operator shall immediately contain hydraulic spills over 5 square metres.** *(or: Ground staff must contain spills over 5 m² immediately.)*
2. **The safety manager should notify the competent authority (DSAC) of runway incursions within 72 hours.**
3. **Handlers shall chock the main gear immediately after the aircraft stops.**

Part 3: Printable Activity Cards — "Spot the Compliance Bug"

Instructions for the Activity:

1. Organize students into pairs: **Student A** and **Student B**.

2. **Student A** holds the original, legally authentic EASA text. **Student B** holds the altered version containing intentional errors ("bugs").
3. **Student A reads aloud clearly and at normal operational pace.** Student B follows their bugged sheet and must **interrupt immediately** using target checking phrases:
    - *"Hold on, did you say SHALL or SHOULD?"*
    - *"Wait, did you say 2 hours or 24 hours?"*
    - *"Stop there—did you say MAY or MUST NOT?"*
4. Students mark the discrepancies and classify whether the bug changed **legal weight**, **factual parameters**, or **procedural obligations**.

Activity Card Pair 1: Apron Vehicle Movement & Right of Way

Student A (Authentic Official Extract)

ADR.OPS.B.028 — Apron Operations & Vehicle Movement

(a) Drivers operating on the airside movement area **shall** give way to moving aircraft, aircraft under tow, and emergency response vehicles displaying active visual beacons.

(b) Except when strictly necessary for aircraft servicing operations, vehicles **shall not** be driven within the designated aircraft safety envelope.

(c) Aerodrome operators **should** establish mandatory maximum apron speed limits not exceeding **25 km/h** on standard roadways and **10 km/h** in the vicinity of aircraft stands.

Student B (Bugged Version — Listen & Interrupt!)

ADR.OPS.B.028 — Apron Operations & Vehicle Movement

(a) Drivers operating on the airside movement area **may** give way to moving aircraft, aircraft under tow, and emergency response vehicles displaying active visual beacons.

(b) Except when strictly necessary for aircraft servicing operations, vehicles **shall** be driven within the designated aircraft safety envelope.

(c) Aerodrome operators **should** establish mandatory maximum apron speed limits not exceeding **40 km/h** on standard roadways and **10 km/h** in the vicinity of aircraft stands.

Bugs in Pair 1:

1. *shall give way* changed to *may give way* (Replaced strict legal command with optional courtesy).

2. *shall not be driven* changed to *shall be driven* (Prohibited area turned into mandatory command).

3. *25 km/h* changed to *40 km/h* (Factual/numerical parameter alteration).

Activity Card Pair 2: Fuelling Safety & Passenger Occupancy

Student A (Authentic Official Extract)

ADR.OPS.B.055 — Aircraft Refuelling Operations

(a) Aircraft refuelling with passengers embarking, on board, or disembarking **shall** only take place when ground staff maintain a clear evacuation path through at least two cabin exits.

(b) All refuelling operations **shall** cease immediately if lightning discharges are detected within a **5-kilometre**radius of the aerodrome perimeter.

(c) Aerodrome personnel **should** verify that fire-fighting suppression equipment is positioned within **30 metres**of the fuelling connection point.

Student B (Bugged Version — Listen & Interrupt!)

ADR.OPS.B.055 — Aircraft Refuelling Operations

(a) Aircraft refuelling with passengers embarking, on board, or disembarking **should** only take place when ground staff maintain a clear evacuation path through at least two cabin exits.

(b) All refuelling operations **shall** cease immediately if lightning discharges are detected within a **15-kilometre**radius of the aerodrome perimeter.

(c) Aerodrome personnel **may** verify that fire-fighting suppression equipment is positioned within **30 metres** of the fuelling connection point.

Bugs in Pair 2:

1. *shall only take place* changed to *should only take place* (Demoted hard law to AMC recommendation).

2. *5-kilometre* changed to *15-kilometre* (Factual weather distance bug).

3. *should verify* changed to *may verify* (Demoted recommended safety measure to optional discretion).

Activity Card Pair 3: Occurrence Reporting & Timelines

Student A (Authentic Official Extract)

ADR.OPS.B.080 — Mandatory Safety Occurrence Reporting

(a) Aerodrome operators and ground handling service providers **shall** report any safety-related occurrence involving runway incursions or aircraft damage to the competent authority within **72 hours** of becoming aware of the event.

(b) Reports **shall** contain all relevant factual details regarding the environmental conditions, personnel qualifications, and equipment involved.

(c) When supplementary safety information becomes available after the initial submission, the operator **should**provide an updated analysis to the competent authority without undue delay.

Student B (Bugged Version — Listen & Interrupt!)

ADR.OPS.B.080 — Mandatory Safety Occurrence Reporting

(a) Aerodrome operators and ground handling service providers **shall** report any safety-related occurrence involving runway incursions or aircraft damage to the competent authority within **24 hours** of becoming aware of the event.

(b) Reports **may** contain all relevant factual details regarding the environmental conditions, personnel qualifications, and equipment involved.

(c) When supplementary safety information becomes available after the initial submission, the operator **shall not** provide an updated analysis to the competent authority without undue delay.

Bugs in Pair 3:

1. *72 hours* changed to *24 hours* (Procedural deadline error).

2. *shall contain* changed to *may contain* (Diluted mandatory report contents into optional suggestions).

3. *should provide* changed to *shall not provide* (Reversed compliance obligation into a prohibition).

Activity Card Pair 4: De-icing Fluid Management & Runoff

Student A (Authentic Official Extract)

ADR.OPS.B.035 — De-icing and Anti-icing Fluid Containment

(a) De-icing operations **shall** take place exclusively on designated de-icing pads equipped with fluid recovery drainage valves.

(b) Aerodrome operators **shall not** permit contaminated glycol fluid to drain into unlined perimeter ditches or municipal freshwater channels.

(c) In the event of an uncontained chemical release exceeding **500 litres**, the aerodrome operator **shall** inform the competent authority within **2 hours**.

Student B (Bugged Version — Listen & Interrupt!)

ADR.OPS.B.035 — De-icing and Anti-icing Fluid Containment

(a) De-icing operations **should** take place exclusively on designated de-icing pads equipped with fluid recovery drainage valves.

(b) Aerodrome operators **may** permit contaminated glycol fluid to drain into unlined perimeter ditches or municipal freshwater channels.

(c) In the event of an uncontained chemical release exceeding **50 litres**, the aerodrome operator **shall** inform the competent authority within **2 hours**.

Bugs in Pair 4:

1. *shall take place* changed to *should take place* (Hard law downgraded to AMC).

2. *shall not permit* changed to *may permit* (Prohibited environmental violation turned into permitted action).

3. *500 litres* changed to *50 litres* (Threshold reporting parameter bug).