liar affections to which they are susceptible, and have compensative parts, as will be hereafter explained.

In the female the parts of generation are complicated. Those inservient to copulation are the vulva and vagina; others to conception, and the protection of the fœtus for a determined time, as the uterus, situated between the bladder and rectum. The uterus is flattened on the front surface, and is nearly an inch in thickness; it is two inches broad at the fundus, or base, and becomes narrower towards the vagina, and is called at its termination the cervix or neck, to distinguish it from the rest of the organ, called the body—*corpus uteri.* At the point where the body of the uterus is continuous below with the neck, it is constricted, forming the internal orifice. (See Fig. 13.)

The appendages of the uterus are six in number, —*i.e.*, two Fallopian tubes, the two ovaries, and the two round ligaments. These structures, nerves, blood-vessels, and some muscular fibres are inclosed in two folds of the peritoneum, which constitutes the broad ligaments. Their position is as follows: in front are the round ligaments; the Fallopian tubes occupy the free margin of the broad ligaments; the ovaries and their ligaments are behind and below the Fallopian tubes. (See Fig. 12, No. 1.)

The Fallopian tubes convey the ova from the ovaries to the cavity of the uterus, situated in the free margin of the broad ligaments, extending from each superior angle of the uterus to the sides of the pelvis. The length of each tube is about four inches; the aperture or canal is exceedingly minute; com-