round cords, composed of tissue, nerves, vessels, and fibres, between four and five inches long, situated below and in front of the Fallopian tubes, between layers of the broad ligaments. They commence on each side at the superior angle of the uterus, pass forward through the internal abdominal ring, along the inguinal canal, to the labia majora, or lips of the vulva.

The menstrual flow is a kind of capillary discharge, and is supplied, according to authorized physiologists, from the uterine mucous membrane, and is the consequence, and, at the same time, the natural termination of the periodical congestion of the accessory parts.—*Vide* Dalton's Physiology.

The peculiar correspondence, and yet marked difference, in the male and female organs of generation, has frequently been commented upon by physiologists. A celebrated writer has avowed that the idiosyncrasies of sex bore such strong analogy that the male was only the female turned inside out, for the ovaries and uterus in the female corresponded to the testes and prostate glands in the male (see Fig. 14); and so the author has found in this system of Electro-Therapeutics, that the peculiar abdominal weight, caused from overstrained ligaments holding the genito-urinary organs in position, was to be addressed in a similar way in both sexes: and whereas the male is more subject to prolapse of the bladder than is the female, by reason of the incumbent weight and strain upon the organs, the uterus in the female is the organ for compensative displacements.

The weight and pulling of connective tissues and