Third. Manipulate as for piles and hemorrhoids. (See first treatment.)

Fourth. No. 5 electrode from the base of brain down the spine in C, No. 4 electrode over the pit of stomach in E, fifteen minutes; then change No. 5 electrode to the lower part of the spine in H ten minutes longer.

Fifth. The vapor-bath if practicable. Twenty drops of myrrh in a wineglassful of water, a tablespoonful every half-hour, will frequently stop diarrhœa.

CHOLERA AND CHOLERA MORBUS.

During an epidemic, a good preventive will be found in the regular use of the electric vapor-bath, and having some bran crackers at hand at all times with which to meet the first cravings of hunger.

For the paroxysm administer, as strong as can be borne, the following course:

The great characteristic, despite burning pains, is deficiency of gastro-intestinal heat. Therefore apply,

First. No. 4 electrode from the end of breast-bone over the stomach in E, No. 5 electrode between the kidneys, on the spine, in C, fifteen to twenty minutes, or until better.

Second. No. 6 electrode over the upper abdomen in B, No. 7 electrode under the feet in D, or the electric foot-bath may be given in bed with the same current continued until perspiration is induced.

Third. No. 5 electrode from the lower end of spine upward in G, No. 6 electrode across the liver, stomach, and spleen in B, twenty minutes.

Fourth. A–D current, the electrodes placed as