FURUNCULUS, OR BOIL—ULCERS—FISTULA—INGROWING NAILS—BURNS—PANARITIUM, OR RUN-AROUND—FROST-BITE—ABSCESSES—SPRAINS—ANTHRAX, OR CARBUNCLE—FELON, OR WHITLOW—PUSTULA MALIGNA.

However diverse in pathology, all these affections require like manipulations with electricity.

An important condition of permanent success consists in curing the sympathetic extension of the morbid process along the track of the nerve-trunks involved. Neglect of this is fruitful of relapse, of which a sprain affords marked illustration, and with which may be classed also the ordinary subacute rheumatic joint. Undue use, after relief, also causes much mischief in both these cases.

Stiffening of the joints requires a persistent after-treatment for its relief, in accordance with the direction under Defective Joints.

The typical procedure, in all the above affections, is this:

Place No. 3 or 5 electrode above the affected part in B, the sponge-cup stroked downward over the part in D, fifteen minutes. Repeat as needed, using C–D and A–D currents also. If it is possible to place the affected part in a basin of water with the negative, do so; if not, a very wet sponge will answer quite well.

Ulcers are very often but symptoms of some constitutional defect, as scrofula, or of general sclerosis, as in old people, etc. Diet and other hygienic conditions must be observed.