tive, and apply sponge-cup with positive above the joint and other affected parts successively, holding it firmly thereon, acting more deeply than if brushed.

Second. On the intervening days, C–G and B–D from base of the brain to feet ten minutes.

Reverse B–D five minutes to stimulate.

Third. Sponge-cup in the positive, and apply above the joint; if the knee, use instead an electrode, or a knee-cap of brass or other metal with wet cloth or sponge between; the negative below, using D–F or the SILVER HELIX, twenty minutes.

Fourth. If very sore, use during the last five minutes negative under the foot, positive upon joint. This is the same application as is commonly used for toothache, neuralgia, and sciatica. (See directions.)

Diseases of other joints of like nature, as of the shoulder, elbow, and ankle, may be treated similarly.

Stiff joints, deformed, contracted, dry, and cracking joints, all require C–D, permeating D–E, warning D–F, stimulating currents in connection with the treatments directed for sprains, etc.

A liberal use of cocoanut oil to thoroughly lubricate the part and gentle exercise are recommended.

Weak joints should receive similar manipulation.

CURVATURE OF SPINE.

The complicated forms of lateral, forward and backward curvature of the spine render it almost impracticable to lay down given forms of treatments. One observance will always meet with effectual results, namely: the positive pole should be applied to