tory, respiratory, tegumentary, secretory, motor, sensory, and psychical systems, and may be enumerated as follows:

Digestive System.—The tongue is pale in anæmia; cold in collapse; red in scarlatina, stomatitis, and gastritis; furred in indigestion, gastro-hepatic catarrh, fever, etc.; brown, black, cracked or fissured, and protruded with difficulty in low fevers. The latter applies also to apoplexy. It is protruded to one side in paralysis.

The Teeth are covered with sordes in low fevers; are loosened by severe salivation; and their rapid decay indicates constitutional debility.

The Gums when swollen, soft, spongy, and prone to bleed, indicate scurvy. A blue line along the edge of the gums indicates lead-poisoning. A red line is sometimes observed in phthisis, and a white line in approaching salivation; this is soon followed by swelling, soreness, and a coppery taste.

The Taste is bitter in derangements of the liver and dyspepsia; sour in gastric indigestion; saltish in hæmoptysis and consumption; putrid in gangrene of the lungs.

Appetite is deficient in all acute diseases; excessive in ill-governed lives; sometimes in nervous affections, diabetes, and worms; perverted in hysteria, chlorosis; sometimes in pregnancy.

Thirst is excessive in high fever and low collapse.

Difficulty in swallowing may be due to inflammation of the fauces, tonsils, or pharynx, spasmodic constriction of the throat, obstruction, tumor, abscess, and low debility.

Nausea and Vomiting may be caused by indigestion, colic, pregnancy, gastritis, hysteria, cholera morbus, cholera, bilious fever, yellow fever, ulcer of stomach, cancer of stomach, disease of the brain, Bright's disease of kidneys, strangulated hernia, poisoning.

Circulatory System.—The heart. The principal symptom connected with this organ is disturbed action or palpitation, and may arise from either of the following pathological conditions: inflammation of the heart or its investing membranes, hypertrophy of the heart, chronic valvular disease,