from the bowels; will be more particularly referred to as they occur in the symptomatology of particular diseases.

The Respiratory System.—Dyspnœa, or difficult breathing, may be due to irrespirable gases in the air, morbid change in the blood, obstruction or constriction of the air-tubes, bronchitis, pneumonia, pleurisy, phthisis, heart disease, aneurism of thoracic aorta, cancer in the chest, hydrothorax, dropsy.

Coughing.—The character of a cough will usually and without difficulty determine its cause.

A dry and hollow cough is generally nervous or sympathetic. Dry and tight in acute bronchitis; hacking in incipient consumption; deep and distressing in confirmed consumption; barking and hoarse in spasmodic croup; whistling in membranous croup; paroxysmal and whooping in whooping-cough.

Expectoration is mucous in catarrh and primary bronchitis; purulent in advanced and protracted bronchitis; rusty in second stage of pneumonia; bloody and muco-purulent in consumption; nummular and heavy in advanced consumption; putrid in gangrene of the lungs.

The Breath, in temperature, is higher in fever, lower in prostration, and when absolutely cold, is an almost certain symptom of speedy dissolution. In odor the breath is rarely agreeable, except in healthful childhood. It is very heavy in the incipient stages of fever. Sour in indigestion; offensive from a variety of causes, frequently decayed teeth; rotten in gangrene of the lungs.

Stertorous, or loud breathing, primarily due to relaxation of the palate, indirectly to cerebral oppression, which may be caused by apoplexy, fracture of the skull, drunkenness, narcotism.

Hiccough, produced by spasmodic contraction of the diaphragm, may be the result of indigestion, nervous disorder, or exhaustion. It is not serious except in the latter case.

Tegumentary System.—In fever the skin is hot and dry. Moisture of the skin is always favorable, except in the cold, clammy perspiration of consumption and extreme prostration.