in a portion of the spine, impaired motion, and gradual diminution of sensibility in the limbs. Muscular contraction and rigidity occurs as the disease advances, finally loss of control over the bladder and rectum, and exhaustion.

Spinal Irritation.—*S.*, There may be pain and weakness in the back, tenderness on pressure, unattended by motor or sensory degeneration, and with no proof of any special disease of the cord; *C.*, are really of rheumatic or myalgic origin, and may arise from anæmia or general nervous debility.

Ophthalmia.—*D.*, Inflammation of the eye; *V.*, 1, simple and catarrhal; *S.*, eyes bloodshot, with soreness, pain, and aversion to light, and a mucous discharge, that causes adherence of the lids to each other, especially at night; *C.*, exposure to cold and damp.

2. Pustular.—*S.*, Formation upon the conjunctiva of small vascular pustules.

3. Purulent.—*C.*, This variety is doubtless infectious and may be communicated.

4. Gonorrheal.—*C.*, Contact with the virus of leucorrhœa or gonorrhœa; is also infectious; suppuration, ulceration, and sloughing are concomitants.

Corneitis.—*D.*, Inflammation of cornea.

Sclerotitis.—*D.*, Inflammation of sclerotic coat.

Iritis.—*D.*, Inflammation of iris.

Retinitis.—*D.*, Inflammation of the retina. All these inflammations may be simple, traumatic, gouty, rheumatic, scrofulitic, syphilitic.

Otitis.—*D.*, Inflammation of the ear; *C.*, of scrofulitic origin; *S.*, suppuration and chronic discharge, attended with severe pain; but the tenderness on pressure and the subsequent discharge distinguishes it from otalgia.

Otalgia.—*S.*, Earache without much inflammation, yet attended by intense pain; *C.*, neuralgic.

Cophosis.—*D.*, Deafness. Causes are,—

1. Accumulation of wax in the ear.
2. Thickening of the tympanum.
3. Obstruction of the Eustachian tube.