in the throat; crying, laughing, epileptiform convulsions, paralysis, palpitation, aphonia, retention of urine, hemorrhages, phantom tumor, are among the many manifestations of hysteria; *C.*, frequently obscure, probably most generally due to uterine or ovarian disease.

Neuralgia.—*D.*, Literally, nerve-pain. Different names are given according to locality affected, as follows: tic douleureux, the face; hemicrania, one side of the head; sciatica, the hip; gastrodynia, the stomach; pleurodynia, the side; angina pectoris, the heart; odontalgia, the teeth.

Delirium Tremens.—*S.*, Insomnia, debility tremors, horrors, hallucinations,—*e.g.*, the patient imagines himself pursued by serpents, demons, and mortal enemies, etc. Not infrequently the hallucinations may be of an amusing character. *C.*, may result from two entirely opposite causes: 1, accustomed stimulation suddenly withdrawn; 2, excessive stimulation continued in.

Methomania.—*Syn.*, Alcoholism; *V.*, periodical, when the uncontrollable desire for alcoholic drinks comes on periodically, with intervals of weeks or months perhaps of comparative freedom from the irresistible cravings of this disease; persistent, when the mania for drink continues without cessation; *C.*, hereditary transmission; long continued and wilful excesses may confirm the habit.

Insanity.—*V.*, 1, Mania, a perversion and derangement of all the mental faculties; 2, monomania, partial derangement, as desire to commit homicide or suicide, propensity to steal, commit arson; 3, melancholia, excessive depression or gloom, not traceable to any known cause; 4, dementia, a weakening; loss or wreck of mental faculties (idiocy is congenital dementia). *C.*, hereditary transmission the most common, diseases of the brain, injury of the head, intemperance, misfortunes, mental excitement, domestic troubles.

Hemorrhages (flow of blood).—Hemorrhage is active when there is an excessive determination of blood to a part; passive when, through inaction of the circulation or weakness of the blood-vessels, the blood is not carried through its proper channels; traumatic when caused by wounds, or severing of