hip-joint, it is found that pressing the head of the thigh-bone into it gives pain. Atrophy of the muscles over the hip may follow. General weakness and emaciation, with other symptoms of the scrofulous cachexia, usually attend. Suppuration in the joint, with chronic abscesses, ulceration of the cartilages, subluxation of the femur, and caries of the bones, with hectic fever and progressive debility, occur in severe cases."

ANÆMIA.—*D.*, Bloodlessness; *S.*, pallor, debility, nervous irritability, palpitation; *C.*, loss of blood, excessive drains on the system, as suckling, leucorrhœa, diarrhœa, fevers, deficieney of food, light, warmth, or fresh air.

CHLOROSIS.—*Syn.*, "Green sickness;" *S.*, waxy, yellowish or greenish pallor of the face, with all the symptoms of anæmia, morbid appetite; menstruation usually absent.

PYÆMIA.—*D.*, Absorption of pus; *S.*, of such an affection are chills, low fever, rapidity and feebleness of the pulse, prostration, delirium, and swelling of the joints. Death may occur in a few days, from devitalization of the blood; or, if purulent formations occur, by exhaustion caused by their presence and discharge.

SKIN DISEASES.

ERYTHEMA.—*D.*, Superficial red patches of variable size, slightly irritated and inflamed, from friction of two surfaces of the skin, as occurs sometimes in not well-cleaned children; sometimes also in rheumatic fever. Chilblain is one form.

URTICARIA.—*Syn.*, Nettle-rash; elevated red or white, round or oval-shaped, patches appear very suddenly on the body (seldom in the face), and burn and sting and itch, and may disappear as suddenly. It is of short duration, but may become chronic, when it is very troublesome.

ROSEOLA.—*S.*, Dark red damask-rose-colored patches appear on the body, with little or no fever, and last only a few days.

LICHEN.—*S.*, Small red, irritable pimples appear on the face and neck, involving depositive inflammation. Prickly heat is one form of it, from which children especially suffer in the heat of summer.