Poison-Vine Eruption.—*C.*, contact with the common poison-vine and several other plants; *S.*, vesicular eruption, generally on face and hands, attended with considerable inflammation, and sometimes febrile symptoms.

Frost-bite, Chilblain.—*D.*, An erythematous inflammation, caused by too suddenly warming feet or hands after being almost frozen. If actually frozen, extremities are liable to slough off.

Bites of Animals.—When a person is bitten by a venomous serpent, or by a rabid dog or other animal, the wound if accessible, should be at once sucked strongly with the mouth, to extract the poison. Then wash it thoroughly with hot water. Apply a cupping-glass for some minutes. Cauterize it with caustic potassa; or, if practicable, excise the part bitten. Aqua ammoniæ is useful also as a local antidote for snake-poison, and for that of venomous insects; and so is fluid extract of serpentaria.

MARSHALL HALL'S READY METHOD IN ASPHYXIA.

1. Treat the patient *instantly on the spot*, in the *open air*, freely exposing the face, neck, and chest to the breeze, except in severe weather.

2. In order *to clear the throat*, place the patient gently on the face, with one wrist under the forehead, that all fluid, and the tongue itself may fall forward, and leave the entrance into the windpipe free.

3. *To excite respiration*, turn the patient slightly on his side, and apply some irritating or stimulating agent to the nostrils, as *Veratrine*, *dilute Ammonia*, etc.

4. Make the face warm by brisk friction: then dash cold water upon it.

5. If not successful, lose no time; but, to *imitate respiration*, place the patient on his face, and turn the body gently, but completely *on the side, and a little beyond;* then again on the face, and so on, alternately. Repeat these movements deliberately and perseveringly *fifteen times only* in a minute.