
ACTS generic detector simulation, no pileup
fake rate ≤ 0.0294 (pooled HNL val)
ttbar prompt
W muons
Canto-B (full budget), learned merging (rule R6) (3 seeds)
Canto-B classifier (347,777 par.), ttbar + walkthrough + merging (3 seeds)
Canto-B classifier (347,777 par.), ttbar + best of walkthrough / MWS-layer / two-pass MWS-layer + merging (extended grid) (3 seeds)
Canto-B classifier (347,777 par.), ttbar + MWS-layer + merging (3 seeds)
Canto-B classifier (347,777 par.), ttbar + CC (best cut <= FR*) (3 seeds)
acorn IGNN (263,937 par.), ttbar + MWS-layer + merging (3 seeds)
acorn IGNN (263,937 par.), ttbar + best of walkthrough / MWS-layer / two-pass MWS-layer + merging (extended grid) (3 seeds)
capacity-matched acorn IGNN (hidden 147, 347,803 par.), ttbar + MWS-layer + merging (1 seed)
acorn IGNN (263,937 par.), ttbar + walkthrough + merging (3 seeds)
capacity-matched acorn IGNN (hidden 147, 347,803 par.), ttbar + best of walkthrough / MWS-layer / two-pass MWS-layer + merging (extended grid) (1 seed)
capacity-matched acorn IGNN (hidden 147, 347,803 par.), ttbar + walkthrough + merging (1 seed)
acorn IGNN (263,937 par.), ttbar + CC (best cut <= FR*) (3 seeds)
capacity-matched acorn IGNN (hidden 147, 347,803 par.), ttbar + CC (best cut <= FR*) (1 seed)
0.800
0.825
0.850
0.875
0.900
0.925
0.950
0.975
1.000
Primary-population track efficiency (bars), DM