	Canto-L 3 seeds full budget	Canto-H 3 seeds full budget	Canto-B 3 seeds full budget	acorn (HNL) 3 seeds HNL-trained	acorn 3 seeds ttbar-trained	DeZoort IN 1 seed ttbar-trained
Displaced tracks |d0| ≥ 10 mm or r_v ≥ 100 mm	**99.1%**	**99.1%**	98.4%	95.6%	92.3%	84.8%
Far-displaced tracks |d0| 100–300 mm	**97.6%**	96.6%	96.2%	94.4%	89.2%	80.2%
Very far-displaced |d0| ≥ 300 mm	**87.7%** 50/57 particles	82.5% 47/57 particles	78.9% 45/57 particles	80.7% 46/57 particles	64.9% 37/57 particles	47.4% 9/19 particles
Prompt muons W → μ in HNL events	**99.8%**	**99.8%**	99.7%	98.8%	98.7%	91.2%
Dense prompt tracks ttbar, |d0| < 1 mm	96.3%	96.2%	**96.6%**	84.6%	87.2%	62.6%
Fake-track rate lower is better	**1.03%**	1.43%	1.30%	2.92%	2.97%	12.51%
Training data	ttbar only	ttbar only	ttbar only	HNL signal	ttbar only	ttbar only
Parameters edge classifier	348k	348k	348k	264k	264k	6.4k