

=====

????MSP VMAX SPACE DETAILS????

=====

Symmetrix ID: 000192604307

| S Y M M E T R I X T H I N P O O L S | | | | | | | | | | |
|---|--------------|-------------|-----------|------------|----------|----------|----------|----------|----------|------------|
| Pool Name | Flags PTECSL | Dev Config | Total GBs | Usable GBs | Free GBs | Used GBs | Full (%) | Subs (%) | Comp (%) | Shared GBs |
| FC_THIN_DG2 | TFFDEI | RAID-5(3+1) | 52647.6 | 52647.6 | 19932.3 | 32715.4 | 62 | 91 | 0 | 0.0 |
| SATA_THIN_4 | TSFDEI | RAID-5(3+1) | 10981.0 | 10981.0 | 3044.7 | 7936.3 | 72 | 76 | 0 | 0.0 |
| FC_THIN_DG6 | TFFDEI | 2-Way Mir | 10735.6 | 10735.6 | 3219.8 | 7515.8 | 70 | 94 | 0 | 0.0 |
| FC_THIN_DG3 | TFFDEI | RAID-5(3+1) | 42290.0 | 42290.0 | 8605.2 | 33684.9 | 79 | 118 | 0 | 0.0 |
| SATA_THIN_7 | TSFDEI | RAID-5(3+1) | 21040.5 | 21040.5 | 1429.7 | 19610.8 | 93 | 111 | 0 | 0.0 |
| Total GBs | | | 137694.8 | 137694.8 | 36231.6 | 101463.3 | 73 | 101 | 0 | 0.0 |

Legend:

(P)ool Type:

 S = Snap, R = Rdfa DSE T = Thin

(T)echnology:

 S = SATA, F = Fibre Channel, E = Enterprise Flash Drive, M = Mixed, - = N/A

Dev (E)mulation:

 F = FBA, A = AS400, 8 = CKD3380, 9 = CKD3390, - = N/A

(C)ompression:

 E = Enabled, D = Disabled, N = Enabling, S = Disabling, - = N/A

(S)tate:

 E = Enabled, D = Disabled, B = Balancing

Disk (L)ocation:

 I = Internal, X = External, M = Mixed, - = N/A

=====

????MSP VMAX HEALTH STATUS????

=====

Symmetrix ID : 000192604307

Timestamp of Status Data : 05/05/2016 03:19:15

System Bay

Bay Name : SB-1

Number of Standby Power Supplies : 8

Number of Drive Enclosures : 0

Number of Enclosure Slots : 4

Number of MIBE Enclosures : 2

Summary Status of Contained Modules

 All Standby Power Supplies : Normal

 All Enclosures : Normal

 All Link Control Cards : Normal

 All Power Supplies : Normal

 All Enclosure Slots : Normal

 All Power Supplies : Normal

 All Fans : Normal

 All Management Modules : Normal

 All IO Module Carriers : Normal

 All Directors : Normal

 All MIBE Enclosures : Normal

 All Power Supplies : Normal

Drive Bays

Bay Name : DB-1A
Number of Standby Power Supplies : 8
Number of Drive Enclosures : 16

Summary Status of Contained Modules

All Enclosures : Normal
All Link Control Cards : Normal
All Power Supplies : Normal
All Standby Power Supplies : Normal

Bay Name : DB-1B
Number of Standby Power Supplies : 8
Number of Drive Enclosures : 16

Summary Status of Contained Modules

All Enclosures : Normal
All Link Control Cards : Normal
All Power Supplies : Normal
All Standby Power Supplies : Normal

=====

XXXXXXXXMSP VMAX FAILED DEVICE STATUSXXXXXX

=====

Symmetrix ID : 000192604307
Timestamp of Status Data : 05/05/2016 03:19:16

System Bay

No components are in the specified state

Drive Bays

No components are in the specified state

=====

XXXXXXXXMSP VMAX DISK FAILEDSTATUSXXXXXX

=====

Symmetrix ID : 000192604307

=====

XXXXXXXXMSP VMAX EVENTSXXXXXXXXXX

=====

Symmetrix ID: 000192604307
Time Zone : Pacific Daylight Time

Event at Wed Feb 25 02:36:38 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 25 14:36:46 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 26 02:36:55 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 26 14:37:02 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 26 19:54:43 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 26 19:58:40 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Jun 25 20:05:43 2015:

Reporting Director : DF-8D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Thu Jun 25 20:05:44 2015:

Reporting Director : DF-8C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:02:48 2015:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:49 2015:

Reporting Director : DF-10B
Source : Symmetrix

Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:49 2015:

Reporting Director : DF-8C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:49 2015:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:49 2015:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:49 2015:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:50 2015:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:50 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:50 2015:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning

Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:50 2015:

Reporting Director : DF-8D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:50 2015:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:51 2015:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:51 2015:

Reporting Director : DF-5C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:51 2015:

Reporting Director : DF-5D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:02:51 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 21:03:33 2015:

Reporting Director : DF-9B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED

Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:03:33 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:03:33 2015:

Reporting Director : DF-9D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:03:33 2015:

Reporting Director : DF-10D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:03:33 2015:

Reporting Director : DF-12D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:03:34 2015:

Reporting Director : DF-12A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:03:34 2015:

Reporting Director : DF-11B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:03:34 2015:

Reporting Director : DF-8C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jun 26 21:03:34 2015:
Reporting Director : DF-11C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:03:34 2015:
Reporting Director : DF-8D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jun 26 21:03:35 2015:
Reporting Director : DF-5C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jun 26 21:03:35 2015:
Reporting Director : DF-6C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jun 26 21:03:35 2015:
Reporting Director : DF-12C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Jun 26 21:03:35 2015:
Reporting Director : DF-6D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jun 26 21:03:36 2015:
Reporting Director : DF-5D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jun 26 21:11:08 2015:
Reporting Director : DF-5D

Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x001a
Event Code Symbol : SP_PHONEHOME_FAIL
Description : The Symmetrix Service Processor could not complete a Call Home for service

Event at Fri Jun 26 23:16:54 2015:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-5C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-8C
Source : Symmetrix
Category : Environment

Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-8D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:16:55 2015:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d

Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:15 2015:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:15 2015:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:15 2015:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-5C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-8C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-5D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-8D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jun 26 23:17:16 2015:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 15 13:44:59 2015:

Reporting Director : RE-7G
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Sat Aug 15 13:45:00 2015:

Reporting Director : RE-7H
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Sat Aug 15 13:45:21 2015:

Reporting Director : FA-7E
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Sat Aug 15 13:45:22 2015:

Reporting Director : FA-7F
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Sat Aug 15 13:45:28 2015:

Reporting Director : DF-7A
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Sat Aug 15 13:45:28 2015:

Reporting Director : FA-11E
Source : Symmetrix

Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:28 2015:

Reporting Director : FA-11F
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:28 2015:

Reporting Director : FA-5G
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:28 2015:

Reporting Director : FA-11G
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:28 2015:

Reporting Director : FA-11H
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:29 2015:

Reporting Director : DF-7B
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Sat Aug 15 13:45:29 2015:

Reporting Director : DF-7C
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Sat Aug 15 13:45:29 2015:

Reporting Director : DF-7D
Source : Symmetrix
Category : Director
Severity : Fatal

Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Sat Aug 15 13:45:29 2015:

Reporting Director : FA-11E
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:29 2015:

Reporting Director : FA-11F
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:29 2015:

Reporting Director : FA-5G
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:29 2015:

Reporting Director : FA-11G
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:29 2015:

Reporting Director : FA-11H
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:30 2015:

Reporting Director : FA-11E
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:30 2015:

Reporting Director : FA-11F
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD

Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:30 2015:

Reporting Director : FA-5G
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:30 2015:

Reporting Director : FA-11G
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:30 2015:

Reporting Director : FA-11H
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:31 2015:

Reporting Director : FA-11E
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:31 2015:

Reporting Director : FA-11F
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:31 2015:

Reporting Director : FA-5G
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:31 2015:

Reporting Director : FA-11G
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:31 2015:

Reporting Director : FA-11H
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0009
Event Code Symbol : DISK_ADAPTER_DEAD
Description : A Symmetrix Disk Director is not responding

Event at Sat Aug 15 13:45:35 2015:

Reporting Director : DF-7D
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Sat Aug 15 13:45:35 2015:

Reporting Director : DF-7C
Source : Symmetrix
Category : Director
Severity : Fatal
Numeric Code : 0x0040
Event Code Symbol : DIRECTOR_DEAD
Description : A Symmetrix Director is not responding

Event at Thu Aug 27 16:12:37 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Aug 27 16:12:37 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Aug 27 16:12:37 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Mon Aug 31 14:21:49 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Aug 31 14:21:49 2015:

Reporting Director : DF-5A

Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Aug 31 14:21:49 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Oct 13 18:17:04 2015:

Reporting Director : DF-7D
Source : Symmetrix
Category : Data
Severity : Warning
Numeric Code : 0x0082
Event Code Symbol : SAVEDEVS_NEAR_FULL
Description : The save or data device pool is almost full

Event at Thu Oct 15 03:05:23 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Oct 15 03:05:24 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Thu Oct 15 11:25:05 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Oct 15 11:25:05 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Thu Oct 15 23:25:13 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment

Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Oct 15 23:25:13 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Fri Oct 16 11:25:22 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Fri Oct 16 11:25:22 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Fri Oct 16 19:06:10 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Oct 16 19:06:10 2015:

Reporting Director : DF-12A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Oct 16 19:06:10 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Oct 16 19:06:10 2015:

Reporting Director : DF-11D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a

Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Oct 16 19:06:10 2015:

Reporting Director : DF-12D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Oct 16 19:06:11 2015:

Reporting Director : DF-11B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Oct 16 19:06:11 2015:

Reporting Director : DF-11C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Fri Oct 16 19:06:11 2015:

Reporting Director : DF-12C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sat Oct 24 00:03:34 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Oct 24 00:03:35 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Oct 24 12:03:43 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Oct 24 12:03:44 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Oct 25 00:03:51 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Oct 25 00:03:52 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Oct 25 12:03:59 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Oct 25 12:04:00 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Oct 26 00:04:07 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Oct 26 00:04:08 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Oct 26 12:04:15 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Oct 26 12:04:16 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Tue Oct 27 00:04:23 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Tue Oct 27 00:04:24 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Tue Oct 27 12:04:32 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Tue Oct 27 12:04:33 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Tue Oct 27 15:24:14 2015:

Reporting Director : DF-11C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Oct 27 15:24:15 2015:

Reporting Director : DF-12A
Source : Service Processor

Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Oct 27 15:24:15 2015:

Reporting Director : DF-12C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Oct 27 15:24:16 2015:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Oct 27 15:24:16 2015:

Reporting Director : DF-11B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Oct 27 15:24:16 2015:

Reporting Director : DF-11D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Oct 27 15:24:17 2015:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Oct 27 15:24:17 2015:

Reporting Director : DF-12D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Thu Oct 29 06:10:09 2015:

Reporting Director : FA-6F
Source : Symmetrix
Category : Device
Symmetrix Device : 048A

Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Thu Oct 29 06:10:09 2015:

Reporting Director : FA-12F
Source : Symmetrix
Category : Device
Symmetrix Device : 048A
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Thu Oct 29 06:10:09 2015:

Reporting Director : FA-5H
Source : Symmetrix
Category : Device
Symmetrix Device : 048A
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Thu Oct 29 06:10:09 2015:

Reporting Director : FA-11H
Source : Symmetrix
Category : Device
Symmetrix Device : 048A
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sat Oct 31 17:36:40 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Oct 31 17:36:40 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Oct 31 17:36:40 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Fri Nov 13 20:20:23 2015:

Reporting Director : DF-5A
Source : Symmetrix

Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Nov 13 20:20:23 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Nov 13 20:20:23 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Fri Nov 13 20:21:28 2015:

Reporting Director : FA-11H
Source : Symmetrix
Category : Device
Symmetrix Device : 03FD
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Fri Nov 20 22:24:49 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Nov 20 22:24:49 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Nov 20 22:24:49 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Fri Nov 20 22:42:16 2015:

Reporting Director : DF-11D
Source : Symmetrix
Category : Disk

Severity : Error
Numeric Code : 0x0078
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Fri Nov 20 22:43:26 2015:

Reporting Director : FA-12F
Source : Symmetrix
Category : Device
Symmetrix Device : 09E2
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Nov 23 19:04:12 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Nov 23 19:04:12 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Nov 23 19:04:12 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Nov 24 10:29:41 2015:

Reporting Director : DF-11D
Source : Symmetrix
Category : Disk
Severity : Error
Numeric Code : 0x0078
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Nov 24 10:34:33 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Nov 24 10:34:33 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational

Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Nov 24 10:34:33 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Nov 24 19:52:31 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x001a
Event Code Symbol : SP_PHONEHOME_FAIL
Description : The Symmetrix Service Processor could not complete a Call Home for service

Event at Tue Dec 01 20:35:39 2015:

Reporting Director : DF-12B
Source : Symmetrix
Category : Disk
Severity : Error
Numeric Code : 0x0078
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 01 20:44:35 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Dec 01 20:44:35 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Dec 01 20:44:35 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Dec 01 20:46:57 2015:

Reporting Director : FA-5H
Source : Symmetrix
Category : Device
Symmetrix Device : 0514
Severity : Warning
Numeric Code : 0x0017

Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 01 20:47:24 2015:

Reporting Director : FA-11H
Source : Symmetrix
Category : Device
Symmetrix Device : 0514
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 01 21:03:43 2015:

Reporting Director : FA-12F
Source : Symmetrix
Category : Device
Symmetrix Device : 0514
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Dec 03 15:24:16 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Dec 03 15:24:16 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Dec 03 15:24:16 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Dec 15 04:32:42 2015:

Reporting Director : DF-5B
Source : Symmetrix
Category : Disk
Severity : Error
Numeric Code : 0x0078
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 15 04:37:29 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052

Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Dec 15 04:37:29 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Dec 15 04:37:29 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Dec 15 04:59:13 2015:

Reporting Director : FA-12F
Source : Symmetrix
Category : Device
Symmetrix Device : 09D9
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 15 05:03:08 2015:

Reporting Director : FA-11H
Source : Symmetrix
Category : Device
Symmetrix Device : 0401
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 15 05:03:53 2015:

Reporting Director : FA-11F
Source : Symmetrix
Category : Device
Symmetrix Device : 03E7
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 15 05:10:35 2015:

Reporting Director : FA-12G
Source : Symmetrix
Category : Device
Symmetrix Device : 09F3
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 15 07:39:37 2015:

Reporting Director : FA-11E
Source : Symmetrix
Category : Device

Symmetrix Device : 03CD
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Wed Dec 16 11:16:56 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Dec 16 11:16:56 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Dec 16 11:16:56 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Dec 22 15:50:12 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Data
Severity : Warning
Numeric Code : 0x0082
Event Code Symbol : SAVEDEVS_NEAR_FULL
Description : The save or data device pool is almost full

Event at Sat Dec 26 04:52:05 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Dec 26 04:52:05 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Dec 26 04:52:05 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational

Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Dec 29 16:32:01 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Dec 29 16:32:01 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Dec 29 16:32:01 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Fri Jan 08 02:17:51 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 02:17:52 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 02:17:52 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 02:17:52 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 02:17:52 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 02:17:52 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 02:17:52 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 02:17:52 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 14:17:59 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 14:18:00 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 14:18:00 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 14:18:00 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 14:18:00 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 14:18:00 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 14:18:00 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Jan 08 14:18:00 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 02:18:07 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 02:18:08 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 02:18:08 2016:

Reporting Director : DF-11C

Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 02:18:08 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 02:18:09 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 02:18:09 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 02:18:09 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 02:18:09 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 14:18:15 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 14:18:16 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment

Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 14:18:16 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 14:18:16 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 14:18:17 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 14:18:17 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 14:18:17 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Jan 09 14:18:17 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 02:18:23 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d

Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 02:18:24 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 02:18:25 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 02:18:25 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 02:18:25 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 02:18:25 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 02:18:26 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 02:18:26 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 14:18:31 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 14:18:33 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 14:18:33 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 14:18:33 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 14:18:34 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 14:18:34 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 14:18:34 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 10 14:18:34 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 02:18:40 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 02:18:41 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 02:18:41 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 02:18:41 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 02:18:42 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 02:18:42 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 02:18:42 2016:

Reporting Director : DF-12C
Source : Symmetrix

Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 02:18:42 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:15:17 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:15:17 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:15:17 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:15:17 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:15:17 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:15:17 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning

Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:15:17 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:15:17 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:20:59 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:20:59 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:20:59 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:20:59 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:20:59 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:20:59 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:21:00 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Jan 11 11:21:00 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Jan 31 20:57:04 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Jan 31 20:57:06 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Feb 01 08:57:12 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Feb 01 08:57:14 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Feb 01 20:57:20 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Feb 01 20:57:22 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Tue Feb 02 08:57:29 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Tue Feb 02 08:57:31 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Tue Feb 02 11:26:01 2016:

Reporting Director : DF-7A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Feb 02 11:26:02 2016:

Reporting Director : DF-8A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Feb 02 11:26:02 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Feb 02 11:26:02 2016:

Reporting Director : DF-8B

Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Feb 02 11:26:02 2016:

Reporting Director : DF-7D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Feb 02 11:26:02 2016:

Reporting Director : DF-8D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Feb 02 11:26:03 2016:

Reporting Director : DF-8C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Feb 02 11:26:04 2016:

Reporting Director : DF-7C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Feb 09 20:53:59 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Data
Severity : Warning
Numeric Code : 0x0082
Event Code Symbol : SAVEDEVS_NEAR_FULL
Description : The save or data device pool is almost full

Event at Fri Feb 12 04:13:27 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Feb 12 04:13:27 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk

Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Feb 12 04:13:27 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Mon Feb 15 22:09:09 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Disk
Severity : Error
Numeric Code : 0x0078
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Feb 15 22:14:19 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Feb 15 22:14:19 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Feb 15 22:14:19 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Feb 16 17:52:48 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Feb 16 17:52:48 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006

Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Feb 16 17:52:48 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Wed Feb 17 15:23:09 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Feb 17 15:23:09 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Feb 17 15:23:09 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Wed Feb 17 18:16:40 2016:

Reporting Director : DF-8B
Source : Symmetrix
Category : Disk
Severity : Error
Numeric Code : 0x0078
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Wed Feb 17 18:25:03 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Feb 17 18:25:03 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Feb 17 18:25:03 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Fri Feb 19 12:24:08 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Feb 19 12:24:08 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Feb 19 12:24:08 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Mar 01 22:35:06 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 01 22:35:06 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 01 22:35:06 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Thu Mar 03 16:15:10 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Mar 03 16:15:10 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Mar 03 16:15:10 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Thu Mar 03 16:15:48 2016:

Reporting Director : FA-5E
Source : Symmetrix
Category : Device
Symmetrix Device : 0526
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Fri Mar 04 12:08:17 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Mar 04 12:08:17 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Mar 04 12:08:17 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Mar 08 13:48:45 2016:

Reporting Director : DF-5A

Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 08 13:48:45 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 08 13:48:45 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Mar 08 13:49:29 2016:

Reporting Director : FA-11E
Source : Symmetrix
Category : Device
Symmetrix Device : 0535
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:00:10 2016:

Reporting Director : DF-7A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Mar 20 08:00:11 2016:

Reporting Director : DF-7A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Mar 20 08:27:57 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:58 2016:

Reporting Director : DF-9A
Source : Symmetrix

Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:58 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:58 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:58 2016:

Reporting Director : DF-7C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:58 2016:

Reporting Director : DF-8C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:58 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-7A
Source : Symmetrix
Category : Environment
Severity : Warning

Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-8B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-5D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:
Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:27:59 2016:
Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:28:00 2016:
Reporting Director : DF-5A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:28:00 2016:
Reporting Director : DF-5B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:28:00 2016:
Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:28:00 2016:
Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:28:00 2016:
Reporting Director : DF-5C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:28:00 2016:
Reporting Director : DF-10C

Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:28:00 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:28:37 2016:

Reporting Director : DF-12C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:38 2016:

Reporting Director : DF-8B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:38 2016:

Reporting Director : DF-11B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:38 2016:

Reporting Director : DF-10C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:38 2016:

Reporting Director : DF-11C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:38 2016:

Reporting Director : DF-11D
Source : Service Processor
Category : Environment

Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:38 2016:

Reporting Director : DF-12D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-6A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-9A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-10A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-12A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-6B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066

Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-9B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-7C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-8C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-9C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-7D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-8D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-9D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:39 2016:

Reporting Director : DF-10D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:40 2016:

Reporting Director : DF-7A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:40 2016:

Reporting Director : DF-8A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:40 2016:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:28:40 2016:

Reporting Director : DF-6C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:40 2016:

Reporting Director : DF-5D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:40 2016:

Reporting Director : DF-6D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:41 2016:

Reporting Director : DF-5A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:41 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:28:41 2016:

Reporting Director : DF-5C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:32:56 2016:

Reporting Director : DF-8A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:32:56 2016:

Reporting Director : DF-7C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:32:58 2016:

Reporting Director : DF-7B
Source : Service Processor

Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:32:58 2016:

Reporting Director : DF-8C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 09:21:29 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x001a
Event Code Symbol : SP_PHONEHOME_FAIL
Description : The Symmetrix Service Processor could not complete a Call Home for service

Event at Sun Mar 20 10:30:56 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x001a
Event Code Symbol : SP_PHONEHOME_FAIL
Description : The Symmetrix Service Processor could not complete a Call Home for service

Event at Sun Mar 20 11:09:51 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:51 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:51 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:51 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning

Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:51 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:51 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:51 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:52 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-7A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-8B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:
Reporting Director : DF-7C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:
Reporting Director : DF-8C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:
Reporting Director : DF-5D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:
Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:
Reporting Director : DF-7D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:09:53 2016:
Reporting Director : DF-8D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:
Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:
Reporting Director : DF-10A

Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment

Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:12 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:13 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:13 2016:

Reporting Director : DF-8B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d

Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:13 2016:

Reporting Director : DF-8C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:13 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:13 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:13 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-7A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-7C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-5D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:10:14 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 22 11:10:53 2016:

Reporting Director : DF-8C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Mar 22 11:10:59 2016:

Reporting Director : DF-7C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Mar 22 11:11:02 2016:

Reporting Director : DF-7A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Mar 22 11:11:02 2016:

Reporting Director : DF-8A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Mar 22 11:11:04 2016:

Reporting Director : DF-8B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Mar 22 11:11:04 2016:

Reporting Director : DF-8D
Source : Service Processor

Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Mar 22 11:11:05 2016:

Reporting Director : DF-7D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Mar 22 11:11:06 2016:

Reporting Director : DF-7B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Thu Mar 24 09:23:41 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Mar 24 09:23:41 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Mar 24 09:23:41 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Mon Mar 28 14:34:40 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Mar 28 14:34:40 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational

Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Mar 28 14:34:40 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 2
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 3
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G

Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 15
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 16
Severity : Warning
Numeric Code : 0x0020

Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 18
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 23
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:45 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 24
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 2
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G

Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 3
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning
Numeric Code : 0x0020

Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 15
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 16
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 18
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 23
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:46 2016:

Reporting Director : RE-7G

Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 24
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 2
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 2
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 3
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 3
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0021

Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G

Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Informational
Numeric Code : 0x0011

Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 15
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 15
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 16
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 16
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 18
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 18
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G

Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 23
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 23
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 24
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:47 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 24
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0021

Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 2
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 2
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 3
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 3
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G

Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0021

Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G

Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 15
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 15
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 16
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 16
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 18
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 18
Severity : Informational
Numeric Code : 0x0011

Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 23
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 23
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 24
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:56 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 24
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G

Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-8H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-8H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-8H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021

Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-8H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-7G

Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021

Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:59 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational