

=====

#####MSP VMAX SPACE DETAILS#####

=====

Symmetrix ID: 000192603469

S Y M M E T R I X   T H I N   P O O L S

Pool Name	Flags PTECSL	Dev Config	Total GBs	Usable GBs	Free GBs	Used GBs	Full (%)	Subs (%)	Comp (%)	Shared GBs
FC_THIN_DG2	TFFDEI	RAID-5(3+1)	57433.7	57433.7	4471.6	52962.2	92	126	0	0.0
SATA_THIN_4	TSFDEI	RAID-5(3+1)	5490.5	5490.5	1205.0	4285.5	78	98	0	0.0
FC_THIN_DG3	TFFDEI	RAID-5(3+1)	45453.4	45453.4	7103.8	38349.7	84	112	0	0.0
FC_THIN_DG6	TFFDEI	2-Way Mir	10735.6	10735.6	1221.3	9514.3	88	111	0	0.0
SATA_THIN_7	TSFDEI	RAID-5(3+1)	26300.6	26300.6	11858.4	14442.2	54	68	0	0.0
Total GBs			145414.0	145414.0	25860.1	119554.0	82	109	0	0.0

Legend:

(P)ool Type:

S = Snap, R = Rdfa DSE T = Thin

(T)echnology:

S = SATA, F = Fibre Channel, E = Enterprise Flash Drive, M = Mixed, - = N/A

Dev (E)mulation:

F = FBA, A = AS400, 8 = CKD3380, 9 = CKD3390, - = N/A

(C)ompression:

E = Enabled, D = Disabled, N = Enabling, S = Disabling, - = N/A

(S)tate:

E = Enabled, D = Disabled, B = Balancing

Disk (L)ocation:

I = Internal, X = External, M = Mixed, - = N/A

=====

#####MSP VMAX HEALTH STATUS#####

=====

Symmetrix ID : 000192603469

Timestamp of Status Data : 05/05/2016 03:33:51

System Bay

Bay Name : SB-1

Number of Standby Power Supplies : 8

Number of Drive Enclosures : 0

Number of Enclosure Slots : 4

Number of MIBE Enclosures : 2

Summary Status of Contained Modules

All Standby Power Supplies : Normal

All Enclosures : Normal

All Link Control Cards : Normal

All Power Supplies : Normal

All Enclosure Slots : Normal

All Power Supplies : Normal

All Fans : Normal

All Management Modules : Normal

All IO Module Carriers : Normal

All Directors : Normal

All MIBE Enclosures : Normal

All Power Supplies : Normal

Drive Bays

Bay Name : DB-1A  
Number of Standby Power Supplies : 8  
Number of Drive Enclosures : 16

Summary Status of Contained Modules

All Enclosures : Normal  
All Link Control Cards : Normal  
All Power Supplies : Normal  
All Standby Power Supplies : Normal

Bay Name : DB-1B  
Number of Standby Power Supplies : 8  
Number of Drive Enclosures : 16

Summary Status of Contained Modules

All Enclosures : Normal  
All Link Control Cards : Normal  
All Power Supplies : Normal  
All Standby Power Supplies : Normal

=====

#####MSP VMAX FAILED DEVICE STATUS#####

=====

Symmetrix ID : 000192603469  
Timestamp of Status Data : 05/05/2016 03:33:51

System Bay

No components are in the specified state

Drive Bays

No components are in the specified state

=====

#####MSP VMAX DISK FAILEDSTATUS#####

=====

Symmetrix ID : 000192603469

=====

#####MSP VMAX EVENTS#####

=====

Symmetrix ID: 000192603469  
Time Zone : Pacific Daylight Time

Event at Mon Nov 03 14:02:43 2014:

Reporting Director : FA-6G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 089C  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Nov 03 14:37:01 2014:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08BC  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Nov 03 14:43:53 2014:

Reporting Director : FA-5G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 089C  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Nov 03 14:46:06 2014:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 089C  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Nov 03 17:11:53 2014:

Reporting Director : FA-6G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08BC  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Nov 03 18:37:09 2014:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08DC  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Nov 03 18:44:17 2014:

Reporting Director : FA-5G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08BC  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Nov 03 18:46:18 2014:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08BC  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 07:32:16 2014:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device

Symmetrix Device : 08C2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 07:32:44 2014:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08E2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 07:38:37 2014:

Reporting Director : FA-6G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08C2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 07:40:27 2014:

Reporting Director : FA-5G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08C2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 07:41:15 2014:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08C2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 07:53:39 2014:

Reporting Director : FA-6E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08A2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 11:32:36 2014:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08E2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 11:32:50 2014:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0902  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 11:38:47 2014:

Reporting Director : FA-6G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08E2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 11:40:29 2014:

Reporting Director : FA-5G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08E2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 11:41:17 2014:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08E2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 02 11:53:42 2014:

Reporting Director : FA-6E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08C2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Feb 10 12:18:51 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0916  
Severity : Warning  
Numeric Code : 0x0016  
Event Code Symbol : MIRROR\_NR  
Description : A device has a mirror that is Not Ready

Event at Mon May 04 10:24:17 2015:

Reporting Director : FA-6G  
Source : Symmetrix  
Category : Device

Symmetrix Device : 0902  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 10:24:50 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0920  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 10:25:07 2015:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0902  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 10:32:10 2015:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0902  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 10:36:50 2015:

Reporting Director : FA-5G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0902  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 10:39:28 2015:

Reporting Director : FA-6E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08E2  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 10:44:48 2015:

Reporting Director : FA-11E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0902  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 14:24:41 2015:

Reporting Director : FA-6G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0920  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 14:25:09 2015:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0920  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 14:25:18 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0842  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 14:32:38 2015:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0920  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 14:37:20 2015:

Reporting Director : FA-5G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0920  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 14:39:50 2015:

Reporting Director : FA-6E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0902  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon May 04 14:45:08 2015:

Reporting Director : FA-11E  
Source : Symmetrix  
Category : Device

Symmetrix Device : 0920  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Fri May 22 07:30:43 2015:

Reporting Director : FA-11E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0665  
Severity : Warning  
Numeric Code : 0x0016  
Event Code Symbol : MIRROR\_NR  
Description : A device has a mirror that is Not Ready

Event at Sat May 30 13:54:31 2015:

Reporting Director : FA-11F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03DC  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat May 30 14:06:35 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0410  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat May 30 14:09:26 2015:

Reporting Director : FA-12H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B62  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat May 30 14:21:35 2015:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03F6  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat May 30 14:26:38 2015:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B48  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled



Event at Tue Jun 23 08:15:20 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 08A5  
Severity : Warning  
Numeric Code : 0x0016  
Event Code Symbol : MIRROR\_NR  
Description : A device has a mirror that is Not Ready

Event at Thu Jun 25 17:59:01 2015:

Reporting Director : DF-6D  
Source : Symmetrix  
Category : Disk  
Severity : Error  
Numeric Code : 0x0078  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 17:59:53 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B42  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 18:16:24 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03F0  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 18:20:21 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 040A  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 18:26:18 2015:

Reporting Director : FA-11E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03D6  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 18:43:16 2015:

Reporting Director : FA-12H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B5C

Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 21:09:53 2015:

Reporting Director : FA-11E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03D6  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 21:16:12 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03F0  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 21:21:19 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 040A  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 21:25:27 2015:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03F0  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 21:27:16 2015:

Reporting Director : FA-12H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B5C  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Thu Jun 25 21:27:35 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03F0  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Wed Jul 08 08:57:18 2015:

Reporting Director : DF-6C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Mon Jul 13 21:44:54 2015:

Reporting Director : DF-6C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Mon Jul 13 21:44:54 2015:

Reporting Director : DF-6D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Sat Aug 15 17:15:37 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Aug 15 17:15:37 2015:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Aug 15 17:15:37 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun Aug 16 17:15:50 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Sun Aug 16 17:15:50 2015:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun Aug 16 17:15:50 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Aug 22 03:15:40 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 03:15:40 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 03:15:41 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 03:15:41 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 03:15:41 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 15:15:48 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 15:15:48 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 15:15:49 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 15:15:49 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 15:15:49 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 03:15:56 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 03:15:56 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 03:15:57 2015:  
Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 03:15:57 2015:  
Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 03:15:57 2015:  
Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 15:16:04 2015:  
Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 15:16:04 2015:  
Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 15:16:05 2015:  
Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 15:16:05 2015:  
Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 15:16:06 2015:  
Reporting Director : DF-8B

Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 03:16:12 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 03:16:12 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 03:16:13 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 03:16:13 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 03:16:14 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 15:16:21 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 15:16:21 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment

Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 15:16:21 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 15:16:21 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 15:16:21 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 18:15:50 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 18:15:50 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 18:15:51 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 18:15:51 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d



Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem ACline interruption was detected

Event at Mon Aug 24 18:15:51 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 18:17:56 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 18:17:56 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 18:17:56 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 18:17:56 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 18:17:56 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Sep 21 15:32:19 2015:

Reporting Director : DF-9B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Sep 21 15:32:19 2015:

Reporting Director : DF-10D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Sep 21 15:32:20 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Sep 21 15:32:23 2015:

Reporting Director : DF-10C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Sep 21 15:32:24 2015:

Reporting Director : DF-9A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Sep 21 17:21:56 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Sep 22 17:22:06 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Sep 22 17:22:06 2015:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Tue Sep 22 17:22:06 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Sep 26 13:53:04 2015:

Reporting Director : FA-6G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0842  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 13:57:12 2015:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0842  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 14:06:10 2015:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0842  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 14:06:56 2015:

Reporting Director : FA-6E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0920  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 14:09:36 2015:

Reporting Director : FA-5E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0920  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 14:15:28 2015:

Reporting Director : FA-5G  
Source : Symmetrix

Category : Device  
Symmetrix Device : 0842  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 14:16:50 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0842  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 16:49:10 2015:

Reporting Director : FA-11E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0842  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 17:53:24 2015:

Reporting Director : FA-6G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0862  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 17:57:34 2015:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0862  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 18:06:40 2015:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0862  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 18:07:18 2015:

Reporting Director : FA-6E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0842  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD

Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 18:09:58 2015:

Reporting Director : FA-5E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0842  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 18:15:48 2015:

Reporting Director : FA-5G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0862  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sat Sep 26 18:17:18 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0862  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Sep 29 00:12:34 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0C18  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Oct 24 14:21:06 2015:

Reporting Director : DF-6D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Sun Oct 25 23:54:04 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 13F5  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Mon Oct 26 15:11:25 2015:

Reporting Director : DF-6B  
Source : Symmetrix  
Category : Data

Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Sat Nov 07 19:49:10 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Nov 07 19:49:10 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Nov 07 19:49:10 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Sat Nov 07 23:28:48 2015:

Reporting Director : DF-11B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Sat Nov 07 23:28:49 2015:

Reporting Director : DF-11A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Sat Nov 07 23:28:49 2015:

Reporting Director : DF-12A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Sat Nov 07 23:28:49 2015:

Reporting Director : DF-12C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a

Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Sat Nov 07 23:28:49 2015:

Reporting Director : DF-11D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Sat Nov 07 23:28:50 2015:

Reporting Director : DF-12B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Sat Nov 07 23:28:50 2015:

Reporting Director : DF-11C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Sun Nov 08 01:10:15 2015:

Reporting Director : DF-12A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Nov 08 01:10:15 2015:

Reporting Director : DF-12A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Nov 08 13:10:22 2015:

Reporting Director : DF-12A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Nov 08 13:10:22 2015:

Reporting Director : DF-12A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Nov 09 01:10:31 2015:

Reporting Director : DF-12A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Nov 09 01:10:31 2015:

Reporting Director : DF-12A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Nov 09 09:04:11 2015:

Reporting Director : DF-11A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 09 09:04:11 2015:

Reporting Director : DF-12A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 09 09:04:11 2015:

Reporting Director : DF-11B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 09 09:04:11 2015:

Reporting Director : DF-11D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 09 09:04:12 2015:

Reporting Director : DF-12B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 09 09:04:12 2015:



Reporting Director : DF-11C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 09 09:04:12 2015:

Reporting Director : DF-12C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 09 09:27:19 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Nov 09 09:27:19 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Nov 09 09:27:19 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Thu Nov 12 04:57:04 2015:

Reporting Director : DF-11C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Thu Nov 12 04:57:04 2015:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Thu Nov 12 10:09:37 2015:

Reporting Director : DF-12C  
Source : Symmetrix

Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Thu Nov 12 11:11:00 2015:

Reporting Director : DF-11C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Thu Nov 12 11:51:48 2015:

Reporting Director : DF-11C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Thu Nov 12 12:22:16 2015:

Reporting Director : DF-11C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Thu Nov 12 16:17:00 2015:

Reporting Director : DF-11C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Nov 13 17:30:54 2015:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun Nov 15 20:31:55 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Nov 15 20:31:55 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment

Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Nov 15 20:31:55 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Nov 15 20:31:55 2015:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Nov 15 20:31:56 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Nov 15 20:31:56 2015:

Reporting Director : DF-8A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Nov 15 20:31:56 2015:

Reporting Director : DF-7B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Nov 15 20:31:56 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 08:32:03 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d

Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem ACline interruption was detected

Event at Mon Nov 16 08:32:03 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 08:32:03 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 08:32:04 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 08:32:04 2015:

Reporting Director : DF-8A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 08:32:04 2015:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 08:32:04 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 08:32:05 2015:

Reporting Director : DF-7B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 20:32:11 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 20:32:11 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 20:32:12 2015:

Reporting Director : DF-8A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 20:32:12 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 20:32:12 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 20:32:12 2015:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 20:32:13 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Nov 16 20:32:13 2015:

Reporting Director : DF-7B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 08:32:19 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 08:32:20 2015:

Reporting Director : DF-8A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 08:32:20 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 08:32:20 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 08:32:20 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 08:32:20 2015:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 08:32:21 2015:

Reporting Director : DF-7A  
Source : Symmetrix

Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 08:32:21 2015:

Reporting Director : DF-7B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 20:32:27 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 20:32:27 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 20:32:27 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 20:32:28 2015:

Reporting Director : DF-8A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 20:32:28 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 20:32:28 2015:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Environment  
Severity : Warning

Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 20:32:29 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Nov 17 20:32:29 2015:

Reporting Director : DF-7B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:44:16 2015:

Reporting Director : DF-8A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:44:17 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:44:17 2015:

Reporting Director : DF-7B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:44:17 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:44:17 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED



Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:44:17 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:44:17 2015:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:44:17 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:47:20 2015:

Reporting Director : DF-8A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:47:20 2015:

Reporting Director : DF-8B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:47:20 2015:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:47:20 2015:

Reporting Director : DF-8D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:47:21 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:47:21 2015:

Reporting Director : DF-7B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:47:21 2015:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Nov 18 07:47:21 2015:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Nov 20 17:32:05 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Mon Nov 23 17:32:35 2015:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Nov 26 08:33:11 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Nov 26 08:33:11 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Thu Nov 26 14:20:04 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Nov 26 14:53:08 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Nov 26 17:34:34 2015:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 148D  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Nov 26 17:34:34 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 148D  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Nov 26 17:34:34 2015:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0DF8  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Nov 26 17:34:34 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0DF8  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Thu Nov 26 20:33:19 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Fri Nov 27 00:54:41 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Fri Nov 27 08:21:08 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Fri Nov 27 08:33:25 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Fri Nov 27 10:11:54 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Fri Nov 27 17:33:14 2015:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Nov 27 17:33:14 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Fri Nov 27 20:33:32 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Fri Nov 27 22:12:01 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Nov 28 08:33:39 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Nov 28 10:12:08 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Nov 28 17:33:26 2015:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Nov 28 20:33:46 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Nov 28 22:12:15 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Nov 29 00:01:43 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Nov 29 07:23:59 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Nov 29 08:33:54 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Nov 29 14:24:11 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Nov 29 16:51:48 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Nov 29 20:34:00 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Nov 29 23:50:34 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Nov 30 04:02:07 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Nov 30 05:56:19 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Nov 30 08:34:07 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Nov 30 08:48:37 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Nov 30 09:10:59 2015:

Reporting Director : DF-10A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 30 09:10:59 2015:

Reporting Director : DF-9B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 30 09:10:59 2015:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 30 09:10:59 2015:

Reporting Director : DF-10C  
Source : Service Processor

Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 30 09:11:00 2015:

Reporting Director : DF-9A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 30 09:11:00 2015:

Reporting Director : DF-9D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 30 09:11:00 2015:

Reporting Director : DF-10D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Nov 30 09:11:01 2015:

Reporting Director : DF-9C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Tue Dec 01 00:00:05 2015:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 15E1  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Dec 01 00:00:05 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 15A5  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Dec 01 00:00:05 2015:

Reporting Director : FA-5H  
Source : Symmetrix



Category : Device  
Symmetrix Device : 15A5  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Dec 01 00:00:05 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 15E1  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Dec 01 17:33:56 2015:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Dec 03 17:34:18 2015:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun Dec 06 13:11:44 2015:

Reporting Director : DF-12C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Sun Dec 06 14:22:16 2015:

Reporting Director : DF-11D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Sun Dec 06 14:51:23 2015:

Reporting Director : DF-12B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Sun Dec 06 15:15:28 2015:

Reporting Director : DF-7B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Sun Dec 06 16:17:08 2015:

Reporting Director : DF-5C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Sun Dec 06 16:40:13 2015:

Reporting Director : DF-11A  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Sun Dec 06 17:34:47 2015:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun Dec 06 17:34:47 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun Dec 06 17:34:47 2015:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun Dec 06 17:34:47 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Dec 08 17:35:07 2015:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Dec 08 17:35:07 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Dec 08 17:35:07 2015:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Dec 08 17:35:07 2015:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0348  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Dec 11 16:18:33 2015:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Dec 11 17:35:17 2015:

Reporting Director : DF-7A  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Dec 11 23:55:15 2015:

Reporting Director : DF-10A  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082

Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Tue Dec 15 18:31:55 2015:

Reporting Director : DF-11B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Tue Dec 15 18:31:55 2015:

Reporting Director : DF-11B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Thu Dec 17 13:37:52 2015:

Reporting Director : DF-12B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Sat Dec 19 02:39:20 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Dec 19 02:39:23 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Dec 19 04:09:54 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Dec 19 06:21:59 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Dec 19 08:47:09 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Dec 19 12:21:46 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Dec 19 13:03:28 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Dec 19 14:39:31 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Dec 19 18:27:29 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Dec 20 02:39:38 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Dec 20 03:35:04 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Dec 20 05:08:02 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Dec 20 08:06:12 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Dec 20 14:39:47 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Dec 20 15:08:00 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Dec 20 22:32:21 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Dec 21 02:39:55 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Dec 21 03:20:44 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Dec 21 05:20:10 2015:

Reporting Director : DF-8A  
Source : Service Processor

Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Dec 21 10:35:46 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Dec 21 12:05:34 2015:

Reporting Director : DF-7B  
Source : Symmetrix  
Category : Disk  
Severity : Error  
Numeric Code : 0x0078  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Dec 21 12:05:56 2015:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0667  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Dec 21 12:10:55 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Dec 21 12:10:55 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Dec 21 12:10:55 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Mon Dec 21 12:14:31 2015:

Reporting Director : FA-12G  
Source : Symmetrix  
Category : Device

Symmetrix Device : 0667  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Dec 21 12:22:04 2015:

Reporting Director : FA-5E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0667  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Dec 21 12:22:21 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0667  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Dec 21 12:26:10 2015:

Reporting Director : FA-5G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0667  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Dec 21 12:31:14 2015:

Reporting Director : FA-11E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0667  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Dec 21 12:43:46 2015:

Reporting Director : FA-6G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0667  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Mon Dec 21 13:00:23 2015:

Reporting Director : DF-7B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted



Event at Mon Dec 21 13:00:23 2015:

Reporting Director : DF-8C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Dec 21 13:00:23 2015:

Reporting Director : DF-7D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Dec 21 13:00:23 2015:

Reporting Director : DF-8D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Dec 21 13:00:24 2015:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Dec 21 13:00:24 2015:

Reporting Director : DF-8B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Dec 21 13:00:24 2015:

Reporting Director : DF-7C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Mon Dec 21 13:00:25 2015:

Reporting Director : DF-7A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006a  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSB\_FAULTED  
Description : Environmental Error: Power Supply B faulted

Event at Wed Dec 23 11:49:13 2015:

Reporting Director : DF-5A

Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Dec 23 11:49:13 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Dec 23 11:49:13 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Sun Dec 27 13:18:38 2015:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Disk  
Severity : Error  
Numeric Code : 0x0078  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sun Dec 27 13:19:48 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0409  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sun Dec 27 13:21:53 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B41  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sun Dec 27 13:27:22 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Sun Dec 27 13:27:22 2015:

Reporting Director : DF-5A

Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Sun Dec 27 13:27:22 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Sun Dec 27 13:38:24 2015:

Reporting Director : FA-11G  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03EF  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sun Dec 27 13:39:35 2015:

Reporting Director : FA-12H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B5B  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sun Dec 27 14:03:23 2015:

Reporting Director : FA-11E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 03D5  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sun Dec 27 16:29:20 2015:

Reporting Director : FA-12E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0409  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Sun Dec 27 16:29:20 2015:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B41  
Severity : Warning  
Numeric Code : 0x0017  
Event Code Symbol : MIRROR\_WD  
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Dec 29 08:46:47 2015:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Tue Dec 29 10:35:42 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Dec 29 10:35:42 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Dec 29 10:35:42 2015:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Mon Jan 18 20:59:29 2016:

Reporting Director : DF-12C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Tue Jan 19 13:00:57 2016:

Reporting Director : DF-10D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:05:11 2016:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:05:11 2016:

Reporting Director : DF-9D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:05:11 2016:

Reporting Director : DF-11D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:05:11 2016:

Reporting Director : DF-11D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:05:11 2016:

Reporting Director : DF-12D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:07 2016:

Reporting Director : DF-11A  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:07 2016:

Reporting Director : DF-11A  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:07 2016:

Reporting Director : DF-11A  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:07 2016:

Reporting Director : DF-11A  
Source : Symmetrix

Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:15 2016:

Reporting Director : DF-11B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:15 2016:

Reporting Director : DF-11B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:15 2016:

Reporting Director : DF-11B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:15 2016:

Reporting Director : DF-12B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:15 2016:

Reporting Director : DF-12B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:15 2016:

Reporting Director : DF-12B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:15 2016:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Data  
Severity : Warning

Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:46:15 2016:

Reporting Director : DF-9D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:56:25 2016:

Reporting Director : DF-11A  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:56:31 2016:

Reporting Director : DF-11B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 17:56:31 2016:

Reporting Director : DF-7D  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 18:06:47 2016:

Reporting Director : DF-8C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Jan 22 18:06:47 2016:

Reporting Director : DF-9C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Wed Jan 27 08:07:03 2016:

Reporting Director : DF-9B  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL

Description : The save or data device pool is almost full

Event at Fri Feb 12 20:27:54 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Feb 12 20:27:54 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Feb 12 20:27:54 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Feb 16 18:28:20 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Feb 16 18:28:20 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Feb 16 18:28:20 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Wed Feb 17 11:08:08 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk



Event at Wed Feb 17 11:08:08 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Feb 17 11:08:08 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Wed Feb 17 11:08:44 2016:

Reporting Director : FA-6E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0860  
Severity : Warning  
Numeric Code : 0x0016  
Event Code Symbol : MIRROR\_NR  
Description : A device has a mirror that is Not Ready

Event at Wed Feb 17 16:01:15 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Feb 17 16:01:15 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Feb 17 16:01:15 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Thu Feb 18 10:08:27 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Feb 18 10:08:27 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Feb 18 10:08:27 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Thu Feb 18 10:08:47 2016:

Reporting Director : FA-5E  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0843  
Severity : Warning  
Numeric Code : 0x0016  
Event Code Symbol : MIRROR\_NR  
Description : A device has a mirror that is Not Ready

Event at Thu Feb 18 10:38:40 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Feb 18 10:38:40 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Feb 18 10:38:40 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Thu Feb 18 18:08:19 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Feb 18 18:14:05 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 049B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Feb 18 18:17:10 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1535  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Feb 18 18:17:10 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1535  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Feb 18 18:17:10 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1535  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Mon Mar 07 17:53:21 2016:

Reporting Director : DF-6A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Mar 07 17:53:21 2016:

Reporting Director : DF-5B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Mar 07 17:53:21 2016:

Reporting Director : DF-6B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Mar 07 17:53:21 2016:

Reporting Director : DF-6C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Mar 07 17:53:21 2016:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Mar 07 17:53:21 2016:

Reporting Director : DF-6D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Mar 07 17:53:22 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Mar 07 17:53:23 2016:

Reporting Director : DF-5C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 05:53:29 2016:

Reporting Director : DF-6A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 05:53:29 2016:

Reporting Director : DF-5B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 05:53:29 2016:

Reporting Director : DF-6B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 05:53:29 2016:

Reporting Director : DF-6C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 05:53:29 2016:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 05:53:29 2016:

Reporting Director : DF-6D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 05:53:30 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 05:53:31 2016:

Reporting Director : DF-5C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G

Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0021

Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G

Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:04 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Informational  
Numeric Code : 0x0011



Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G

Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Informational  
Numeric Code : 0x0011

Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G

Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0021

Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 17:50:06 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 17:53:37 2016:

Reporting Director : DF-6A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 17:53:37 2016:

Reporting Director : DF-5B  
Source : Symmetrix

Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 17:53:37 2016:

Reporting Director : DF-6B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 17:53:37 2016:

Reporting Director : DF-6C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 17:53:37 2016:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 17:53:38 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 17:53:38 2016:

Reporting Director : DF-6D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 17:53:39 2016:

Reporting Director : DF-5C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 08 23:49:33 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18

Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Mar 08 23:49:33 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Mar 08 23:49:57 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:49:57 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:25 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:25 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:25 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:25 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:36 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Mar 08 23:50:50 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:50 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:51 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Mar 08 23:50:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24



Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:50:59 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5

Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:51:07 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Mar 08 23:51:09 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:51:09 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:51:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:51:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:51:56 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:51:56 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:51:56 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:51:56 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:51:56 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:51:56 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:51:56 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:51:56 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18

Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:51:57 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:51:57 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:51:57 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:51:57 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:52:32 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Mar 08 23:52:32 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Mar 08 23:53:25 2016:  
Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:53:25 2016:  
Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Mar 08 23:53:25 2016:  
Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Mar 08 23:53:25 2016:  
Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Wed Mar 09 05:53:45 2016:  
Reporting Director : DF-6A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 05:53:45 2016:  
Reporting Director : DF-5B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 05:53:45 2016:  
Reporting Director : DF-6C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 05:53:45 2016:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 05:53:45 2016:

Reporting Director : DF-6D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 05:53:46 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 05:53:46 2016:

Reporting Director : DF-6B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 05:53:47 2016:

Reporting Director : DF-5C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 17:53:53 2016:

Reporting Director : DF-6A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 17:53:53 2016:

Reporting Director : DF-5B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 17:53:53 2016:  
Reporting Director : DF-6C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 17:53:53 2016:  
Reporting Director : DF-5D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 17:53:54 2016:  
Reporting Director : DF-5A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 17:53:54 2016:  
Reporting Director : DF-6B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 17:53:54 2016:  
Reporting Director : DF-6D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Mar 09 17:53:55 2016:  
Reporting Director : DF-5C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 05:54:01 2016:  
Reporting Director : DF-5B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 05:54:01 2016:  
Reporting Director : DF-6B



Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 05:54:01 2016:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 05:54:02 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 05:54:02 2016:

Reporting Director : DF-6A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 05:54:02 2016:

Reporting Director : DF-6C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 05:54:02 2016:

Reporting Director : DF-6D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 05:54:03 2016:

Reporting Director : DF-5C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:54:32 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Environment

Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:54:32 2016:

Reporting Director : DF-5B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:54:32 2016:

Reporting Director : DF-6B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:54:33 2016:

Reporting Director : DF-6A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:54:33 2016:

Reporting Director : DF-5C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:54:33 2016:

Reporting Director : DF-6C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:54:33 2016:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:54:33 2016:

Reporting Director : DF-6D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d

Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:57:35 2016:

Reporting Director : DF-6B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:57:36 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:57:36 2016:

Reporting Director : DF-6A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:57:36 2016:

Reporting Director : DF-5B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:57:36 2016:

Reporting Director : DF-5C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:57:36 2016:

Reporting Director : DF-6C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:57:36 2016:

Reporting Director : DF-5D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 08:57:36 2016:

Reporting Director : DF-6D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 10 23:46:02 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 05AD  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Mar 10 23:51:33 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 12EA  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Thu Mar 10 23:56:35 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0BAE  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Mar 11 00:01:37 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 118E  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Mar 11 00:06:40 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 126D  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Mar 11 00:11:42 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 12B3

Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue Mar 15 11:42:09 2016:

Reporting Director : DF-9A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:09 2016:

Reporting Director : DF-10A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:09 2016:

Reporting Director : DF-9B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:09 2016:

Reporting Director : DF-9C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:09 2016:

Reporting Director : DF-9D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:09 2016:

Reporting Director : DF-10D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:10 2016:

Reporting Director : DF-10B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d

Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem ACline interruption was detected

Event at Tue Mar 15 11:42:10 2016:

Reporting Director : DF-10C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:35 2016:

Reporting Director : DF-9A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:35 2016:

Reporting Director : DF-10A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:35 2016:

Reporting Director : DF-9C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:35 2016:

Reporting Director : DF-10D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:36 2016:

Reporting Director : DF-9B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:36 2016:

Reporting Director : DF-10B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:36 2016:

Reporting Director : DF-10C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Mar 15 11:42:36 2016:

Reporting Director : DF-9D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:00 2016:

Reporting Director : DF-9A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:00 2016:

Reporting Director : DF-10B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:00 2016:

Reporting Director : DF-9C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:00 2016:

Reporting Director : DF-10C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:00 2016:

Reporting Director : DF-9D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:01 2016:

Reporting Director : DF-10A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:01 2016:

Reporting Director : DF-9B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:01 2016:

Reporting Director : DF-10D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:21 2016:

Reporting Director : DF-9A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:21 2016:

Reporting Director : DF-10B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:21 2016:

Reporting Director : DF-9C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:21 2016:

Reporting Director : DF-10C  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:21 2016:

Reporting Director : DF-9D  
Source : Symmetrix



Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:22 2016:

Reporting Director : DF-10A  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:22 2016:

Reporting Director : DF-9B  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 17 14:29:22 2016:

Reporting Director : DF-10D  
Source : Symmetrix  
Category : Environment  
Severity : Warning  
Numeric Code : 0x001d  
Event Code Symbol : AC\_LINE\_INTERRUPTED  
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Mar 24 15:28:10 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Mar 24 15:28:10 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Mar 24 15:28:10 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Fri Mar 25 00:29:55 2016:

Reporting Director : DF-12D  
Source : Symmetrix  
Category : Data  
Severity : Warning

Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Fri Mar 25 08:06:19 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Mar 25 08:06:19 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Fri Mar 25 08:06:19 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:10 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF



RDF (RA) Group Num : 8  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:11 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:12 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:12 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:12 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:12 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:12 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:12 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:12 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 10  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 05 19:57:13 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF



RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:42 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0020  
Event Code Symbol : ONE\_RDF\_LINK\_DOWN  
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF



RDF (RA) Group Num : 15  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:44 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 1  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 2  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 2  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 3  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 4  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 5  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 21  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 6  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 8  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 9  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 9  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 10  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 12  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 15  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 16  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 18  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 23  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF

RDF (RA) Group Num : 23  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:09:53 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 24  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Wed Apr 13 18:32:07 2016:

Reporting Director : DF-9B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Wed Apr 13 18:32:07 2016:

Reporting Director : DF-9B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Thu Apr 14 06:32:15 2016:

Reporting Director : DF-9B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Apr 14 06:32:15 2016:

Reporting Director : DF-9B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Thu Apr 14 11:54:34 2016:

Reporting Director : DF-10C  
Source : Service Processor

Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Thu Apr 14 11:54:35 2016:

Reporting Director : DF-9C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Thu Apr 14 11:54:37 2016:

Reporting Director : DF-9A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Thu Apr 14 11:54:38 2016:

Reporting Director : DF-10A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Thu Apr 14 11:54:44 2016:

Reporting Director : DF-10B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Thu Apr 14 11:54:45 2016:

Reporting Director : DF-9B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Thu Apr 14 11:54:45 2016:

Reporting Director : DF-10D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Thu Apr 14 11:54:46 2016:

Reporting Director : DF-9D  
Source : Service Processor  
Category : Environment  
Severity : Error



Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Sat Apr 16 21:40:30 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Apr 16 21:40:30 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Apr 16 21:40:30 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Apr 19 08:50:19 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0052  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Apr 19 08:50:19 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : Disk  
Severity : Informational  
Numeric Code : 0x0006  
Event Code Symbol : SPARE\_INVOKED  
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Apr 19 08:50:19 2016:

Reporting Director : DF-5A  
Source : Symmetrix  
Category : RDF  
Severity : Informational  
Numeric Code : 0x000c  
Event Code Symbol : SPARE\_INVOKED\_REMOTE  
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Fri Apr 22 12:35:36 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT

Description : Environmental Error: Supplemental Power Supply internal fault

Event at Fri Apr 22 12:35:38 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Apr 23 00:35:44 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Apr 23 00:35:46 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Apr 23 07:27:30 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Apr 23 07:27:30 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Apr 23 19:27:38 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Apr 23 19:27:38 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Apr 24 07:27:46 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Apr 24 07:27:46 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sun Apr 24 19:27:54 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sun Apr 24 19:27:54 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Apr 25 07:28:02 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Mon Apr 25 07:28:02 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Mon Apr 25 11:33:02 2016:

Reporting Director : DF-6C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Mon Apr 25 11:33:02 2016:

Reporting Director : DF-5D

Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Mon Apr 25 11:33:03 2016:

Reporting Director : DF-5B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Mon Apr 25 11:33:03 2016:

Reporting Director : DF-6B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Mon Apr 25 11:33:03 2016:

Reporting Director : DF-5C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Mon Apr 25 11:33:03 2016:

Reporting Director : DF-6D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Mon Apr 25 11:33:04 2016:

Reporting Director : DF-5A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Mon Apr 25 11:33:05 2016:

Reporting Director : DF-6A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Wed Apr 27 15:05:47 2016:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Data

Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Wed Apr 27 22:19:46 2016:

Reporting Director : DF-5C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Wed Apr 27 22:19:46 2016:

Reporting Director : DF-7C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Wed Apr 27 22:19:46 2016:

Reporting Director : DF-9C  
Source : Symmetrix  
Category : Data  
Severity : Warning  
Numeric Code : 0x0082  
Event Code Symbol : SAVEDEVS\_NEAR\_FULL  
Description : The save or data device pool is almost full

Event at Thu Apr 28 03:18:57 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:57 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-7G  
Source : Symmetrix

Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-7G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP

Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-9G  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-8H  
Source : Symmetrix

Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-8H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP



Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Warning  
Numeric Code : 0x0021  
Event Code Symbol : ONE\_RDF\_LINK\_NOW\_UP  
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Thu Apr 28 03:18:58 2016:

Reporting Director : RE-10H  
Source : Symmetrix  
Category : RDF  
RDF (RA) Group Num : 25  
Severity : Informational  
Numeric Code : 0x0011  
Event Code Symbol : ALL\_RDF\_LINKS\_NOW\_UP  
Description : All RDF links in an RDF group are now operational

Event at Fri Apr 29 18:49:17 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 12FF  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 18:49:17 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11CB  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 18:49:17 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 12BB  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 18:49:17 2016:

Reporting Director : FA-11H  
Source : Symmetrix

Category : Device  
Symmetrix Device : 0CE8  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 21:48:01 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 21:53:30 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 150B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 21:58:31 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 22:03:32 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1020  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 22:12:33 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1597  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 22:30:58 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 22:39:06 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1597  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 22:44:36 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 049B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 22:49:37 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0DA5  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 22:54:38 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0457  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 23:00:56 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 23:07:39 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14C5  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 23:12:40 2016:

Reporting Director : FA-6F  
Source : Symmetrix

Category : Device  
Symmetrix Device : 14B7  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 23:17:41 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0F1D  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Fri Apr 29 23:23:11 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1020  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 00:00:17 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 00:05:36 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1215  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 00:11:07 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0F1D  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 00:16:37 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1020  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 00:21:38 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1535  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 00:48:04 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 00:54:11 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14E1  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 00:59:12 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14B7  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 01:04:13 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0F1D  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 01:09:43 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1020  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 01:14:44 2016:

Reporting Director : FA-6F  
Source : Symmetrix

Category : Device  
Symmetrix Device : 1535  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 01:22:55 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1527  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 01:27:56 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1551  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 01:33:26 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14A9  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 01:38:27 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1589  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:01:16 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:07:30 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1597  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:15:01 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1527  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:20:02 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0F47  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:25:32 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14EF  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:31:17 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:38:03 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14E1  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:43:34 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14D3  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:48:35 2016:

Reporting Director : FA-6F  
Source : Symmetrix

Category : Device  
Symmetrix Device : 14FD  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 02:54:05 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0457  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 04:18:06 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 04:24:35 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14E1  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 04:30:06 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14D3  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 04:35:16 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14FD  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 04:40:17 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1543  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE



Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 04:48:06 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 04:54:18 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1527  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 04:59:19 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 150B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 05:04:20 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 05:10:20 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 156D  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 05:31:00 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 05:36:53 2016:

Reporting Director : FA-6F  
Source : Symmetrix

Category : Device  
Symmetrix Device : 156D  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 05:44:24 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14E1  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 05:50:55 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1366  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 05:56:55 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0F1D  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 06:02:06 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 102E  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 06:07:36 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1535  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 06:14:07 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1527  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 06:19:08 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 150B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 06:24:38 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14EF  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 07:48:06 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 07:54:18 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1535  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 08:00:49 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1527  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 08:06:19 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0F47  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 08:11:20 2016:

Reporting Director : FA-6F  
Source : Symmetrix

Category : Device  
Symmetrix Device : 14EF  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 08:18:07 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 08:23:51 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14E1  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 08:28:52 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 049B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 08:34:23 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1164  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 08:39:53 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1543  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 09:01:01 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 09:06:26 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1543  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 09:11:56 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1597  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 09:16:57 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 14E1  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 09:23:58 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1366  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 13:48:09 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11D9  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 13:48:10 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11D9  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 13:48:11 2016:

Reporting Director : FA-5H  
Source : Symmetrix

Category : Device  
Symmetrix Device : 11D9  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 13:48:11 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11D9  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 14:48:08 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11D9  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 14:48:10 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11D9  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 14:48:10 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11D9  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 14:48:10 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11D9  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:01:03 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11DA  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:01:03 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11DA  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:01:04 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11DA  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:01:04 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 11DA  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:18:09 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:18:09 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:18:10 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:18:10 2016:

Reporting Director : FA-11H  
Source : Symmetrix

Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:31:03 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:31:03 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:31:04 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:31:04 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:48:09 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:48:09 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE



Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:48:10 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 15:48:10 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 043B  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 16:01:02 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 16:01:03 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 16:01:03 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 16:01:03 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0449  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 18:49:15 2016:

Reporting Director : FA-6F  
Source : Symmetrix

Category : Device  
Symmetrix Device : 0B92  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 18:49:15 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0DC4  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 18:49:30 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1397  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 18:49:33 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 05AD  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 23:54:30 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 05AD  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 23:54:31 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 05AD  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 23:54:42 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 1397  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE

Description : Access was attempted to a Not Ready device

Event at Sat Apr 30 23:54:44 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 05AD  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun May 01 00:00:33 2016:

Reporting Director : FA-6F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0D18  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun May 01 00:00:35 2016:

Reporting Director : FA-12F  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B92  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun May 01 00:00:36 2016:

Reporting Director : FA-5H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B92  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Sun May 01 00:00:37 2016:

Reporting Director : FA-11H  
Source : Symmetrix  
Category : Device  
Symmetrix Device : 0B92  
Severity : Warning  
Numeric Code : 0x003f  
Event Code Symbol : ACCESS\_TO\_NR\_DEVICE  
Description : Access was attempted to a Not Ready device

Event at Tue May 03 05:16:38 2016:

Reporting Director : DF-7B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Tue May 03 05:16:40 2016:

Reporting Director : DF-7B  
Source : Service Processor  
Category : Environment

Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Tue May 03 17:16:46 2016:

Reporting Director : DF-7B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Tue May 03 17:16:48 2016:

Reporting Director : DF-7B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Wed May 04 05:16:54 2016:

Reporting Director : DF-7B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x006e  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_INTRN\_FAULT  
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Wed May 04 05:16:56 2016:

Reporting Director : DF-7B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0070  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_SPS\_LOW\_VOLTAGE  
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Wed May 04 09:46:07 2016:

Reporting Director : DF-7B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Wed May 04 09:46:07 2016:

Reporting Director : DF-7D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Wed May 04 09:46:08 2016:

Reporting Director : DF-7A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066

Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Wed May 04 09:46:08 2016:

Reporting Director : DF-8A  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Wed May 04 09:46:08 2016:

Reporting Director : DF-8B  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Wed May 04 09:46:08 2016:

Reporting Director : DF-8C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Wed May 04 09:46:08 2016:

Reporting Director : DF-8D  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted

Event at Wed May 04 09:46:09 2016:

Reporting Director : DF-7C  
Source : Service Processor  
Category : Environment  
Severity : Error  
Numeric Code : 0x0066  
Event Code Symbol : SYMAPI\_SEVT\_DAE\_PSA\_FAULTED  
Description : Environmental Error: Power Supply A faulted