

=====

????MSP VMAX SPACE DETAILS????

=====

Symmetrix ID: 000192604373

S Y M M E T R I X T H I N P O O L S

Pool Name	Flags PTECSL	Dev Config	Total GBs	Usable GBs	Free GBs	Used GBs	Full (%)	Subs (%)	Comp (%)	Shared GBs
FC_THIN_DG2	TFFDEI	RAID-5(3+1)	41480.0	41480.0	1680.5	39799.5	95	123	0	0.0
FC_THIN_DG6	TFFDEI	2-Way Mir	10735.6	10735.6	3617.2	7118.5	66	77	0	0.0
SATA_THIN_7	TSFDEI	RAID-5(3+1)	21040.5	21040.5	3394.2	17646.3	83	86	0	0.0
SATA_THIN_4	TSFDEI	RAID-5(3+1)	10909.9	10909.9	2088.9	8820.9	80	90	0	0.0
FC_THIN_DG3	TFFDEI	RAID-5(3+1)	42623.0	42623.0	1732.9	40890.2	95	110	0	0.0
FC_THIN_DG5	TFFDEI	2-Way Mir	7782.2	7782.2	2057.4	5724.8	73	76	0	0.0
Total GBs			134571.2	134571.2	14571.1	120000.2	89	104	0	0.0

Legend:

(P)ool Type:

S = Snap, R = Rdfa DSE T = Thin

(T)echnology:

S = SATA, F = Fibre Channel, E = Enterprise Flash Drive, M = Mixed, - = N/A

Dev (E)mulation:

F = FBA, A = AS400, 8 = CKD3380, 9 = CKD3390, - = N/A

(C)ompression:

E = Enabled, D = Disabled, N = Enabling, S = Disabling, - = N/A

(S)tate:

E = Enabled, D = Disabled, B = Balancing

Disk (L)ocation:

I = Internal, X = External, M = Mixed, - = N/A

=====

????MSP VMAX HEALTH STATUS????

=====

Symmetrix ID : 000192604373

Timestamp of Status Data : 05/05/2016 03:17:13

System Bay

Bay Name : SB-1

Number of Standby Power Supplies : 8

Number of Drive Enclosures : 0

Number of Enclosure Slots : 4

Number of MIBE Enclosures : 2

Summary Status of Contained Modules

All Standby Power Supplies : Normal

All Enclosures : Normal

All Link Control Cards : Normal

All Power Supplies : Normal

All Enclosure Slots : Normal

All Power Supplies : Normal

All Fans : Normal

All Management Modules : Normal

All IO Module Carriers : Normal

All Directors : Normal

All MIBE Enclosures : Normal

All Power Supplies : Normal

Drive Bays

Bay Name : DB-1A
Number of Standby Power Supplies : 8
Number of Drive Enclosures : 16

Summary Status of Contained Modules

All Enclosures : Normal
All Link Control Cards : Normal
All Power Supplies : Normal
All Standby Power Supplies : Normal

Bay Name : DB-1B
Number of Standby Power Supplies : 8
Number of Drive Enclosures : 16

Summary Status of Contained Modules

All Enclosures : Normal
All Link Control Cards : Normal
All Power Supplies : Normal
All Standby Power Supplies : Normal

=====

XXXXXXXXMSP VMAX FAILED DEVICE STATUSXXXXXX

=====

Symmetrix ID : 000192604373
Timestamp of Status Data : 05/05/2016 03:17:13

System Bay

No components are in the specified state

Drive Bays

No components are in the specified state

=====

XXXXXXXXMSP VMAX DISK FAILEDSTATUSXXXXXX

=====

Symmetrix ID : 000192604373

=====

XXXXXXXXMSP VMAX EVENTSXXXXXXXXXX

=====

Symmetrix ID: 000192604373
Time Zone : Pacific Daylight Time

Event at Tue Aug 04 09:59:50 2015:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Aug 04 10:05:46 2015:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Aug 04 11:42:46 2015:
Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Aug 04 11:42:46 2015:
Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Aug 04 11:43:07 2015:
Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Aug 04 11:43:07 2015:
Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Aug 21 15:59:01 2015:
Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 03:59:08 2015:
Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Aug 22 15:59:15 2015:
Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 03:59:21 2015:
Reporting Director : DF-6C

Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Aug 23 15:59:28 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 03:59:35 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 15:59:41 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 15:59:42 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 16:34:20 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 16:34:21 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 16:39:28 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment

Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Aug 24 16:39:28 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Sep 07 07:01:03 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Sep 07 07:01:04 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Sep 07 19:01:10 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Sep 07 19:01:11 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Sep 08 07:01:17 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Sep 08 07:01:18 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d

Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Sep 08 19:01:24 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Sep 08 19:01:25 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Sep 09 07:01:31 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Sep 09 07:01:32 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Sep 09 07:40:37 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Sep 09 07:40:37 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Sep 09 16:05:50 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Sep 09 16:05:50 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Sep 09 16:11:42 2015:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Sep 09 16:11:42 2015:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Oct 13 02:20:04 2015:

Reporting Director : DF-5C
Source : Symmetrix
Category : Disk
Severity : Error
Numeric Code : 0x0078
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Nov 24 19:57:11 2015:

Reporting Director : DF-11A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x001a
Event Code Symbol : SP_PHONEHOME_FAIL
Description : The Symmetrix Service Processor could not complete a Call Home for service

Event at Tue Dec 01 01:07:28 2015:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Dec 01 01:07:28 2015:

Reporting Director : DF-6C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Dec 01 01:07:28 2015:

Reporting Director : DF-5D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Dec 01 01:07:28 2015:

Reporting Director : DF-6D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Dec 01 01:07:29 2015:

Reporting Director : DF-5C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Tue Dec 01 01:07:30 2015:

Reporting Director : DF-6B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Wed Dec 16 21:16:58 2015:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 21:16:58 2015:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 21:16:58 2015:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 21:16:58 2015:

Reporting Director : DF-12C
Source : Symmetrix

Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 21:16:58 2015:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 21:16:59 2015:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 21:16:59 2015:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 21:16:59 2015:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 22:06:57 2015:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 22:06:57 2015:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 22:06:57 2015:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning

Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 22:06:57 2015:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 22:06:57 2015:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 22:06:57 2015:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 22:06:57 2015:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 22:06:57 2015:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Dec 16 22:34:26 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Data
Severity : Warning
Numeric Code : 0x0082
Event Code Symbol : SAVEDEVS_NEAR_FULL
Description : The save or data device pool is almost full

Event at Thu Dec 17 10:07:05 2015:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 10:07:05 2015:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 10:07:05 2015:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 10:07:05 2015:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 10:07:05 2015:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 10:07:05 2015:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 10:07:05 2015:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 10:07:05 2015:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 22:07:13 2015:
Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 22:07:13 2015:
Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 22:07:13 2015:
Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 22:07:13 2015:
Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 22:07:14 2015:
Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 22:07:14 2015:
Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 22:07:14 2015:
Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Dec 17 22:07:14 2015:
Reporting Director : DF-11D

Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 10:07:21 2015:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 10:07:21 2015:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 10:07:21 2015:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 10:07:21 2015:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 10:07:22 2015:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 10:07:22 2015:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 10:07:22 2015:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment

Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 10:07:23 2015:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:44:26 2015:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:44:26 2015:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:44:27 2015:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:44:27 2015:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:44:27 2015:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:44:28 2015:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d

Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:44:28 2015:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:44:28 2015:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:46:36 2015:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:46:36 2015:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:46:37 2015:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:46:37 2015:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:46:37 2015:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:46:37 2015:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:46:37 2015:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Dec 18 16:46:37 2015:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Dec 22 03:21:47 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Tue Dec 22 03:21:47 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Tue Dec 22 15:21:56 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Tue Dec 22 15:21:56 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Tue Dec 22 17:20:56 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Tue Dec 22 17:20:56 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Wed Dec 23 05:21:04 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Wed Dec 23 05:21:04 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Wed Dec 23 17:21:12 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Wed Dec 23 17:21:12 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Thu Dec 24 03:48:51 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Dec 24 03:48:51 2015:

Reporting Director : DF-10B
Source : Service Processor

Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Thu Dec 24 04:16:45 2015:

Reporting Director : DF-5A
Source : Symmetrix
Category : Data
Severity : Warning
Numeric Code : 0x0082
Event Code Symbol : SAVEDEVS_NEAR_FULL
Description : The save or data device pool is almost full

Event at Thu Dec 24 15:48:59 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Dec 24 15:48:59 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Thu Dec 24 17:18:05 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Dec 24 17:18:05 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Fri Dec 25 05:18:14 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Fri Dec 25 05:18:14 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error

Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Fri Dec 25 17:18:21 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Fri Dec 25 17:18:21 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Dec 26 05:18:30 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Dec 26 05:18:30 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Dec 26 16:50:35 2015:

Reporting Director : DF-9C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sat Dec 26 16:50:36 2015:

Reporting Director : DF-10A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sat Dec 26 16:50:36 2015:

Reporting Director : DF-10B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED

Description : Environmental Error: Power Supply B faulted

Event at Sat Dec 26 16:50:36 2015:

Reporting Director : DF-10D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sat Dec 26 16:50:37 2015:

Reporting Director : DF-9A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sat Dec 26 16:50:37 2015:

Reporting Director : DF-9B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sat Dec 26 16:50:37 2015:

Reporting Director : DF-9D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sat Dec 26 16:50:38 2015:

Reporting Director : DF-10C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Wed Jan 06 20:53:58 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x001a
Event Code Symbol : SP_PHONEHOME_FAIL
Description : The Symmetrix Service Processor could not complete a Call Home for service

Event at Thu Jan 21 18:21:56 2016:

Reporting Director : DF-5A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Thu Jan 21 18:21:56 2016:

Reporting Director : DF-6A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Thu Jan 21 18:21:57 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Thu Jan 21 18:21:57 2016:

Reporting Director : DF-6B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Thu Jan 21 18:21:57 2016:

Reporting Director : DF-5D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Thu Jan 21 18:21:58 2016:

Reporting Director : DF-6D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Thu Jan 21 18:23:12 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Thu Jan 21 18:23:14 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Fri Jan 22 06:22:03 2016:

Reporting Director : DF-6A

Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 06:22:04 2016:

Reporting Director : DF-5A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 06:22:04 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 06:22:04 2016:

Reporting Director : DF-6B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 06:22:04 2016:

Reporting Director : DF-6D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 06:22:06 2016:

Reporting Director : DF-5D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 06:23:21 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Fri Jan 22 06:23:23 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment

Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Fri Jan 22 18:22:11 2016:

Reporting Director : DF-5A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 18:22:11 2016:

Reporting Director : DF-6A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 18:22:11 2016:

Reporting Director : DF-6B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 18:22:11 2016:

Reporting Director : DF-6D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 18:22:13 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 18:22:14 2016:

Reporting Director : DF-5D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 22 18:23:28 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e

Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Fri Jan 22 18:23:30 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Jan 23 06:22:17 2016:

Reporting Director : DF-6A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sat Jan 23 06:22:17 2016:

Reporting Director : DF-6B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sat Jan 23 06:22:18 2016:

Reporting Director : DF-6D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sat Jan 23 06:22:19 2016:

Reporting Director : DF-5A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sat Jan 23 06:22:21 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sat Jan 23 06:22:21 2016:

Reporting Director : DF-5D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sat Jan 23 06:23:37 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006e
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_INTRN_FAULT
Description : Environmental Error: Supplemental Power Supply internal fault

Event at Sat Jan 23 06:23:39 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0070
Event Code Symbol : SYMAPI_SEVT_DAE_SPS_LOW_VOLTAGE
Description : Environmental Error: Supplemental Power Supply low input AC Voltage

Event at Sat Jan 23 14:37:41 2016:

Reporting Director : DF-5C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sat Jan 23 14:37:41 2016:

Reporting Director : DF-6C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Fri Jan 29 05:11:44 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Data
Severity : Warning
Numeric Code : 0x0082
Event Code Symbol : SAVEDEVS_NEAR_FULL
Description : The save or data device pool is almost full

Event at Fri Feb 12 02:25:38 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 02:25:38 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 02:25:38 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 02:25:38 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 02:25:38 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 02:25:38 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 02:25:38 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 02:25:38 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 14:25:46 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 14:25:46 2016:

Reporting Director : DF-10A
Source : Symmetrix

Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 14:25:46 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 14:25:46 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 14:25:46 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 14:25:46 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 14:25:46 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Fri Feb 12 14:25:46 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 02:25:54 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning

Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 02:25:54 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 02:25:54 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 02:25:54 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 02:25:54 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 02:25:54 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 02:25:54 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 02:25:54 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 14:26:02 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 14:26:02 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 14:26:02 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 14:26:02 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 14:26:02 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 14:26:02 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 14:26:02 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sat Feb 13 14:26:02 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 02:26:09 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 02:26:10 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 02:26:10 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 02:26:10 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 02:26:10 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 02:26:10 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 02:26:10 2016:

Reporting Director : DF-9D

Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 02:26:10 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 14:26:17 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 14:26:17 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 14:26:18 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 14:26:18 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 14:26:18 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 14:26:18 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment

Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 14:26:18 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Feb 14 14:26:18 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 02:26:25 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 02:26:25 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 02:26:26 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 02:26:26 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 02:26:26 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d

Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 02:26:26 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 02:26:26 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 02:26:26 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 14:26:33 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 14:26:33 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 14:26:33 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 14:26:33 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 14:26:34 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 14:26:34 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 14:26:34 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Mon Feb 15 14:26:34 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 02:26:41 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 02:26:41 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 02:26:41 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 02:26:41 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 02:26:42 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 02:26:42 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 02:26:42 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 02:26:42 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 14:26:49 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 14:26:49 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 14:26:49 2016:

Reporting Director : DF-10C
Source : Symmetrix

Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 14:26:49 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 14:26:50 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 14:26:50 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 14:26:50 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 16 14:26:51 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 02:26:57 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 02:26:57 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning

Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 02:26:57 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 02:26:57 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 02:26:58 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 02:26:58 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 02:26:58 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 02:26:58 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 14:24:40 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x0019
Event Code Symbol : SP_NOT_RESPONDING

Description : The Symmetrix Service Processor is not communicating with the Symmetrix

Event at Wed Feb 17 14:27:05 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 14:27:05 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 14:27:05 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 14:27:05 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 14:27:06 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 14:27:06 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 14:27:06 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 14:27:07 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Wed Feb 17 17:24:56 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x0019
Event Code Symbol : SP_NOT_RESPONDING
Description : The Symmetrix Service Processor is not communicating with the Symmetrix

Event at Wed Feb 17 20:25:12 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x0019
Event Code Symbol : SP_NOT_RESPONDING
Description : The Symmetrix Service Processor is not communicating with the Symmetrix

Event at Wed Feb 17 23:25:31 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x0019
Event Code Symbol : SP_NOT_RESPONDING
Description : The Symmetrix Service Processor is not communicating with the Symmetrix

Event at Thu Feb 18 02:26:15 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x0019
Event Code Symbol : SP_NOT_RESPONDING
Description : The Symmetrix Service Processor is not communicating with the Symmetrix

Event at Thu Feb 18 02:27:12 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 02:27:12 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 02:27:13 2016:

Reporting Director : DF-10B

Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 02:27:13 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 02:27:14 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 02:27:14 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 02:27:14 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 02:27:15 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 05:26:27 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x0019
Event Code Symbol : SP_NOT_RESPONDING
Description : The Symmetrix Service Processor is not communicating with the Symmetrix

Event at Thu Feb 18 08:27:11 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Communication

Severity : Warning
Numeric Code : 0x0019
Event Code Symbol : SP_NOT_RESPONDING
Description : The Symmetrix Service Processor is not communicating with the Symmetrix

Event at Thu Feb 18 11:27:23 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x0019
Event Code Symbol : SP_NOT_RESPONDING
Description : The Symmetrix Service Processor is not communicating with the Symmetrix

Event at Thu Feb 18 14:21:59 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:21:59 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:21:59 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:21:59 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:21:59 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:22:00 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d

Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem ACline interruption was detected

Event at Thu Feb 18 14:22:00 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:22:00 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:25:25 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:25:25 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:25:25 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:25:25 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:25:25 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:25:25 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:25:25 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Thu Feb 18 14:25:25 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Tue Feb 23 04:55:57 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Feb 23 04:55:57 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Feb 23 04:55:57 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Wed Feb 24 15:05:31 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Feb 24 15:05:31 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed Feb 24 15:05:31 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Mar 01 00:36:22 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Error
Numeric Code : 0x0078
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 00:44:56 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 01 00:44:56 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 01 00:44:56 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Mar 01 16:10:58 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Disk
Severity : Error
Numeric Code : 0x0078
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 16:14:08 2016:

Reporting Director : FA-6G
Source : Symmetrix

Category : Device
Symmetrix Device : 023C
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 16:14:49 2016:

Reporting Director : FA-12E
Source : Symmetrix
Category : Device
Symmetrix Device : 023C
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 16:19:03 2016:

Reporting Director : FA-5E
Source : Symmetrix
Category : Device
Symmetrix Device : 023C
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 16:24:13 2016:

Reporting Director : FA-6E
Source : Symmetrix
Category : Device
Symmetrix Device : 023C
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 16:26:34 2016:

Reporting Director : FA-11G
Source : Symmetrix
Category : Device
Symmetrix Device : 023C
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 16:27:48 2016:

Reporting Director : FA-11E
Source : Symmetrix
Category : Device
Symmetrix Device : 023C
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 16:29:38 2016:

Reporting Director : FA-5G
Source : Symmetrix
Category : Device
Symmetrix Device : 023C
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD

Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 16:32:30 2016:

Reporting Director : FA-12G
Source : Symmetrix
Category : Device
Symmetrix Device : 023C
Severity : Warning
Numeric Code : 0x0017
Event Code Symbol : MIRROR_WD
Description : A Symmetrix device has a member or a mirror that is Write Disabled

Event at Tue Mar 01 18:26:36 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 01 18:26:36 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 01 18:26:36 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Thu Mar 03 16:24:25 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Mar 03 16:24:25 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Thu Mar 03 16:24:25 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Mon Mar 07 07:02:04 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Mar 07 07:02:04 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon Mar 07 07:02:04 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Mar 08 13:40:21 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 08 13:40:21 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Mar 08 13:40:21 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Tue Mar 15 06:41:40 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Data
Severity : Warning
Numeric Code : 0x0082
Event Code Symbol : SAVEDEVS_NEAR_FULL
Description : The save or data device pool is almost full

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-9B
Source : Symmetrix

Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-7C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning

Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:03 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-5D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:04 2016:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:05 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:05 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:05 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 08:34:49 2016:

Reporting Director : DF-5A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:34:49 2016:

Reporting Director : DF-5B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:34:49 2016:

Reporting Director : DF-5C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:34:49 2016:

Reporting Director : DF-6C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:34:49 2016:

Reporting Director : DF-12C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:34:49 2016:

Reporting Director : DF-5D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:34:50 2016:

Reporting Director : DF-5A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:34:50 2016:

Reporting Director : DF-6A

Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:34:50 2016:

Reporting Director : DF-12A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:34:50 2016:

Reporting Director : DF-6B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:34:50 2016:

Reporting Director : DF-12B
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:34:50 2016:

Reporting Director : DF-6D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x006a
Event Code Symbol : SYMAPI_SEVT_DAE_PSB_FAULTED
Description : Environmental Error: Power Supply B faulted

Event at Sun Mar 20 08:34:50 2016:

Reporting Director : DF-11D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:34:51 2016:

Reporting Director : DF-11A
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:34:51 2016:

Reporting Director : DF-11B
Source : Service Processor
Category : Environment

Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:34:51 2016:

Reporting Director : DF-11C
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:34:51 2016:

Reporting Director : DF-12D
Source : Service Processor
Category : Environment
Severity : Error
Numeric Code : 0x0066
Event Code Symbol : SYMAPI_SEVT_DAE_PSA_FAULTED
Description : Environmental Error: Power Supply A faulted

Event at Sun Mar 20 08:38:51 2016:

Reporting Director : FA-5E
Source : Symmetrix
Category : Device
Symmetrix Device : 0241
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:39:17 2016:

Reporting Director : DF-5D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:39:43 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:40:03 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:40:46 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Communication
Severity : Warning

Numeric Code : 0x001a
Event Code Symbol : SP_PHONEHOME_FAIL
Description : The Symmetrix Service Processor could not complete a Call Home for service

Event at Sun Mar 20 08:41:16 2016:

Reporting Director : FA-12E
Source : Symmetrix
Category : Device
Symmetrix Device : 023D
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:41:25 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:41:36 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:41:41 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:41:57 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:42:17 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:42:25 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048

Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:42:35 2016:

Reporting Director : FA-6E
Source : Symmetrix
Category : Device
Symmetrix Device : 023D
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:42:39 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:43:05 2016:

Reporting Director : FA-11G
Source : Symmetrix
Category : Device
Symmetrix Device : 023D
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:43:07 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:44:23 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:44:24 2016:

Reporting Director : FA-6G
Source : Symmetrix
Category : Device
Symmetrix Device : 023D
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:44:30 2016:

Reporting Director : DF-7C
Source : Symmetrix
Category : Snap
Severity : Error

Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:44:31 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:44:50 2016:

Reporting Director : FA-11E
Source : Symmetrix
Category : Device
Symmetrix Device : 023D
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:44:59 2016:

Reporting Director : FA-5H
Source : Symmetrix
Category : Device
Symmetrix Device : 00A4
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:45:05 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:45:09 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:45:30 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:46:36 2016:

Reporting Director : DF-6D
Source : Symmetrix
Category : Snap
Severity : Error

Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:46:59 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:48:34 2016:

Reporting Director : FA-5G
Source : Symmetrix
Category : Device
Symmetrix Device : 023D
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:50:00 2016:

Reporting Director : FA-12G
Source : Symmetrix
Category : Device
Symmetrix Device : 023D
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:50:32 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:50:34 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:50:42 2016:

Reporting Director : FA-6F
Source : Symmetrix
Category : Device
Symmetrix Device : 00F8
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:52:54 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Snap

Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:53:18 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:53:21 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:53:31 2016:

Reporting Director : FA-12F
Source : Symmetrix
Category : Device
Symmetrix Device : 0202
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:55:10 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 08:56:29 2016:

Reporting Director : FA-11H
Source : Symmetrix
Category : Device
Symmetrix Device : 01DE
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:56:37 2016:

Reporting Director : FA-12H
Source : Symmetrix
Category : Device
Symmetrix Device : 0218
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 08:57:53 2016:

Reporting Director : FA-5F
Source : Symmetrix

Category : Device
Symmetrix Device : 00B8
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 09:03:07 2016:

Reporting Director : FA-11F
Source : Symmetrix
Category : Device
Symmetrix Device : 01BA
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 09:04:09 2016:

Reporting Director : FA-6H
Source : Symmetrix
Category : Device
Symmetrix Device : 0116
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Sun Mar 20 09:08:23 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:09:10 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:11:03 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:14:14 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:16:29 2016:

Reporting Director : DF-11C

Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:16:53 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:19:33 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:20:53 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:21:11 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:21:38 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:26:02 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:26:17 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Snap

Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:26:37 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:26:42 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:29:49 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:31:09 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:31:19 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:31:46 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:33:17 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048

Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:33:37 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:34:58 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:35:03 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:35:05 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:38:37 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:38:49 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:38:51 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:40:05 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:40:29 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:41:04 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Communication
Severity : Warning
Numeric Code : 0x001a
Event Code Symbol : SP_PHONEHOME_FAIL
Description : The Symmetrix Service Processor could not complete a Call Home for service

Event at Sun Mar 20 09:42:25 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:43:51 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:43:53 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:45:08 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:45:12 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:48:53 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:50:43 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:52:05 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:53:49 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:54:03 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:55:59 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:57:14 2016:

Reporting Director : DF-5A
Source : Symmetrix

Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:59:05 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 09:59:13 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F3
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:00:37 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:01:15 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:01:25 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:03:34 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:04:05 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap

Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:04:13 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F3
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:04:14 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F1
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:04:17 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F1
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:04:17 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:06:23 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:06:30 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:09:14 2016:

Reporting Director : FA-8F

Source : Symmetrix
Category : Device
Symmetrix Device : 06F2
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:09:15 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:09:18 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F6
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:09:18 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:09:21 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:09:48 2016:

Reporting Director : DF-6D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:14:15 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F2
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:14:16 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:14:19 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:14:19 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:14:21 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:14:41 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:15:53 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:16:53 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY

Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:19:16 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F6
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:19:17 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F2
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:19:20 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:19:20 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F6
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:19:37 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:19:43 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:20:06 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Snap
Severity : Error

Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:20:12 2016:

Reporting Director : DF-6D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:20:18 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:20:48 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:20:53 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:20:54 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:21:04 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:21:44 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY

Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:21:55 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:22:11 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:22:18 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:22:30 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:22:53 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:23:01 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:23:29 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:24:05 2016:
Reporting Director : DF-12C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:24:17 2016:
Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F1
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:24:18 2016:
Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F6
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:24:21 2016:
Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:24:22 2016:
Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:24:37 2016:
Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:24:41 2016:
Reporting Director : DF-8D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY

Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:25:09 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:25:24 2016:

Reporting Director : DF-6D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:25:26 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:27:03 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:27:14 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:29:18 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:29:19 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F8
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE

Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:29:22 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:29:24 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:29:53 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:30:27 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:32:20 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:32:38 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:33:10 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY

Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:34:20 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F2
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:34:20 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:34:24 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F1
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:34:26 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F1
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:34:53 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:35:26 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:36:06 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Snap
Severity : Error

Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:37:30 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:37:35 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:37:58 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:38:42 2016:

Reporting Director : DF-7C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:39:21 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F1
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:39:21 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F1
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:39:24 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Snap
Severity : Error

Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:39:26 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:39:28 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F2
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:39:52 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:40:09 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:40:46 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:41:26 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:41:56 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Communication
Severity : Warning

Numeric Code : 0x001a
Event Code Symbol : SP_PHONEHOME_FAIL
Description : The Symmetrix Service Processor could not complete a Call Home for service

Event at Sun Mar 20 10:42:14 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:42:59 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:43:09 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:43:18 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:44:01 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:44:22 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F3
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:44:22 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F3
Severity : Warning

Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:44:28 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:44:30 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F2
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:44:38 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:46:46 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:48:07 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:48:30 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:48:38 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Snap
Severity : Error

Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:49:01 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:49:23 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F8
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:49:23 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F8
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:49:30 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F4
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:49:32 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F3
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:53:32 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:53:48 2016:

Reporting Director : DF-10A
Source : Symmetrix

Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:53:58 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:54:24 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F5
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:54:24 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F6
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:54:31 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:54:34 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:55:25 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:55:42 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:59:02 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:59:08 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:59:10 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 10:59:25 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:59:25 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F6
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:59:33 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F8
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 10:59:35 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:00:41 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:01:04 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:04:22 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:04:26 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:04:26 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:04:34 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:04:35 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:04:36 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:05:01 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:05:41 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:06:07 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:08:06 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:08:25 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:08:47 2016:

Reporting Director : DF-5D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:09:27 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:09:27 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:09:37 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F6
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:09:37 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:09:39 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:09:44 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048

Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:10:00 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:10:57 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:13:26 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:14:29 2016:

Reporting Director : FA-8E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F6
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:14:29 2016:

Reporting Director : FA-8F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:14:39 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7
Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:14:39 2016:

Reporting Director : FA-10F
Source : Symmetrix
Category : Device
Symmetrix Device : 06F7

Severity : Warning
Numeric Code : 0x003f
Event Code Symbol : ACCESS_TO_NR_DEVICE
Description : Access was attempted to a Not Ready device

Event at Sun Mar 20 11:14:42 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:15:54 2016:

Reporting Director : DF-7A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:54 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:54 2016:

Reporting Director : DF-8C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:54 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:56 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:56 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d

Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:56 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:56 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:56 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:56 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:56 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:56 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:58 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:58 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:58 2016:

Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:58 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:58 2016:

Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:58 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:58 2016:

Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:15:58 2016:

Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:01 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-6A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-7A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-8A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-6B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-8B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-7C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-8C
Source : Symmetrix

Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-5D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-6D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:15 2016:

Reporting Director : DF-7D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-9A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-5B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-7B
Source : Symmetrix
Category : Environment
Severity : Warning

Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-9B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-5C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-6C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-9C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-10C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-8D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:16 2016:

Reporting Director : DF-9D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED

Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:17 2016:

Reporting Director : DF-10A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:17 2016:

Reporting Director : DF-10B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:17 2016:

Reporting Director : DF-10D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:18 2016:

Reporting Director : DF-11A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:18 2016:

Reporting Director : DF-12B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:18 2016:

Reporting Director : DF-12C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:19 2016:

Reporting Director : DF-12A
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:19 2016:
Reporting Director : DF-11B
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:19 2016:
Reporting Director : DF-11C
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:19 2016:
Reporting Director : DF-11D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:19 2016:
Reporting Director : DF-12D
Source : Symmetrix
Category : Environment
Severity : Warning
Numeric Code : 0x001d
Event Code Symbol : AC_LINE_INTERRUPTED
Description : A Symmetrix power subsystem AC line interruption was detected

Event at Sun Mar 20 11:16:40 2016:
Reporting Director : DF-9C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Sun Mar 20 11:16:42 2016:
Reporting Director : DF-11C
Source : Symmetrix
Category : Snap
Severity : Error
Numeric Code : 0x0048
Event Code Symbol : SAVEDEV_NOT_RDY
Description : An active device in the save device pool has gone Not Ready

Event at Mon Apr 11 20:15:57 2016:
Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 7
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 32
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Warning

Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 33
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:57 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Warning

Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 32
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 7
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 33
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:15:58 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 32
Severity : Warning

Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 32
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 33
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 7
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 7
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning

Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning

Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 32
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 32
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 33
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 7
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 7
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning

Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 12
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 11 20:16:07 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational

Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 32
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 22
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 33
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning

Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 7
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 33
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:37:18 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning
Numeric Code : 0x0020
Event Code Symbol : ONE_RDF_LINK_DOWN
Description : A single RDF link in an RDF group is not operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 22
Severity : Warning

Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 33
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 32
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 32
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Warning

Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 6
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 4
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 5
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 7
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 7
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 8
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 25
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Warning

Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 10
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 13
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 9
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 21
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 31
Severity : Informational
Numeric Code : 0x0011
Event Code Symbol : ALL_RDF_LINKS_NOW_UP
Description : All RDF links in an RDF group are now operational

Event at Tue Apr 12 01:38:10 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 33
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Tue Apr 12 01:38:11 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
RDF (RA) Group Num : 1
Severity : Warning
Numeric Code : 0x0021
Event Code Symbol : ONE_RDF_LINK_NOW_UP
Description : A single RDF link in an RDF group is now operational after a 'Single Link Down' event

Event at Mon Apr 18 09:37:43 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000d
Event Code Symbol : RDF_SIM_MESSAGE
Description : The RDF subsystem initiated a SIM message to a Symmetrix remotely-attached via RDF link

Event at Fri Apr 22 14:17:37 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000d
Event Code Symbol : RDF_SIM_MESSAGE

Description : The RDF subsystem initiated a SIM message to a Symmetrix remotely-attached via RDF link

Event at Fri Apr 22 14:31:45 2016:

Reporting Director : RE-10H
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000d
Event Code Symbol : RDF_SIM_MESSAGE
Description : The RDF subsystem initiated a SIM message to a Symmetrix remotely-attached via RDF link

Event at Fri Apr 22 14:36:29 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000d
Event Code Symbol : RDF_SIM_MESSAGE
Description : The RDF subsystem initiated a SIM message to a Symmetrix remotely-attached via RDF link

Event at Fri Apr 22 14:40:38 2016:

Reporting Director : RE-8H
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000d
Event Code Symbol : RDF_SIM_MESSAGE
Description : The RDF subsystem initiated a SIM message to a Symmetrix remotely-attached via RDF link

Event at Sat Apr 23 00:07:00 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Apr 23 00:07:00 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Sat Apr 23 00:07:00 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached via RDF link

Event at Mon Apr 25 12:02:03 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000d
Event Code Symbol : RDF_SIM_MESSAGE
Description : The RDF subsystem initiated a SIM message to a Symmetrix remotely-attached via RDF link

Event at Tue Apr 26 14:11:10 2016:

Reporting Director : RE-9G
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000d
Event Code Symbol : RDF_SIM_MESSAGE
Description : The RDF subsystem initiated a SIM message to a Symmetrix remotely-attached via RDF link

Event at Tue Apr 26 16:17:11 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Apr 26 16:17:11 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Tue Apr 26 16:17:11 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached via RDF link

Event at Tue Apr 26 18:11:14 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000d
Event Code Symbol : RDF_SIM_MESSAGE
Description : The RDF subsystem initiated a SIM message to a Symmetrix remotely-attached via RDF link

Event at Wed Apr 27 14:33:33 2016:

Reporting Director : RE-7G
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000d
Event Code Symbol : RDF_SIM_MESSAGE
Description : The RDF subsystem initiated a SIM message to a Symmetrix remotely-attached via RDF link

Event at Mon May 02 15:02:43 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon May 02 15:02:43 2016:

Reporting Director : DF-5A

Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Mon May 02 15:02:43 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Wed May 04 18:12:20 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0052
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed May 04 18:12:20 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : Disk
Severity : Informational
Numeric Code : 0x0006
Event Code Symbol : SPARE_INVOKED
Description : A Spare was invoked against a Symmetrix Disk

Event at Wed May 04 18:12:20 2016:

Reporting Director : DF-5A
Source : Symmetrix
Category : RDF
Severity : Informational
Numeric Code : 0x000c
Event Code Symbol : SPARE_INVOKED_REMOTE
Description : A Spare was invoked against the Disk of the R2 mirror in Symmetrix remotely-attached v

Event at Wed May 04 18:12:48 2016:

Reporting Director : FA-5E
Source : Symmetrix
Category : Device
Symmetrix Device : 04E2
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Wed May 04 18:12:49 2016:

Reporting Director : FA-10E
Source : Symmetrix
Category : Device
Symmetrix Device : 018F
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Wed May 04 18:12:50 2016:

Reporting Director : FA-6G

Source : Symmetrix
Category : Device
Symmetrix Device : 04E2
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Wed May 04 18:12:53 2016:

Reporting Director : FA-6F
Source : Symmetrix
Category : Device
Symmetrix Device : 00FF
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready

Event at Wed May 04 18:13:43 2016:

Reporting Director : FA-6E
Source : Symmetrix
Category : Device
Symmetrix Device : 04E2
Severity : Warning
Numeric Code : 0x0016
Event Code Symbol : MIRROR_NR
Description : A device has a mirror that is Not Ready