

Real-World Evidence (RWE)

Randomized Controlled Trials

- Gold standard for efficacy
- Strict inclusion criteria
- Controlled environment
- Expensive & time-consuming
- Limited generalizability


Real-World Evidence

- Effectiveness in practice
- Diverse patient populations
- Natural clinical settings
- Lower cost, faster
- Confounding & bias challenges

Regulatory Acceptance

FDA increasingly accepts RWE for drug approvals, label expansions, and post-market surveillance. Key: rigorous study design and bias mitigation.

Randomized Controlled Trials (RCTs) - Deep Dive



Key Characteristics

Controlled Environment: RCTs are conducted in highly controlled settings where variables are carefully monitored. Patients are randomly assigned to treatment or control groups, eliminating selection bias and ensuring that observed effects can be attributed to the intervention.

Double-Blind Design: Neither patients nor researchers know who receives the treatment or placebo, preventing expectation bias from influencing results.

Strict Protocols: Standardized procedures for dosing, monitoring, and outcome assessment ensure consistency and reproducibility.



Advantages

High Internal Validity: The randomization process ensures that treatment and control groups are comparable, providing strong evidence of causality.

Regulatory Gold Standard: Regulatory agencies like the FDA require RCT data for drug approval because of their rigorous methodology.

Clear Efficacy Measures: Well-defined endpoints (e.g., tumor shrinkage, survival rates) provide unambiguous evidence of treatment benefit.



Limitations

Limited Generalizability: Strict inclusion/exclusion criteria mean trial participants may not represent the broader patient population (e.g., excluding elderly patients or those with comorbidities).

High Cost & Long Duration: RCTs can cost hundreds of millions of dollars and take 5-10 years to complete, delaying access to potentially beneficial treatments.


Ethical Concerns: Randomizing patients to placebo when effective treatments exist raises ethical questions.



Real-World Example

KEYNOTE-006 Trial: This Phase 3 RCT compared pembrolizumab (immunotherapy) to ipilimumab in advanced melanoma patients. With 834 participants randomized across multiple centers, the trial demonstrated superior progression-free survival (HR=0.58, $p < 0.001$). However, the trial excluded patients with autoimmune diseases, limiting applicability to real-world populations where such comorbidities are common.

Real-World Evidence (RWE) - Deep Dive



Key Characteristics

Diverse Data Sources: RWE leverages multiple data streams including electronic health records (EHRs), insurance claims, disease registries, wearable devices, and patient-reported outcomes. This integration provides a comprehensive view of treatment effectiveness in routine clinical practice.

Observational Nature: Unlike RCTs, RWE studies observe treatments as they occur naturally without randomization, reflecting actual clinical decision-making and patient preferences.

Large-Scale Analysis: RWE studies can include millions of patients across diverse healthcare settings, providing statistical power to detect rare adverse events and subgroup effects.

Advantages

Real-World Effectiveness: RWE captures how treatments perform in heterogeneous patient populations with comorbidities, polypharmacy, and varying adherence—conditions that mirror actual clinical practice.

Speed & Cost Efficiency: By utilizing existing data infrastructure, RWE studies can be conducted in months rather than years and at a fraction of RCT costs (often 10-50% of RCT expenses).

Regulatory Momentum: The FDA's RWE Framework (2018) and the 21st Century Cures Act have accelerated acceptance of RWE for label expansions, post-market surveillance, and even primary evidence in certain contexts.

Rare Disease Applications: For conditions where RCTs are infeasible due to small patient populations, RWE provides critical evidence for treatment evaluation.

Limitations & Challenges

Confounding Variables: Without randomization, treatment assignment may correlate with patient characteristics, making it difficult to isolate treatment effects. Advanced methods like propensity score matching and instrumental variables are used to address this.

Data Quality Issues: EHRs and claims data are collected for clinical and billing purposes, not research. Missing data, coding errors, and lack of standardization can compromise analysis validity.

Selection Bias: Physicians may preferentially prescribe certain treatments to healthier or sicker patients, creating systematic differences between comparison groups.

Temporal Bias: Treatment patterns and outcomes may change over time due to evolving clinical guidelines, making historical comparisons problematic.

Real-World Example

Flatiron Health-FDA Collaboration: Using de-identified EHR data from ~280 US cancer clinics covering 2.2 million patients, Flatiron Health provided RWE that supported FDA approval decisions for oncology drugs. In 2020, RWE from this database contributed to expanded indications for several cancer therapies, demonstrating effectiveness in patient subgroups excluded from original RCTs (e.g., elderly patients, those

with renal impairment). The database's continuous monitoring also enabled early detection of rare adverse events occurring at rates of $<0.1\%$, which would be difficult to identify in traditional trials.

Methodological Innovations

Propensity Score Matching: Statistical technique that balances treatment and control groups on observed covariates, mimicking randomization.

Target Trial Emulation: Framework that designs observational studies to emulate a hypothetical RCT, explicitly defining eligibility criteria, treatment strategies, and outcomes.

Machine Learning Integration: AI algorithms identify patient subgroups with differential treatment response and predict outcomes, enhancing personalized medicine applications.

Integration & Future Directions

The future of evidence generation lies not in choosing between RCTs and RWE, but in **strategic integration** of both approaches:



Hybrid Trials: Combining RCT rigor with RWE data collection (e.g., pragmatic clinical trials conducted within health systems)



External Controls: Using RWE to construct synthetic control arms for rare diseases where placebo-controlled trials are unethical



Post-Marketing Surveillance: RCTs establish efficacy; RWE monitors long-term safety and effectiveness in diverse populations



AI-Enhanced Analysis: Machine learning algorithms process RWE at scale while causal inference methods address confounding

Regulatory Evolution: The FDA's RWE Framework continues to evolve, with recent guidance emphasizing data quality, study design transparency, and appropriate analytical methods. By 2025, RWE is expected to support 20-30% of new drug approvals in specific therapeutic areas.