


Daniel Poznański

- Spring MVC, Hibernate, MySQL
- Fields are validated according to their types
- password is stored in database as BCrypt hush



List of Users

User Manager

Add User

Username	Groups	Full Name	Birth Date	Action
bert	[workers, marketing]	Bert Trevino	1996-07-10	Edit Delete
hilel	[workers, marketing]	Hilel Rivera	1980-03-05	Edit Delete
huff	[workers, admins, managers]	Joseph Huffman	2000-07-11	Edit Delete
kasimir	[workers, managers]	Kasimir McGowan	1997-07-14	Edit Delete

Group List

Adding a user

User Manager

Save User

Username: may not be empty
size must be between 3 and 12

Password:

Confirm Password:

First name: size must be between 1 and 20
may not be empty

Last name: may not be empty
size must be between 1 and 20

Date of Birth: dd.mm.yyyy

Groups: ☐ admins ☐ managers ☐ marketing ☐ workers

[Back to list](#)

Editing a user

User Manager

Save User

Username:

First name:

Last name:

Date of Birth:

Groups: ☐ admins ☒ managers ☐ marketing ☒ workers

[Back to list](#)

Changing user's password

User Manager

Change Password for kasimir

Current Password:

New Password:

Confirm Password:

[Back](#)

List of user groups

Group Manager

Group Name	Users	Action
admins	[huff]	Edit Delete
managers	[kasimir, huff]	Edit Delete
marketing	[bert, hilel]	Edit Delete
workers	[kasimir, bert, hilel, huff]	Edit Delete

Editing/Adding a user group

Group Manager

Save Group

Group Name:

Users: ☐ bert ☐ hilel ☒ huff ☒ kasimir

[Back to list](#)