For $1.52e-04 \le Q (1/nm) \le 4.82e-02$ For $6.52e+01 \le \text{radius} \le 2.07e+04$, vol-weighted For $1.00e+01 \le \text{radius} \le 1.00e+02$, vol-weighted : 5.41e-07 ± 3.16e-09 (± 0.58 %) totalValue: 6.88e-11 ± 1.47e-11 (± 21.40 %) totalValue: $1.62e-09 \pm 9.47e-12 (\pm 0.58 \%)$ background: $2.31e-01 \pm 2.50e-02$ (± 1.10e+03 ± 2.94e+01 (± 2.67 %) $9.72e-01 \pm 4.32e-02 (\pm$ variance 3.27e+06 ± 6.23e+05 (± 19.06 %) variance : 1.16e+03 ± 5.15e+01 (± 4.43 %) : 1.29e+04 ± 1.53e+03 (± 11.86 %) 6.13e+00 ± 3.91e-01 (± 6.37 %) 4.97e+01 ± 5.67e+00 (± 11.41 %) accepted 2.12e+00 ± 6.88e-01 (± 32.47 %) kurtosis 1e-10 1e-11 McSAS3 fit 1.50 Measured data 10^{5} 1.25 0.1 (olnte) 1.00 10^{4} Vol. frac. (relative or abso Vol. frac. (relative or abs 0.75 0.50 0.25 10¹ 0.00 10^{0} -0.25 10^{-2} 10^{-3} 10^{2} 10^{4} 20 100 radius Q (1/nm) radius