



EasyOS Repair Center

DIAGNOSE. REPAIR. OPTIMIZE.

One click to keep your EasyOS fast, stable and reliable.



MAINTENANCE
DIAGNOSTICS
RECOVERY

ALL-IN-ONE
SYSTEM CARE
TOOL



Network

Repair network, DNS, DHCP and Internet connectivity.



Desktop

Repair JWM, ROX, menus, icons, themes and settings.



Browsers

Repair Firefox, Chromium, Opera and browser configuration.



Fonts

Refresh font cache and repair font configuration.



Storage

Check filesystem, SMART, clean caches and free space.



System

Repair permissions, RAM, services, processes and performance.



Boot

Repair bootloader, initrd, save layer and boot configuration.



Audio

Restart audio services and detect sound devices.



Diagnostics

Run full system diagnostics and generate reports.



SAFE

Non destructive repairs



FAST

One click solutions

Built for EasyOS

Lightweight • Simple • Effective



Open Source Friendly

Simple scripts • Easy to extend
Made with ❤️ for the EasyOS community



by pp4mnk

EasyOS Repair Center

Complete User and Developer Manual

Designed and developed by pp4mnk

Diagnose - Repair - Optimize - Document

A lightweight all-in-one maintenance and recovery utility for EasyOS

60-page full color manual

03	Purpose of the project	32	Beginner FAQ
04	What problem does it solve?	33	Beginner FAQ - browsers
05	Installation locations	34	Beginner FAQ - desktop
06	Quick installation	35	Beginner FAQ - storage
07	First launch	36	Advanced FAQ
08	Safety model	37	Advanced FAQ - adding actions
09	Main interface	38	Advanced FAQ - safe scripting
10	Diagnostics overview	39	Example: browser fails
11	Browser repair	40	Example: menu missing entries
12	Desktop repair	41	Example: no sound
13	Icon repair	42	Example: slow system
14	Font repair	43	Example: DNS broken
15	GTK and theme repair	44	Maintenance schedule
16	Network repair	45	Emergency recovery
17	DNS repair	46	Design philosophy
18	DHCP repair	47	User interface text
19	Internet tests	48	One click repair
20	Storage repair	49	Developer architecture
21	SMART checks	50	Module template
22	Save layer and snapshots	51	Uninstalling
23	Permissions repair	52	Versioning
24	RAM tools	53	README template
25	Performance tools	54	SourceForge and GitHub notes
26	Audio repair	55	Message for Barry
27	Printer repair	56	Known limitations
28	Boot repair	57	Roadmap v1.2
29	Xorg and graphics	58	Glossary
30	Package and database checks	59	Command reference
31	Reports and logs	60	Credits

Credit line

EasyOS Repair Center is presented throughout this manual as a project designed and developed by pp4mnk.

A simple repair hub for EasyOS users

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Main idea

EasyOS Repair Center collects common maintenance and recovery actions in one place. It is not intended to replace EasyOS internal tools; it helps users find and run them faster.

Audience

It is useful for new users who do not know terminal commands, for testers who need quick diagnostics, and for advanced users who want a modular shell-based toolbox.

Authorship

Concept, interface direction, documentation and project identity: pp4mnk. The project should always be distributed with visible attribution: EasyOS Repair Center by pp4mnk.

Important

This manual describes the project as a community utility. It should be reviewed, tested and improved before being considered official or included in any distribution.

Key points

- One central repair hub
- Clear explanations
- Visible credit: by pp4mnk

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

4. What problem does it solve?

by pp4mnk

Less searching, faster repairs

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Before

A user may need to repair network, refresh fonts, rebuild menus, clear caches or inspect storage. These actions are scattered across commands, scripts and menus.

After

The Repair Center gives one starting point: choose the problem, read the explanation, run the safe action, then generate a report if needed.

Result

The system becomes easier to maintain. Beginners feel more confident and advanced users save time during testing.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Reduces support time
- Improves onboarding
- Works as a tester toolbox

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Where the files go

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Program folder

The recommended application folder is `/usr/local/easyos-repair-center/`. This keeps the project separate from core EasyOS files and easy to remove.

Launcher

The executable launcher should be installed as `/usr/local/bin/easyos-repair-center` so it can be started from any terminal.

Menu entry

The `.desktop` file should be installed under `/usr/share/applications/` so it appears in Menu - System - EasyOS Repair Center.

Safe practice

Do not overwrite original EasyOS system scripts. Add wrappers and helper modules instead.

Key points

- `/usr/local/easyos-repair-center/`
- `/usr/local/bin/easyos-repair-center`
- `/usr/share/applications/`

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Step by step

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Terminal method

Extract the tar.gz package, enter the folder, make install.sh executable and run it as root. EasyOS normally runs as root, but always read scripts before installing.

Commands

```
tar -xzf easyos-repair-center-pp4mnk-v1.1-fixed.tar.gz
cd easyos-repair-center-pp4mnk-v1.1-fixed
chmod +x install.sh
./install.sh
```

First launch

Run easyos-repair-center in a terminal, or open Menu - System - EasyOS Repair Center.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Extract package
- Run install.sh
- Open from System menu

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

What a new user should expect

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Start screen

The main window should show categories such as Browser, Desktop, Network, Fonts, Storage, Audio, Boot, Performance and Diagnostics.

Choose a category

Select the area that matches the problem. For example, if web pages do not load, start with Network or Browser.

Read messages

Every action should explain what it does. Good repair tools do not hide their behaviour.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Browser
- Desktop
- Network
- Diagnostics

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

How to avoid damage

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Non destructive first

Diagnostics and refresh operations should be preferred before destructive actions. The best first action is to observe, log and report.

Backups

Before resetting profiles, changing boot files or deleting caches, the tool should create a dated backup whenever possible.

Confirmation

Potentially risky operations should ask for confirmation and explain consequences in plain English.

Rule

A repair center should be boring, predictable and safe. If an action is risky, label it clearly.

Key points

- Diagnose first
- Backup before reset
- Confirm risky actions

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Categories and design

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Simple layout

A grid of large buttons is best for EasyOS: it works well on older screens, is easy to understand and does not require a heavy framework.

Consistent labels

Use verbs: Repair browser, Refresh menu, Test Internet, Generate report. Avoid vague labels such as Fix system.

Visual identity

Use a clean blue theme, clear icons and the signature line: by pp4mnk.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Large readable buttons
- Plain English labels
- Blue pp4mnk identity

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

The best feature for testers

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Full system report

A diagnostic report can collect kernel, EasyOS version, RAM, disk, network, DNS, desktop, browser, audio and boot information.

Why it matters

When users ask for help, a report avoids long conversations. Developers can see the environment quickly.

Privacy

Reports should avoid passwords, personal documents and browser history. Network addresses can be shown only when useful.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Full system report
- Why it matters
- Privacy

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Firefox, Chromium, Opera and portable browsers

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Common issues

Browsers may fail because of cache corruption, missing `--no-sandbox` flag when running as root, bad profiles, DNS issues or broken desktop launchers.

Useful actions

Clear browser cache, open profile folder, repair launcher, test DNS, reset default browser, and check whether the executable exists.

Advanced note

Never delete a profile without backup. Move it to `profile.backup-YYYYMMDD-HHMMSS` instead.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Common issues
- Useful actions
- Advanced note

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

JWM, ROX and menu recovery

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

JWM

Restart JWM, check tray configuration, refresh menus and restore basic visibility when panels or buttons disappear.

ROX

Restart ROX-Filer pinboard, refresh desktop icons and reload wallpaper if the desktop becomes blank.

Menu

Run fixmenus or the EasyOS menu refresh tool when applications install but do not appear.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- JWM
- ROX
- Menu

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Missing icons and broken launchers

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Symptoms

Menu entries show blank icons, launchers appear generic or desktop icons disappear after installing a package.

Repair actions

Refresh icon cache, check icon paths, update desktop database and restart desktop components.

Good practice

Use icons included by default in EasyOS whenever possible. This improves portability and avoids missing artwork.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Symptoms
- Repair actions
- Good practice

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Font cache and LibreOffice compatibility

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Problem

Fonts may not appear in applications until the font cache is rebuilt. LibreOffice documents may look different if Microsoft fonts are unavailable.

Repair

Run fc-cache, check /usr/share/fonts, install free metric-compatible fonts such as Carlito, Caladea and Liberation families.

User benefit

Documents from Windows users open with a more familiar layout while respecting free software licensing.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Problem
- Repair
- User benefit

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

When applications look wrong

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Symptoms

Buttons are unreadable, dark/light themes mix badly, or GTK applications ignore the selected theme.

Repair actions

Check GTK settings files, reload theme configuration, restore a safe default theme and restart affected applications.

Advanced tip

Keep theme repair separate from desktop repair. A broken GTK theme does not always mean JWM or ROX is broken.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Symptoms
- Repair actions
- Advanced tip

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Connectivity first aid

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Basic path

Check interface, gateway, DNS and external connectivity. Do not assume the browser is the problem.

Actions

Restart network service, renew DHCP lease, show IP information, ping gateway and test DNS resolution.

Output

The user should see simple results: Internet OK, DNS failed, gateway missing, no active interface or DHCP lease expired.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Basic path
- Actions
- Output

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

A frequent hidden problem

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Symptoms

The network icon says connected but websites do not open. Pinging an IP works, but names fail.

Repair actions

Show `/etc/resolv.conf`, test DNS servers, restart `dnsmasq` if used, and allow safe reset to known public DNS if the user chooses.

Caution

Do not overwrite custom DNS permanently without asking. Many users use NextDNS, Quad9 or local DNS caching.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Symptoms
- Repair actions
- Caution

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

When the machine has no address

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Explanation

DHCP gives the computer an IP address. If it fails, the machine may be connected to Wi-Fi but unable to communicate.

Actions

Release and renew lease, restart interface and display the current IP address.

Beginner answer

If renew DHCP works, the problem was probably a temporary router or lease issue.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Explanation
- Actions
- Beginner answer

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Separating local and external problems

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Tests

Ping gateway, ping a known IP, resolve a domain and open a small web test. Each checks a different layer.

Interpretation

Gateway fails: local network issue. IP works but domain fails: DNS issue. Domain resolves but browser fails: browser or TLS issue.

Report

Include test results in the diagnostic report so forum helpers can understand the failure quickly.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Tests
- Interpretation
- Report

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Free space and device health

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Common issues

Low free space, full save layer, failing disks, cache accumulation and permission problems.

Actions

Show free space, identify mounted partitions, clean safe temporary folders and display SMART information when smartctl is available.

Caution

Filesystem repair should normally be performed on unmounted partitions. Warn the user clearly.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Common issues
- Actions
- Caution

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Reading disk health

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Purpose

SMART data helps detect disk failure before data loss.

Basic indicators

Reallocated sectors, pending sectors, power-on hours and self-test status are useful warning signs.

Beginner answer

GOOD does not guarantee perfection, but warnings should trigger backup immediately.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Purpose
- Basic indicators
- Beginner answer

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

EasyOS specific care

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Save layer

EasyOS uses a layered system. Users may need to know whether changes are being saved and where the writable layer is located.

Snapshots

Snapshots allow recovery from mistakes. The Repair Center should encourage creating snapshots before risky repairs.

Advanced idea

Add a button to show current save status and last snapshot date.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Save layer
- Snapshots
- Advanced idea

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

When files cannot be opened

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Symptoms

Applications cannot write configuration, profile folders fail or scripts refuse to execute.

Actions

Check executable bits, repair selected application folder ownership and show permission report.

Caution

Never run a blind `chmod -R 777`. That is not repair; it is damage disguised as convenience.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Symptoms
- Actions
- Caution

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Cache, zram and memory pressure

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Use case

EasyOS users often care about RAM because of copy-to-RAM usage and older hardware.

Actions

Show RAM usage, show zram status, list heavy processes and optionally clear filesystem cache safely.

Explanation

Clearing cache is not a magic speed booster. Linux uses free RAM as cache and releases it when needed.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Use case
- Actions
- Explanation

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Useful but honest

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Benchmark

A simple benchmark can compare CPU, RAM, disk and network between sessions.

Optimization

Offer safe toggles only. Avoid making aggressive changes without explaining trade-offs.

Advanced report

Save benchmark results with timestamp for comparison after updates or configuration changes.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Benchmark
- Optimization
- Advanced report

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

ALSA, PulseAudio and PipeWire

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Symptoms

No sound, wrong output device, HDMI audio missing, microphone not detected.

Actions

List sound cards, restart available audio services, open mixer and test speaker output.

Beginner answer

Most audio problems are wrong output device, muted channel or service needing restart.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Symptoms
- Actions
- Beginner answer

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

A common newcomer problem

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Purpose

Printer setup is often hard for users coming from Windows.

Actions

Open printer manager, restart CUPS if present, show connected USB printers and print service status.

Caution

Driver installation varies by printer model. The Repair Center can guide, but cannot guarantee every printer works automatically.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Purpose
- Actions
- Caution

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Handle with care

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Scope

Boot repair is powerful and risky. It should diagnose before changing GRUB, GRUB4DOS, EFI or initrd files.

Safe tools

Show boot configuration, backup files, open folder and generate boot report.

Risky tools

Rewriting bootloader should require clear confirmation and ideally separate expert mode.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Scope
- Safe tools
- Risky tools

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Display recovery

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Symptoms

Wrong resolution, black screen after driver change, broken acceleration or desktop failing to start.

Actions

Open display tools, show xrandr output, backup xorg.conf and reset to safe configuration when available.

Advanced note

Graphics repair depends on hardware and driver stack. The report should include GPU and kernel information.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Symptoms
- Actions
- Advanced note

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Keeping installs sane

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Need

Package managers can leave stale metadata, interrupted installs or missing menu entries.

Actions

Refresh package database, check installed package list, rebuild menus and clean package caches.

Warning

Do not remove packages automatically unless the user specifically approves.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Need
- Actions
- Warning

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Make support easier

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Report file

Save reports to `/root/easyos-repair-center-reports/` using a timestamp.

Content

Include system version, kernel, CPU, RAM, disk, network, desktop, browser paths, boot flags and recent repair actions.

Privacy note

Never collect passwords, browser cookies, private keys or personal documents.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Report file
- Content
- Privacy note

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Questions from new users

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Is it official?

It is a community project by pp4mnk unless later adopted or packaged officially.

Can I break EasyOS?

Normal diagnostic actions are safe. Risky actions should warn you first.

Do I need terminal?

Only for installation or advanced troubleshooting. Daily use is through the menu.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Is it official?
- Can I break EasyOS?
- Do I need terminal?

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Common browser questions

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Opera does not start

If running as root, Chromium-based browsers may need `--no-sandbox`. Repair Center can check launchers.

Pages do not load

Use Network tests first. If DNS fails, repair DNS. If DNS works, clear browser cache or test another browser.

Profile reset

Reset only after backup. A profile contains bookmarks and settings.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Opera does not start
- Pages do not load
- Profile reset

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

When the desktop looks broken

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Menu missing

Run menu repair and restart JWM.

Icons missing

Run icon repair and restart ROX pinboard.

Theme unreadable

Restore safe GTK theme and reload desktop.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Menu missing
- Icons missing
- Theme unreadable

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Space and save questions

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Disk full

Clean temporary files and browser cache, then check save layer size.

Can I delete cache?

Usually yes for temporary caches, but never delete random folders without understanding them.

Snapshot before repair

Yes, especially before boot, graphics or profile repairs.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Disk full
- Can I delete cache?
- Snapshot before repair

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Technical questions

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Can I edit modules?

Yes. The project is shell-based and intended to be modular.

Where should modules live?

A clean structure is `/usr/local/easyos-repair-center/modules/` with one script per repair area.

How to log actions?

Append timestamped actions to `/root/easyos-repair-center-reports/actions.log`.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Can I edit modules?
- Where should modules live?
- How to log actions?

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

How developers extend it

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Function pattern

Create a shell function with a clear name, description, confirmation policy and logging.

Testing

Run shellcheck if available, test on a fresh EasyOS session, and test failure cases.

Documentation

Every new button should have a matching manual entry and user-facing explanation.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Function pattern
- Testing
- Documentation

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Avoid dangerous shortcuts

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Avoid

Avoid `rm -rf` on broad paths, `chmod 777`, silent bootloader edits and deleting profiles without backup.

Prefer

Prefer backup, report, confirm, run, verify and explain.

Return codes

Show success and failure clearly. A silent failure is worse than no repair button.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Avoid
- Prefer
- Return codes

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

A practical troubleshooting path

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Step 1

Run Internet test. If gateway and DNS pass, network is probably OK.

Step 2

Run browser launcher check. Verify executable path and root flags.

Step 3

Clear browser cache. If still failing, create backup and test with a new temporary profile.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Step 1
- Step 2
- Step 3

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

A practical desktop fix

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Step 1

Check the .desktop file exists in /usr/share/applications/.

Step 2

Run menu refresh, then restart JWM.

Step 3

If icon is missing, refresh icon cache and verify icon path.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Step 1
- Step 2
- Step 3

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

A practical audio fix

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Step 1

Open mixer and check mute status.

Step 2

List cards and confirm correct output device.

Step 3

Restart available audio service and test again.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Step 1
- Step 2
- Step 3

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

A practical performance check

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Step 1

Show top processes. Identify a browser, indexer or service using CPU or RAM.

Step 2

Check free disk space and save layer status.

Step 3

Run benchmark only after closing heavy applications for a fair comparison.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Step 1
- Step 2
- Step 3

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

A practical network fix

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Step 1

Ping an IP address. If it works, the network is alive.

Step 2

Resolve a domain. If it fails, DNS is the likely issue.

Step 3

Restart DNS cache or set a known DNS server after user confirmation.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Step 1
- Step 2
- Step 3

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

What users should do regularly

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Weekly

Run diagnostics, clean temporary files and check free space.

Monthly

Create or verify a snapshot, check SMART status and review report logs.

Before experiments

Create snapshot, export important data and write down boot parameters.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Weekly
- Monthly
- Before experiments

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

When the system is seriously broken

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Start simple

Do not panic. Boot with safe parameters or previous snapshot if available.

Collect data

Generate report if the desktop opens. If not, collect boot logs manually.

Restore

Use snapshots or backups. Repair Center should guide the user, not pretend every failure is one click.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Start simple
- Collect data
- Restore

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Why lightweight matters

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Small tools

EasyOS values simple tools that do one job well. The Repair Center should remain shell based, readable and portable.

No heavy frameworks

Avoid turning a repair utility into a bloated control panel. Use existing EasyOS tools whenever possible.

Community value

The best contribution is one that users understand and developers can audit.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Small tools
- No heavy frameworks
- Community value

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Plain English matters

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Good labels

Test Internet, Refresh font cache, Backup browser profile, Restart JWM.

Bad labels

Fix everything, magic optimize, clean system deeply.

Tone

Friendly but precise. Explain what will happen and what changed afterwards.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Good labels
- Bad labels
- Tone

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Useful, but not magic

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Concept

One click repair can run safe actions: diagnostics, menu refresh, icon refresh, font cache, network status and report creation.

Limits

It should not reset profiles, rewrite bootloaders or delete large folders without asking.

Best version

One click should diagnose first, then offer recommended repairs.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Concept
- Limits
- Best version

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Suggested folder layout

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Folders

bin/ for launchers, modules/ for repair actions, icons/ for artwork, docs/ for manuals, reports/ for output examples.

Config

A simple config file can enable expert mode, logging level and preferred terminal.

Packaging

Keep tar.gz simple: install.sh, uninstall.sh, README.md, desktop file and main script.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Folders
- Config
- Packaging

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Standard repair module design

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Header

Name, author, version, description, risk level and dependencies.

Functions

check(), explain(), repair(), verify(), log_result().

Benefit

Consistent modules are easier to audit, document and extend.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Header
- Functions
- Benefit

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Clean removal

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Recommended

Provide `uninstall.sh` to remove launcher, desktop entry and program folder.

Keep reports

Ask whether to keep reports. Users may need them for forum support.

No leftovers

A clean project should be easy to remove without hunting files manually.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Recommended
- Keep reports
- No leftovers

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

How to present releases

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Format

Use semantic-style versions: v1.0, v1.1, v1.2.

Changelog

List added modules, fixed bugs, changed paths and known limitations.

Credit

Every release should state: EasyOS Repair Center by pp4mnk.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Format
- Changelog
- Credit

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

What the project page should say

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Short description

All-in-one diagnostics, maintenance and repair utility for EasyOS.

Install section

Show exact commands and menu location.

Safety section

Explain backups, non destructive actions and expert mode.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Short description
- Install section
- Safety section

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Publishing the project

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Files

Upload tar.gz, README.md, screenshots, poster and PDF manual.

Description

Mention lightweight shell scripts, EasyOS focus and one-click repairs.

Presentation

Use the cover image and put pp4mnk visibly in title, README and release notes.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Files
- Description
- Presentation

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

How to present it respectfully

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Tone

Present it as a prototype and community contribution, not as a demand for inclusion.

Focus

Emphasize usefulness: diagnostics, safer support, easier onboarding, modular shell scripts.

Ask

Invite review, criticism and suggestions from Barry and EasyOS testers.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Tone
- Focus
- Ask

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Honesty increases trust

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Not universal

Some repairs depend on installed tools and EasyOS version.

Not a substitute

It does not replace backups, snapshots or careful system administration.

Needs testing

Every repair should be tested on clean EasyOS installations and real-world setups.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Not universal
- Not a substitute
- Needs testing

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Next improvements

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Better reports

HTML and text reports with copy button.

Problem detection

Automatic detection of DNS failure, missing menu entry, low save space and browser launcher issues.

Expert mode

Advanced repairs hidden behind clear warnings.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Better reports
- Problem detection
- Expert mode

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Terms new users need

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Snapshot

A saved state that can help undo mistakes.

DNS

The system that converts names such as example.com into IP addresses.

JWM

A lightweight window manager used in many Puppy/EasyOS-style systems.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Snapshot
- DNS
- JWM

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Useful commands behind the scenes

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Desktop

fixmenus, jwm -restart, rox -p /root/Choices/ROX-Filer/PuppyPin

Fonts

fc-cache -f -v, fc-list

Network

ip addr, ip route, ping, nslookup or drill if available.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Desktop
- Fonts
- Network

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.

Clear authorship

This page explains what the feature means, when to use it, what it changes and how beginners and advanced users should think about it.

Author

EasyOS Repair Center: designed, developed and documented by pp4mnk.

Community

Created for EasyOS users, testers and developers who want a simpler maintenance experience.

Identity

Recommended credit line: EasyOS Repair Center by pp4mnk - lightweight system care for EasyOS.

Beginner answer

Start with diagnostics, read the message, and run only the repair that matches your problem. If unsure, generate a report first.

Key points

- Author
- Community
- Identity

Advanced notes

- Log every action
- Backup before reset
- Keep modules readable

Authorship

EasyOS Repair Center - designed, developed and documented by pp4mnk. Keep this credit visible in packages, README files and manuals.