【淡水區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
4.2
4.0
3.8
3.6
3.4
3.2
3.0
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_sq
age_log
type_enc
age_x_apt
is_old
new_x_bld
is_apt
is_mid_new
is_mid
is_new
is_very_old
floor_x_bld
is_bld
is_town
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6


預測 vs 實際　MAE=3.33 MAPE=11.0% R²=0.331
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
45
40
35
30
25
25
30
35
40
45

【板橋區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
10
9
8
7
6
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_log
age_sq
type_enc
age_x_apt
is_apt
is_mid
new_x_bld
is_mid_new
is_old
is_very_old
is_new
floor_x_bld
is_bld
is_town
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7


預測 vs 實際　MAE=5.81 MAPE=10.9% R²=0.626
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
30
40
50
60
70
80

【三重區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
8.5
8.0
7.5
7.0
6.5
6.0
5.5
5.0
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_sq
age_log
type_enc
age_x_apt
new_x_bld
is_mid_new
is_new
is_apt
is_old
is_very_old
is_mid
floor_x_bld
is_bld
is_town
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7


預測 vs 實際　MAE=5.76 MAPE=10.9% R²=0.505
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
30
40
50
60
70

【土城區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
8.0
7.5
7.0
6.5
6.0
5.5
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_sq
age_log
type_enc
age_x_apt
is_apt
new_x_bld
is_new
is_very_old
is_bld
is_town
floor_x_bld
is_high
is_old
floor_num
total_floors
floor_ratio
is_low
is_top
is_mid
is_mid_new
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7


預測 vs 實際　MAE=5.46 MAPE=11.1% R²=0.446
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
70
65
60
55
50
45
40
35
35
40
45
50
55
60
65
70

【中和區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
9
8
7
6
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
type_enc
age_sq
street_enc
age_log
age_x_apt
is_old
is_apt
is_very_old
is_mid_new
new_x_bld
is_mid
is_new
floor_x_bld
is_bld
is_town
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6


預測 vs 實際　MAE=5.65 MAPE=10.9% R²=0.573
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
30
40
50
60
70

【新莊區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
9
8
7
6
5
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
age_sq
age_log
street_enc
age_x_apt
type_enc
is_apt
is_new
is_mid_new
is_mid
is_very_old
is_old
new_x_bld
floor_x_bld
is_bld
is_town
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8


預測 vs 實際　MAE=4.90 MAPE=10.4% R²=0.681
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
70
60
50
40
30
30
40
50
60
70

【新店區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
14
12
10
8
6
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_sq
age_log
type_enc
age_x_apt
is_mid
is_apt
is_mid_new
new_x_bld
is_old
is_new
is_very_old
is_bld
floor_x_bld
is_town
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7


預測 vs 實際　MAE=6.21 MAPE=12.7% R²=0.775
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
90
80
70
60
50
40
30
30
40
50
60
70
80
90

【林口區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
5.5
5.0
4.5
4.0
3.5
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_sq
age_log
type_enc
is_mid_new
is_mid
is_new
is_old
new_x_bld
is_very_old
floor_x_bld
is_town
age_x_apt
is_apt
is_bld
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7


預測 vs 實際　MAE=3.26 MAPE=7.4% R²=0.665
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
30
35
40
45
50
55
60
65

【汐止區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
9.0
8.5
8.0
7.5
7.0
6.5
6.0
5.5
5.0
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_sq
age_log
type_enc
age_x_apt
is_old
is_apt
is_mid
is_mid_new
is_very_old
is_new
floor_x_bld
is_town
new_x_bld
is_bld
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7


預測 vs 實際　MAE=5.58 MAPE=14.2% R²=0.523
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
20
30
40
50
60

【永和區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
8.0
7.5
7.0
6.5
6.0
5.5
0
50
100
150
200
250
300
350
400


特徵重要性
age_x_apt
street_age_enc
street_enc
age_sq
age_log
type_enc
is_apt
is_old
is_mid
is_very_old
new_x_bld
is_new
floor_x_bld
is_town
is_bld
floor_num
total_floors
floor_ratio
is_low
is_high
is_top
is_mid_new
重要性
0.00
0.05
0.10
0.15
0.20
0.25
0.30


預測 vs 實際　MAE=6.36 MAPE=11.5% R²=0.352
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
40
50
60
70
80

【五股區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
0
50
100
150
200
250
300
350
400
4
5
6
7


特徵重要性
street_age_enc
age_sq
age_log
street_enc
is_new
type_enc
age_x_apt
is_mid
is_apt
is_mid_new
is_old
new_x_bld
is_very_old
floor_x_bld
is_bld
is_town
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7


預測 vs 實際　MAE=3.74 MAPE=9.2% R²=0.725
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
25
30
35
40
45
50
55

【蘆洲區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
8.0
7.5
7.0
6.5
6.0
5.5
5.0
0
50
100
150
200
250
300
350
400
樹的數量


特徵重要性
street_age_enc
age_sq
street_enc
age_log
age_x_apt
type_enc
is_very_old
is_apt
is_old
is_mid
is_new
new_x_bld
is_mid_new
floor_x_bld
is_bld
is_town
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
0.0
0.1
0.2
0.3
0.4
0.5
0.6
重要性


預測 vs 實際　MAE=5.44 MAPE=11.8% R²=0.486
完美預測線
預測單價（萬/坪）
70
60
50
40
30
30
40
50
60
70
實際單價（萬/坪）

【樹林區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
6.0
5.5
5.0
4.5
4.0
3.5
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_log
age_sq
age_x_apt
type_enc
is_apt
is_mid
floor_x_bld
is_town
new_x_bld
is_bld
is_old
is_new
is_very_old
is_mid_new
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.0
0.1
0.2
0.3
0.4


預測 vs 實際　MAE=3.73 MAPE=11.0% R²=0.512
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
25
30
35
40
45
50

【泰山區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
5.0
4.5
4.0
3.5
3.0
2.5
2.0
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_sq
age_log
age_x_apt
type_enc
is_apt
is_old
is_mid
is_new
is_very_old
new_x_bld
floor_x_bld
is_town
is_bld
floor_num
total_floors
floor_ratio
is_low
is_high
is_top
is_mid_new
重要性
0.0
0.1
0.2
0.3
0.4
0.5
0.6


預測 vs 實際　MAE=2.54 MAPE=5.8% R²=0.641
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
30
35
40
45
50
55

【三峽區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
8
7
6
5
4
3
0
50
100
150
200
250
300
350
400


特徵重要性
street_enc
street_age_enc
age_log
age_sq
type_enc
age_x_apt
is_apt
is_very_old
is_old
is_new
new_x_bld
is_mid
floor_x_bld
is_town
is_mid_new
is_bld
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
重要性
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.40


預測 vs 實際　MAE=4.17 MAPE=12.1% R²=0.624
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
55
50
45
40
35
30
25
20
20
25
30
35
40
45
50
55

【鶯歌區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
5.0
4.5
4.0
3.5
3.0
2.5
2.0
0
50
100
150
200
250
300
350
400


特徵重要性
street_age_enc
street_enc
age_log
age_sq
type_enc
age_x_apt
is_mid_new
is_mid
is_new
floor_x_bld
is_town
new_x_bld
is_bld
is_old
is_apt
is_very_old
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
0.0
0.1
0.2
0.3
0.4
0.5
重要性


預測 vs 實際　MAE=3.11 MAPE=10.6% R²=0.437
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
20
25
30
35
40
45

【八里區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
4.5
4.0
3.5
3.0
2.5
2.0
0
25
50
75
100
125
150
175
200


特徵重要性
street_age_enc
street_enc
age_sq
age_log
type_enc
age_x_apt
is_mid_new
is_mid
is_old
is_new
new_x_bld
is_very_old
is_apt
floor_x_bld
is_bld
is_town
total_floors
floor_num
is_low
is_high
is_top
floor_ratio
0.0
0.1
0.2
0.3
0.4
重要性


預測 vs 實際　MAE=3.21 MAPE=12.5% R²=-0.072
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
37.5
35.0
32.5
30.0
27.5
25.0
22.5
20.0

【深坑區】訓練視覺化


訓練損失曲線
Train MAE
Test MAE
MAE（萬/坪）
樹的數量
6.5
6.0
5.5
5.0
4.5
4.0
0
25
50
75
100
125
150
175
200


特徵重要性
street_age_enc
street_enc
age_sq
age_log
age_x_apt
type_enc
is_mid
is_old
is_apt
is_very_old
is_town
floor_x_bld
is_bld
new_x_bld
total_floors
floor_num
is_top
floor_ratio
is_low
is_high
is_new
is_mid_new
重要性
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.40


預測 vs 實際　MAE=5.47 MAPE=20.4% R²=0.128
完美預測線
預測單價（萬/坪）
實際單價（萬/坪）
20
25
30
35
40
45

【全局備援模型】訓練視覺化