

**Username:** Pralay Patoria **Book:** The C++ Standard Library: A Tutorial and Reference, Second Edition. No part of any chapter or book may be reproduced or transmitted in any form by any means without the prior written permission for reprints and excerpts from the publisher of the book or chapter. Redistribution or other use that violates the fair use privilege under U.S. copyright laws (see 17 USC107) or that otherwise violates these Terms of Service is strictly prohibited. Violators will be prosecuted to the full extent of U.S. Federal and Massachusetts laws.

---

## Contents

### [Preface to the Second Edition](#)

### [Acknowledgments for the Second Edition](#)

### [Preface to the First Edition](#)

### [Acknowledgments for the First Edition](#)

## [1 About This Book](#)

### [1.1 Why This Book](#)

### [1.2 Before Reading This Book](#)

### [1.3 Style and Structure of the Book](#)

### [1.4 How to Read This Book](#)

### [1.5 State of the Art](#)

### [1.6 Example Code and Additional Information](#)

### [1.7 Feedback](#)

## [2 Introduction to C++ and the Standard Library](#)

### [2.1 History of the C++ Standards](#)

#### [2.1.1 Common Questions about the C++11 Standard](#)

#### [2.1.2 Compatibility between C++98 and C++11](#)

### [2.2 Complexity and Big-O Notation](#)

## [3 New Language Features](#)

### [3.1 New C++11 Language Features](#)

#### [3.1.1 Important Minor Syntax Cleanups](#)

#### [3.1.2 Automatic Type Deduction with `auto`](#)

#### [3.1.3 Uniform Initialization and\\_INITIALIZER Lists](#)

#### [3.1.4 Range-Based `for` Loops](#)

#### [3.1.5 Move Semantics and Rvalue References](#)

#### [3.1.6 New String Literals](#)

#### [3.1.7 Keyword `noexcept`](#)

#### [3.1.8 Keyword `constexpr`](#)

#### [3.1.9 New Template Features](#)

#### [3.1.10 Lambdas](#)

#### [3.1.11 Keyword `decltype`](#)

#### [3.1.12 New Function Declaration Syntax](#)

#### [3.1.13 Scoped Enumerations](#)

#### [3.1.14 New Fundamental Data Types](#)

### [3.2 Old "New" Language Features](#)

#### [3.2.1 Explicit Initialization for Fundamental Types](#)

#### [3.2.2 Definition of `main\(\)`](#)

## [4 General Concepts](#)

### [4.1 Namespace `std`](#)

### [4.2 Header Files](#)

### [4.3 Error and Exception Handling](#)

#### [4.3.1 Standard Exception Classes](#)

#### [4.3.2 Members of Exception Classes](#)

#### [4.3.3 Passing Exceptions with Class `exception\_ptr`](#)

#### [4.3.4 Throwing Standard Exceptions](#)

[4.3.5 Deriving from Standard Exception Classes](#)[4.4 Callable Objects](#)[4.5 Concurrency and Multithreading](#)[4.6 Allocators](#)**[5 Utilities](#)**[5.1 Pairs and Tuples](#)[5.1.1 Pairs](#)[5.1.2 Tuples](#)[5.1.3 I/O for Tuples](#)[5.1.4 Conversions between `tuple`s and `pair`s](#)[5.2 Smart Pointers](#)[5.2.1 Class `shared\_ptr`](#)[5.2.2 Class `weak\_ptr`](#)[5.2.3 Misusing Shared Pointers](#)[5.2.4 Shared and Weak Pointers in Detail](#)[5.2.5 Class `unique\_ptr`](#)[5.2.6 Class `unique\_ptr` in Detail](#)[5.2.7 Class `auto\_ptr`](#)[5.2.8 Final Words on Smart Pointers](#)[5.3 Numeric Limits](#)[5.4 Type Traits and Type Utilities](#)[5.4.1 Purpose of Type Traits](#)[5.4.2 Type Traits in Detail](#)[5.4.3 Reference Wrappers](#)[5.4.4 Function Type Wrappers](#)[5.5 Auxiliary Functions](#)[5.5.1 Processing the Minimum and Maximum](#)[5.5.2 Swapping Two Values](#)[5.5.3 Supplementary Comparison Operators](#)[5.6 Compile-Time Fractional Arithmetic with Class `ratio<>`](#)[5.7 Clocks and Timers](#)[5.7.1 Overview of the Chrono Library](#)[5.7.2 Durations](#)[5.7.3 Clocks and Timepoints](#)[5.7.4 Date and Time Functions by C and POSIX](#)[5.7.5 Blocking with Timers](#)[5.8 Header Files `<cstdlib>`, `<stdlib.h>`, and `<cstring>`](#)[5.8.1 Definitions in `<cstdlib>`](#)[5.8.2 Definitions in `<stdlib.h>`](#)[5.8.3 Definitions in `<cstring>`](#)**[6 The Standard Template Library](#)**[6.1 STL Components](#)[6.2 Containers](#)[6.2.1 Sequence Containers](#)[6.2.2 Associative Containers](#)[6.2.3 Unordered Containers](#)[6.2.4 Associative Arrays](#)[6.2.5 Other Containers](#)[6.2.6 Container Adapters](#)[6.3 Iterators](#)[6.3.1 Further Examples of Using Associative and Unordered Containers](#)

[6.3.2 Iterator Categories](#)[6.4 Algorithms](#)[6.4.1 Ranges](#)[6.4.2 Handling Multiple Ranges](#)[6.5 Iterator Adapters](#)[6.5.1 Insert Iterators](#)[6.5.2 Stream Iterators](#)[6.5.3 Reverse Iterators](#)[6.5.4 Move Iterators](#)[6.6 User-Defined Generic Functions](#)[6.7 Manipulating Algorithms](#)[6.7.1 "Removing" Elements](#)[6.7.2 Manipulating Associative and Unordered Containers](#)[6.7.3 Algorithms versus Member Functions](#)[6.8 Functions as Algorithm Arguments](#)[6.8.1 Using Functions as Algorithm Arguments](#)[6.8.2 Predicates](#)[6.9 Using Lambdas](#)[6.10 Function Objects](#)[6.10.1 Definition of Function Objects](#)[6.10.2 Predefined Function Objects](#)[6.10.3 Binders](#)[6.10.4 Function Objects and Binders versus Lambdas](#)[6.11 Container Elements](#)[6.11.1 Requirements for Container Elements](#)[6.11.2 Value Semantics or Reference Semantics](#)[6.12 Errors and Exceptions inside the STL](#)[6.12.1 Error Handling](#)[6.12.2 Exception Handling](#)[6.13 Extending the STL](#)[6.13.1 Integrating Additional Types](#)[6.13.2 Deriving from STL Types](#)[\*\*7 STL Containers\*\*](#)[7.1 Common Container Abilities and Operations](#)[7.1.1 Container Abilities](#)[7.1.2 Container Operations](#)[7.1.3 Container Types](#)[7.2 Arrays](#)[7.2.1 Abilities of Arrays](#)[7.2.2 Array Operations](#)[7.2.3 Using `array` s as C-Style Arrays](#)[7.2.4 Exception Handling](#)[7.2.5 Tuple Interface](#)[7.2.6 Examples of Using Arrays](#)[7.3 Vectors](#)[7.3.1 Abilities of Vectors](#)[7.3.2 Vector Operations](#)[7.3.3 Using Vectors as C-Style Arrays](#)[7.3.4 Exception Handling](#)[7.3.5 Examples of Using Vectors](#)[7.3.6 Class `vector<bool>`](#)[7.4 Deques](#)[7.4.1 Abilities of Deques](#)[7.4.2 Deque Operations](#)[7.4.3 Exception Handling](#)

[7.4.4 Examples of Using Deques](#)[7.5 Lists](#)[7.5.1 Abilities of Lists](#)[7.5.2 List Operations](#)[7.5.3 Exception Handling](#)[7.5.4 Examples of Using Lists](#)[7.6 Forward Lists](#)[7.6.1 Abilities of Forward Lists](#)[7.6.2 Forward List Operations](#)[7.6.3 Exception Handling](#)[7.6.4 Examples of Using Forward Lists](#)[7.7 Sets and Multisets](#)[7.7.1 Abilities of Sets and Multisets](#)[7.7.2 Set and Multiset Operations](#)[7.7.3 Exception Handling](#)[7.7.4 Examples of Using Sets and Multisets](#)[7.7.5 Example of Specifying the Sorting Criterion at Runtime](#)[7.8 Maps and Multimaps](#)[7.8.1 Abilities of Maps and Multimaps](#)[7.8.2 Map and Multimap Operations](#)[7.8.3 Using Maps as Associative Arrays](#)[7.8.4 Exception Handling](#)[7.8.5 Examples of Using Maps and Multimaps](#)[7.8.6 Example with Maps, Strings, and Sorting Criterion at Runtime](#)[7.9 Unordered Containers](#)[7.9.1 Abilities of Unordered Containers](#)[7.9.2 Creating and Controlling Unordered Containers](#)[7.9.3 Other Operations for Unordered Containers](#)[7.9.4 The Bucket Interface](#)[7.9.5 Using Unordered Maps as Associative Arrays](#)[7.9.6 Exception Handling](#)[7.9.7 Examples of Using Unordered Containers](#)[7.10 Other STL Containers](#)[7.10.1 Strings as STL Containers](#)[7.10.2 Ordinary C-Style Arrays as STL Containers](#)[7.11 Implementing Reference Semantics](#)[7.12 When to Use Which Container](#)**[8 STL Container Members in Detail](#)**[8.1 Type Definitions](#)[8.2 Create, Copy, and Destroy Operations](#)[8.3 Nonmodifying Operations](#)[8.3.1 Size Operations](#)[8.3.2 Comparison Operations](#)[8.3.3 Nonmodifying Operations for Associative and Unordered Containers](#)[8.4 Assignments](#)[8.5 Direct Element Access](#)[8.6 Operations to Generate Iterators](#)[8.7 Inserting and Removing Elements](#)[8.7.1 Inserting Single Elements](#)[8.7.2 Inserting Multiple Elements](#)[8.7.3 Removing Elements](#)[8.7.4 Resizing](#)[8.8 Special Member Functions for Lists and Forward Lists](#)[8.8.1 Special Member Functions for Lists \(and Forward Lists\)](#)[8.8.2 Special Member Functions for Forward Lists Only](#)[8.9 Container Policy Interfaces](#)

[8.9.1 Nonmodifying Policy Functions](#)

[8.9.2 Modifying Policy Functions](#)

[8.9.3 Bucket Interface for Unordered Containers](#)

[8.10 Allocator Support](#)

[8.10.1 Fundamental Allocator Members](#)

[8.10.2 Constructors with Optional Allocator Parameters](#)

## **[9 STL Iterators](#)**

[9.1 Header Files for Iterators](#)

[9.2 Iterator Categories](#)

[9.2.1 Output Iterators](#)

[9.2.2 Input Iterators](#)

[9.2.3 Forward Iterators](#)

[9.2.4 Bidirectional Iterators](#)

[9.2.5 Random-Access Iterators](#)

[9.2.6 The Increment and Decrement Problem of Vector Iterators](#)

[9.3 Auxiliary Iterator Functions](#)

[9.3.1 `advance\(\)`](#)

[9.3.2 `next\(\)` and `prev\(\)`](#)

[9.3.3 `distance\(\)`](#)

[9.3.4 `iter\_swap\(\)`](#)

[9.4 Iterator Adapters](#)

[9.4.1 Reverse Iterators](#)

[9.4.2 Insert Iterators](#)

[9.4.3 Stream Iterators](#)

[9.4.4 Move Iterators](#)

[9.5 Iterator Traits](#)

[9.5.1 Writing Generic Functions for Iterators](#)

[9.6 Writing User-Defined Iterators](#)

## **[10 STL Function Objects and Using Lambdas](#)**

[10.1 The Concept of Function Objects](#)

[10.1.1 Function Objects as Sorting Criteria](#)

[10.1.2 Function Objects with Internal State](#)

[10.1.3 The Return Value of `for\_each\(\)`](#)

[10.1.4 Predicates versus Function Objects](#)

[10.2 Predefined Function Objects and Binders](#)

[10.2.1 Predefined Function Objects](#)

[10.2.2 Function Adapters and Binders](#)

[10.2.3 User-Defined Function Objects for Function Adapters](#)

[10.2.4 Deprecated Function Adapters](#)

[10.3 Using Lambdas](#)

[10.3.1 Lambdas versus Binders](#)

[10.3.2 Lambdas versus Stateful Function Objects](#)

[10.3.3 Lambdas Calling Global and Member Functions](#)

[10.3.4 Lambdas as Hash Function, Sorting, or Equivalence Criterion](#)

## **[11 STL Algorithms](#)**

[11.1 Algorithm Header Files](#)

[11.2 Algorithm Overview](#)

[11.2.1 A Brief Introduction](#)

[11.2.2 Classification of Algorithms](#)

[11.3 Auxiliary Functions](#)

[11.4 The `for\_each\(\)` Algorithm](#)

[11.5 Nonmodifying Algorithms](#)

[11.5.1 Counting Elements](#)

[11.5.2 Minimum and Maximum](#)[11.5.3 Searching Elements](#)[11.5.4 Comparing Ranges](#)[11.5.5 Predicates for Ranges](#)

#### [11.6 Modifying Algorithms](#)

[11.6.1 Copying Elements](#)[11.6.2 Moving Elements](#)[11.6.3 Transforming and Combining Elements](#)[11.6.4 Swapping Elements](#)[11.6.5 Assigning New Values](#)[11.6.6 Replacing Elements](#)

#### [11.7 Removing Algorithms](#)

[11.7.1 Removing Certain Values](#)[11.7.2 Removing Duplicates](#)

#### [11.8 Mutating Algorithms](#)

[11.8.1 Reversing the Order of Elements](#)[11.8.2 Rotating Elements](#)[11.8.3 Permuting Elements](#)[11.8.4 Shuffling Elements](#)[11.8.5 Moving Elements to the Front](#)[11.8.6 Partition into Two Subranges](#)

#### [11.9 Sorting Algorithms](#)

[11.9.1 Sorting All Elements](#)[11.9.2 Partial Sorting](#)[11.9.3 Sorting According to the \*n\*th Element](#)[11.9.4 Heap Algorithms](#)

#### [11.10 Sorted-Range Algorithms](#)

[11.10.1 Searching Elements](#)[11.10.2 Merging Elements](#)

#### [11.11 Numeric Algorithms](#)

[11.11.1 Processing Results](#)[11.11.2 Converting Relative and Absolute Values](#)

### [12 Special Containers](#)

#### [12.1 Stacks](#)

[12.1.1 The Core Interface](#)[12.1.2 Example of Using Stacks](#)[12.1.3 A User-Defined Stack Class](#)[12.1.4 Class `stack<>` in Detail](#)

#### [12.2 Queues](#)

[12.2.1 The Core Interface](#)[12.2.2 Example of Using Queues](#)[12.2.3 A User-Defined Queue Class](#)[12.2.4 Class `queue<>` in Detail](#)

#### [12.3 Priority Queues](#)

[12.3.1 The Core Interface](#)[12.3.2 Example of Using Priority Queues](#)[12.3.3 Class `priority\_queue<>` in Detail](#)

#### [12.4 Container Adapters in Detail](#)

[12.4.1 Type Definitions](#)[12.4.2 Constructors](#)[12.4.3 Supplementary Constructors for Priority Queues](#)[12.4.4 Operations](#)

#### [12.5 Bitsets](#)

[12.5.1 Examples of Using Bitsets](#)

[12.5.2 Class \*\*bitset\*\* in Detail](#)

## **[13 Strings](#)**

### [13.1 Purpose of the String Classes](#)

[13.1.1 A First Example: Extracting a Temporary Filename](#)

[13.1.2 A Second Example: Extracting Words and Printing Them Backward](#)

### [13.2 Description of the String Classes](#)

[13.2.1 String Types](#)

[13.2.2 Operation Overview](#)

[13.2.3 Constructors and Destructor](#)

[13.2.4 Strings and C-Strings](#)

[13.2.5 Size and Capacity](#)

[13.2.6 Element Access](#)

[13.2.7 Comparisons](#)

[13.2.8 Modifiers](#)

[13.2.9 Substrings and String Concatenation](#)

[13.2.10 Input/Output Operators](#)

[13.2.11 Searching and Finding](#)

[13.2.12 The Value \*\*npos\*\*](#)

[13.2.13 Numeric Conversions](#)

[13.2.14 Iterator Support for Strings](#)

[13.2.15 Internationalization](#)

[13.2.16 Performance](#)

[13.2.17 Strings and Vectors](#)

### [13.3 String Class in Detail](#)

[13.3.1 Type Definitions and Static Values](#)

[13.3.2 Create, Copy, and Destroy Operations](#)

[13.3.3 Operations for Size and Capacity](#)

[13.3.4 Comparisons](#)

[13.3.5 Character Access](#)

[13.3.6 Generating C-Strings and Character Arrays](#)

[13.3.7 Modifying Operations](#)

[13.3.8 Searching and Finding](#)

[13.3.9 Substrings and String Concatenation](#)

[13.3.10 Input/Output Functions](#)

[13.3.11 Numeric Conversions](#)

[13.3.12 Generating Iterators](#)

[13.3.13 Allocator Support](#)

## **[14 Regular Expressions](#)**

[14.1 The Regex Match and Search Interface](#)

[14.2 Dealing with Subexpressions](#)

[14.3 Regex Iterators](#)

[14.4 Regex Token Iterators](#)

[14.5 Replacing Regular Expressions](#)

[14.6 Regex Flags](#)

[14.7 Regex Exceptions](#)

[14.8 The Regex ECMAScript Grammar](#)

[14.9 Other Grammars](#)

[14.10 Basic Regex Signatures in Detail](#)

## **[15 Input/Output Using Stream Classes](#)**

[15.1 Common Background of I/O Streams](#)

[15.1.1 Stream Objects](#)

[15.1.2 Stream Classes](#)

[15.1.3 Global Stream Objects](#)

[15.1.4 Stream Operators](#)

- [15.1.5 Manipulators](#)
- [15.1.6 A Simple Example](#)
- [15.2 Fundamental Stream Classes and Objects](#)
  - [15.2.1 Classes and Class Hierarchy](#)
  - [15.2.2 Global Stream Objects](#)
  - [15.2.3 Header Files](#)
- [15.3 Standard Stream Operators](#) `<<` and `>>`
  - [15.3.1 Output Operator](#) `<<`
  - [15.3.2 Input Operator](#) `>>`
  - [15.3.3 Input/Output of Special Types](#)
- [15.4 State of Streams](#)
  - [15.4.1 Constants for the State of Streams](#)
  - [15.4.2 Member Functions Accessing the State of Streams](#)
  - [15.4.3 Stream State and Boolean Conditions](#)
  - [15.4.4 Stream State and Exceptions](#)
- [15.5 Standard Input/Output Functions](#)
  - [15.5.1 Member Functions for Input](#)
  - [15.5.2 Member Functions for Output](#)
  - [15.5.3 Example Uses](#)
  - [15.5.4 `sentry` Objects](#)
- [15.6 Manipulators](#)
  - [15.6.1 Overview of All Manipulators](#)
  - [15.6.2 How Manipulators Work](#)
  - [15.6.3 User-Defined Manipulators](#)
- [15.7 Formatting](#)
  - [15.7.1 Format Flags](#)
  - [15.7.2 Input/Output Format of Boolean Values](#)
  - [15.7.3 Field Width, Fill Character, and Adjustment](#)
  - [15.7.4 Positive Sign and Uppercase Letters](#)
  - [15.7.5 Numeric Base](#)
  - [15.7.6 Floating-Point Notation](#)
  - [15.7.7 General Formatting Definitions](#)
- [15.8 Internationalization](#)
- [15.9 File Access](#)
  - [15.9.1 File Stream Classes](#)
  - [15.9.2 Rvalue and Move Semantics for File Streams](#)
  - [15.9.3 File Flags](#)
  - [15.9.4 Random Access](#)
  - [15.9.5 Using File Descriptors](#)
- [15.10 Stream Classes for Strings](#)
  - [15.10.1 String Stream Classes](#)
  - [15.10.2 Move Semantics for String Streams](#)
  - [15.10.3 `char\*` Stream Classes](#)
- [15.11 Input/Output Operators for User-Defined Types](#)
  - [15.11.1 Implementing Output Operators](#)
  - [15.11.2 Implementing Input Operators](#)
  - [15.11.3 Input/Output Using Auxiliary Functions](#)
  - [15.11.4 User-Defined Format Flags](#)
  - [15.11.5 Conventions for User-Defined Input/Output Operators](#)
- [15.12 Connecting Input and Output Streams](#)
  - [15.12.1 Loose Coupling Using `tie\(\)`](#)
  - [15.12.2 Tight Coupling Using Stream Buffers](#)
  - [15.12.3 Redirecting Standard Streams](#)
  - [15.12.4 Streams for Reading and Writing](#)



### [15.13 The Stream Buffer Classes](#)

#### [15.13.1 The Stream Buffer Interfaces](#)

#### [15.13.2 Stream Buffer Iterators](#)

#### [15.13.3 User-Defined Stream Buffers](#)

### [15.14 Performance Issues](#)

#### [15.14.1 Synchronization with C's Standard Streams](#)

#### [15.14.2 Buffering in Stream Buffers](#)

#### [15.14.3 Using Stream Buffers Directly](#)

## [16 Internationalization](#)

### [16.1 Character Encodings and Character Sets](#)

#### [16.1.1 Multibyte and Wide-Character Text](#)

#### [16.1.2 Different Character Sets](#)

#### [16.1.3 Dealing with Character Sets in C++](#)

#### [16.1.4 Character Traits](#)

#### [16.1.5 Internationalization of Special Characters](#)

### [16.2 The Concept of Locales](#)

#### [16.2.1 Using Locales](#)

#### [16.2.2 Locale Facets](#)

### [16.3 Locales in Detail](#)

### [16.4 Facets in Detail](#)

#### [16.4.1 Numeric Formatting](#)

#### [16.4.2 Monetary Formatting](#)

#### [16.4.3 Time and Date Formatting](#)

#### [16.4.4 Character Classification and Conversion](#)

#### [16.4.5 String Collation](#)

#### [16.4.6 Internationalized Messages](#)

## [17 Numerics](#)

### [17.1 Random Numbers and Distributions](#)

#### [17.1.1 A First Example](#)

#### [17.1.2 Engines](#)

#### [17.1.3 Engines in Detail](#)

#### [17.1.4 Distributions](#)

#### [17.1.5 Distributions in Detail](#)

### [17.2 Complex Numbers](#)

#### [17.2.1 Class `complex<>` in General](#)

#### [17.2.2 Examples Using Class `complex<>`](#)

#### [17.2.3 Operations for Complex Numbers](#)

#### [17.2.4 Class `complex<>` in Detail](#)

### [17.3 Global Numeric Functions](#)

### [17.4 Valarrays](#)

## [18 Concurrency](#)

### [18.1 The High-Level Interface: `async\(\)` and Futures](#)

#### [18.1.1 A First Example Using `async\(\)` and Futures](#)

#### [18.1.2 An Example of Waiting for Two Tasks](#)

#### [18.1.3 Shared Futures](#)

### [18.2 The Low-Level Interface: Threads and Promises](#)

#### [18.2.1 Class `std::thread`](#)

#### [18.2.2 Promises](#)

#### [18.2.3 Class `packaged\_task<>`](#)

### [18.3 Starting a Thread in Detail](#)

#### [18.3.1 `async\(\)` in Detail](#)

#### [18.3.2 Futures in Detail](#)

[18.3.3 Shared Futures in Detail](#)

[18.3.4 Class `std::promise` in Detail](#)

[18.3.5 Class `std::packaged\_task` in Detail](#)

[18.3.6 Class `std::thread` in Detail](#)

[18.3.7 Namespace `this\_thread`](#)

[18.4 Synchronizing Threads, or the Problem of Concurrency](#)

[18.4.1 Beware of Concurrency!](#)

[18.4.2 The Reason for the Problem of Concurrent Data Access](#)

[18.4.3 What Exactly Can Go Wrong \(the Extent of the Problem\)](#)

[18.4.4 The Features to Solve the Problems](#)

[18.5 Mutexes and Locks](#)

[18.5.1 Using Mutexes and Locks](#)

[18.5.2 Mutexes and Locks in Detail](#)

[18.5.3 Calling Once for Multiple Threads](#)

[18.6 Condition Variables](#)

[18.6.1 Purpose of Condition Variables](#)

[18.6.2 A First Complete Example for Condition Variables](#)

[18.6.3 Using Condition Variables to Implement a Queue for Multiple Threads](#)

[18.6.4 Condition Variables in Detail](#)

[18.7 Atomics](#)

[18.7.1 Example of Using Atomics](#)

[18.7.2 Atomics and Their High-Level Interface in Detail](#)

[18.7.3 The C-Style Interface of Atomics](#)

[18.7.4 The Low-Level Interface of Atomics](#)

## [19 Allocators](#)

[19.1 Using Allocators as an Application Programmer](#)

[19.2 A User-Defined Allocator](#)

[19.3 Using Allocators as a Library Programmer](#)

## [Bibliography](#)

[Newsgroups and Forums](#)

[Books and Web Sites](#)

## [Index](#)