

Three years of RNA Families

Paul Gardner

To cite this article: Paul Gardner (2012) Three years of RNA Families, RNA Biology, 9:1, 2-3, DOI: 10.4161/rna.9.1.18979

To link to this article: <http://dx.doi.org/10.4161/rna.9.1.18979>



Copyright © 2012 Landes Bioscience



Published online: 01 Jan 2012.



Submit your article to this journal [↗](#)



Article views: 46



View related articles [↗](#)



Citing articles: 2 View citing articles [↗](#)

Three years of RNA Families

Paul P. Gardner

School of Biological Sciences, University of Canterbury; Christchurch, New Zealand

Three years ago *RNA Biology* and the Rfam group started a novel experiment.^{1,2} This was to create a special RNA Families track for the journal. This track caters for articles describing new RNA families or major updates to established families. At that time the lack of systematic standards for presenting data between journals made it very difficult to extract useful machine-readable data from these articles. To date, *RNA Biology* has published nearly 30 RNA Families articles. These have ranged from updates for famous families such as SRP,³ tmRNA⁴ and RNases P and MRP^{5,6} through to novel sRNAs,^{7–11} snoRNAs^{12–15} and viral elements.^{16–18} We have recently started soliciting reviews of notable miRNA families.^{19–21} One very interesting example from this batch is from Peter Stadler's lab,²² where an entire undergraduate lab is credited with contributing to the article. This illustrates that this series of articles can be a useful way of training research students and can also bridge views spanning research groups that have not traditionally collaborated.^{4,12}

A number of authors publishing outside the *RNA Biology* track are now following

our criteria.^{23–27} This is a very promising sign, indicating that the requirements are not too onerous and the research community can see the benefits of consistently formatted and presented data that can then be used across many different data sets and studies.

The 967 Wikipedia articles used by Rfam for sourcing content were viewed 251,544 times in October 2011 alone. The articles for “Transfer RNA,” “MicroRNA,” “Ribosomal RNA” and “Ribozyme” were viewed 36,750, 30,387, 26,090 and 11,806 times respectively in this period. This shows that the audience for these articles is tremendous and presumably includes students, teachers and members of your funding committee. Therefore, it is our duty as scientists to ensure that the content on these pages is both accurate and up to date. Furthermore, these articles have been edited 19,170 times by 3,058 editors since January 2007. Less than 1% of these edits can be considered vandalism.²⁸ This illustrates that Wikipedia articles are an invaluable, up-to-date and consistent annotation tool for scientists.

The future of the RNA Families track at *RNA Biology* seems secure. The

excellent staff at Landes Biosciences have continued to support the RNA Families track. They have consistently been generous in extending the open access and free publication model. This makes the RNA Families track a very attractive place to publish research. Future directions for the track may include more reviews of notable microRNA, snoRNA and lncRNA families. Also, entire organism reviews are an area we would like to expand into. The study published by Coral del Val and colleagues covering all the sRNAs from proteobacteria is a nice example of this.²⁹

As always, if you have a RNA family you would like to add or update then feel free to make a presubmission inquiry to me at paul.gardner@canterbury.ac.nz.

Acknowledgments

The author thanks Jennifer Daub for providing data on the number of page views for each Wikipedia article. P.P.G. is supported by a Rutherford Discovery Fellowship from Government funding, administered by the Royal Society of New Zealand.

References

- Butler D. Publish in Wikipedia or perish. *Nature* 2008; <http://dx.doi.org/10.1038/news.2008.1312>
- Gardner PP, Bateman AG. A home for RNA families at *RNA Biology*. *RNA Biol* 2009; 6:2–4; <http://dx.doi.org/10.4161/rna.6.1.7635>
- Rosenblad MA, Larsen N, Samuelsson T, Zwieb C. Kinship in the SRP RNA family. *RNA Biol* 2009; 6: 508–16; PMID:19838050; <http://dx.doi.org/10.4161/rna.6.5.9753>
- Mao C, Bhardwaj K, Sharkady SM, Fish RI, Driscoll T, Wower J, et al. Variations on the tmRNA gene. *RNA Biol* 2009; 6:355–61; PMID:19617710; <http://dx.doi.org/10.4161/rna.6.4.9172>
- Ellis JC, Brown JW. The RNase P family. *RNA Biol* 2009; 6:362–9; PMID:19738420; <http://dx.doi.org/10.4161/rna.6.4.9241>
- López MD, Rosenblad MA, Samuelsson T. Conserved and variable domains of RNase MRP RNA. *RNA Biol* 2009; 6:208–21; PMID:19395864; <http://dx.doi.org/10.4161/rna.6.3.8584>
- Findeiss S, Schmidtke C, Stadler PF, Bonas U. A novel family of plasmid-transferred anti-sense ncRNAs. *RNA Biol* 2010; 7:120–4; PMID:20220307; <http://dx.doi.org/10.4161/rna.7.2.11184>
- Marchais A, Bohn C, Bouloc P, Gautheret D. RsaOG, a new staphylococcal family of highly transcribed non-coding RNA. *RNA Biol* 2010; 7:116–9; PMID:20200491; <http://dx.doi.org/10.4161/rna.7.2.10925>
- Moll S, Schneider DJ, Stodghill P, Myers CR, Cartinhour SW, Filiatrault MJ. Construction of an rsmX co-variance model and identification of *δve* rsmX non-coding RNAs in *Pseudomonas syringae* pv. tomato DC3000. *RNA Biol* 2010; 7:508–16; PMID:21060253; <http://dx.doi.org/10.4161/rna.7.5.12687>
- Marchais A, Duperrier S, Durand S, Gautheret D, Stragier P. CsfG, a sporulation-specific, small non-coding RNA highly conserved in endospore formers. *RNA Biol* 2011; 8:358–64; PMID:21532344; <http://dx.doi.org/10.4161/rna.8.3.14998>
- Chen XL, Tang DJ, Jiang RP, He YQ, Jiang BL, Lu GT, et al. sRNA-Xcc1, an integron-encoded transposon- and plasmid-transferred trans-acting sRNA, is under the positive control of the key virulence regulators HrpG and HrpX of *Xanthomonas campestris* pathovar *campestris*. *RNA Biol* 2011; 8:947–53; PMID:21941121; <http://dx.doi.org/10.4161/rna.8.6.16690>
- Jones TA, Otto W, Marz M, Eddy SR, Stadler PF. A survey of nematode SmY RNAs. *RNA Biol* 2009; 6:5–8; PMID:19106623; <http://dx.doi.org/10.4161/rna.6.1.7634>

Correspondence to: Paul P. Gardner; Email: paul.gardner@canterbury.ac.nz
Submitted: 12/01/11; Accepted: 12/01/11
<http://dx.doi.org/10.4161/rna.9.1.18979>

13. Doniger T, Michaeli S, Unger R. Families of H/ACA ncRNA molecules in trypanosomatids. *RNA Biol* 2009; 6:370-4; PMID:19652533; <http://dx.doi.org/10.4161/rna.6.4.9270>
14. Marz M, Stadler PF. Comparative analysis of eukaryotic U3 snoRNA. *RNA Biol* 2009; 6:503-7; PMID:19875933; <http://dx.doi.org/10.4161/rna.5.9.9607>
15. Marz M, Gruber AR, Horner Zu Siederdisen C, Amman F, Badelt S, Bartschat S, et al. Animal snoRNAs and scaRNAs with exceptional structures. *RNA Biol* 2011; 8:938-46; PMID:21955586; <http://dx.doi.org/10.4161/rna.8.6.16603>
16. Gulyaev AP, Olsthoorn RC. A family of non-classical pseudoknots in influenza A and B viruses. *RNA Biol* 2010; 7:125-9; PMID:20200490; <http://dx.doi.org/10.4161/rna.7.2.11287>
17. Webb CH, Luptak A. HDV-like self-cleaving ribozymes. *RNA Biol* 2011; 8:719-27; <http://dx.doi.org/10.4161/rna.8.5.16226>
18. Moss WN, Eickbush DG, Lopez MJ, Eickbush TH, Turner DH. The R2 retrotransposon RNA families. *RNA Biol* 2011; 8:714-8; PMID:21734471; <http://dx.doi.org/10.4161/rna.8.5.16033>
19. Yuva-Aydemir Y, Simkin A, Gascon E, Gao FB. MicroRNA-9: Functional evolution of a conserved small regulatory RNA. *RNA Biol* 2011; 8:557-64; PMID:21697652; <http://dx.doi.org/10.4161/rna.8.4.16019>
20. Tehler DH, Ayland-Kroghsbo NM, Lund AH. The miR-10 microRNA precursor family. *RNA Biol* 2011; 8:728-34; <http://dx.doi.org/10.4161/rna.8.5.16324>
21. Kumarswamy R, Volkmann I, Thum T. Regulation and function of miRNA-21 in health and disease. *RNA Biol* 2011; 8:706-13; PMID:21712654; <http://dx.doi.org/10.4161/rna.8.5.16154>
22. Hertel J, Bartschat S, Wintsche A, C O, The Students of the Bioinformatics Computer Lab 2011, Stadler PF. Evolution of the let-7 microRNA Family. *RNA Biol* 2012. In press.
23. Weinberg Z, Wang JX, Bogue J, Yang J, Corbino K, Moy RH, et al. Comparative genomics reveals 104 candidate structured RNAs from bacteria, archaea, and their metagenomes. *Genome Biol* 2010; 11:R31; PMID:20230605; <http://dx.doi.org/10.1186/gb-2010-11-3-r31>
24. Weinberg Z, Perreault J, Meyer MM, Breaker RR. Exceptional structured noncoding RNAs revealed by bacterial metagenome analysis. *Nature* 2009; 462: 656-9; PMID:19956260; <http://dx.doi.org/10.1038/nature08586>
25. Meyer MM, Ames TD, Smith DP, Weinberg Z, Schwalbach MS, Giovannoni SJ, et al. Identification of candidate structured RNAs in the marine organism 'Candidatus Pelagibacter ubique'. *BMC Genomics* 2009; 10:268; PMID:19531245; <http://dx.doi.org/10.1186/1471-2164-10-268>
26. Irnov I, Winkler WC. A regulatory RNA required for antitermination of biofilm and capsular polysaccharide operons in Bacillales. *Mol Microbiol* 2010; 76:559-75; PMID:20374491; <http://dx.doi.org/10.1111/j.1365-2958.2010.07131.x>
27. Naville M, Gautheret D. Premature terminator analysis sheds light on a hidden world of bacterial transcriptional attenuation. *Genome Biol* 2010; 11:R97; PMID:20920266; <http://dx.doi.org/10.1186/gb-2010-11-9-r97>
28. Gardner PP, Daub J, Tate J, Moore BL, Osuch IH, Griffiths-Jones S, et al. Rfam: Wikipedia, clans and the "decimal" release. *Nucleic Acids Res* 2011; 39 (Database issue):D141-5; PMID:21062808; <http://dx.doi.org/10.1093/nar/gkq1129>
29. del Val C, Romero-Zalaz R, Torres-Quesada O, Peregrina A, Toro N, Jiménez-Zurdo JA. A survey of sRNA families in α -proteobacteria. *RNA Biol* 2012; In press.

© 2012 Landes Bioscience.

Do not distribute.