

Bibliography

- Adamek [1] J Adamek, H Herrlich, and G E Strecker, *Abstract and concrete categories*, John Wiley (or free on-line edition), 1990/2004.
- Adamson71 [2] I T Adamson, *Rings, modules and algebras*, Oliver and Boyd, 1971.
- AndersonFuller74 [3] F W Anderson and K R Fuller, *Rings and categories of modules*, Springer, 1974.
- Auslander74 [4] M Auslander, *Representation theory of Artin algebras I*, Communications in Algebra **1** (1974), 177–268.
- Ayres74 [5] F Ayres Jr, *Theory and problems of Matrices*, Schaum’s outline, Schaum - McGraw-Hill, London, 1974.
- Bass68 [6] H Bass, *Algebraic K-theory*, Benjamin, New York, 1968.
- Benson95 [7] D J Benson, *Representations and cohomology I*, Cambridge, 1995.
- Birkhoff48 [8] G Birkhoff, *Lattice theory*, AMS, 1948.
- Birman75 [9] J S Birman, *Braids, links and mapping class groups*, vol. 82, Annals of Mathematics Studies, Princeton University Press, Princeton NJ, 1975.
- Boe88 [10] B D Boe, *Kazhdan–lusztig polynomials for Hermitian symmetric spaces*, Tr. A.M.S. **309** (1988), 279–294.
- Boerner [11] H Boerner, *Representations of groups*, North Holland, 1970.
- boerner70 [12] ———, *Representations of groups*, North Holland, 1970.
- Brauer37 [13] R Brauer, *On algebras which are connected with the semi-simple continuous groups*, Annals of Mathematics **38** (1937), 854–872.
- Brauer39 [14] ———, *On modular and p-adic representations of algebras*, Proc Nat Acad Sci USA **25** (1939), 252–258.
- Brown55 [15] W P Brown, *An algebra related to the orthogonal group*, Michigan Math. J. **3** (1955-56), 1–22.
- Burris81 [16] S Burris and H P Sankappanavar, *A course in universal algebra*, GTM, Springer-Verlag, 1981, online Millenium Edition available.

- [17] Cameron98 P J Cameron, *Sets, logic and categories*, Springer, 1998.
- [18] CanduSaleur08 C Candu and H Saleur, *A lattice approach to the conformal $OSp(2s+2|2s)$ supercoset sigma model. part I: Algebraic structures in the spin chain. the Brauer algebra*, Nucl.Phys. **B808** (2009), 441–486.
- [19] Carter J W Carter, *On the representation theory of the finite groups of Lie type over an algebraically closed field of characteristic 0*, Tech. report, Warwick.
- [20] Cassels86 J W S Cassels, *Local fields*, LMS Student Texts 3, Cambridge, 1986.
- [21] ChariPressley95 V Chari and A Pressley, *Quantum groups*, Cambridge, 1995.
- [22] CPS E Cline, B Parshall, and L Scott, J. reine angew Math. **391** (1988), 85.
- [23] eParshallScott88 ———, *Finite-dimensional algebras and highest weight categories*, J. reine angew. Math. **391** (1988), 85–99.
- [24] Cohn82 P M Cohn, *Algebra vol.2*, Wiley, New York, 1982.
- [25] MartinParkerXi06 A G Cox, P P Martin, A E Parker, and C C Xi, *Representation theory of towers of recollement: theory, notes and examples*, J Algebra **302** (2006), 340–360, DOI 10.1016 online (math.RT/0411395).
- [26] visscherMartin05 A G Cox, M De Visscher, and P P Martin, *The blocks of the Brauer algebra in characteristic zero*, Representation Theory **13** (2009, submitted 2005), 272–308, (math.RT/0601387).
- [27] visscherMartin06 ———, *A geometric characterisation of the blocks of the Brauer algebra*, JLMS (to appear) (submitted 2006), (math.RT/0612584).
- [28] visscherMartin08 ———, *Alcove geometry and a translation principle for the Brauer algebra*, preprint (submitted 2008).
- [29] CrowellFox R H Crowell and R H Fox, *Introduction to knot theory*, Ginn, 1963.
- [30] CurtisReiner62 C W Curtis and I Reiner, *Representation theory of finite groups and associative algebras*, Wiley Interscience, New York, 1962.
- [31] CurtisReinerI ———, *Representation theory of finite groups and associative algebras*, Wiley Interscience, New York, 1962.
- [32] CurtisReiner81 ———, *Methods of representation theory with applications to finite groups and orders*, vol. 1, Wiley, New York, 1981.
- [33] CurtisReinerII ———, *Methods of representation theory with applications to finite groups and orders*, vol. 1, Wiley, New York, 1990.
- [34] Robinson61 G deB Robinson, *Representation theory of the symmetric group*, University of Toronto Press, 1961.
- [35] Deodhar87 V V Deodhar, *On some geometric aspects of Bruhat orderings II. the parabolic analogue of Kazhdan-Lusztig polynomials*, J Algebra **111** (1987), 483–506.

- [36] P Diaconis and C Green, *Applications of Murphy's elements*, Stanford Technical Report (1989).
- [37] V Dlab and C M Ringel, *Compositio Mathematica* **70** (1989), 155–175.
- [38] ———, *A construction for quasi-hereditary algebras*, *Compositio Mathematica* **70** (1989), 155–175.
- [39] ———, *A construction for quasi-hereditary algebras*, *Compositio Mathematica* **70** (1989), 155–175.
- [40] ———, *Quasi-hereditary algebras*, *Illinois J Math* **33** (1989), 280–291.
- [41] V. Dlab and C. M. Ringel, *The module theoretic approach to quasi-hereditary algebras*, *Representations of algebras and related topics* (H. Tachikawa and S. Brenner, eds.), LMS Lecture Note Series, vol. 168, Cambridge U P, 1992, pp. 200–224.
- [42] S Donkin, *The q -Schur algebra*, LMS Lecture Notes Series, vol. 253, Cambridge University Press, 1998.
- [43] W F Doran, D B Wales, and P J Hanlon, *On semisimplicity of the Brauer centralizer algebras*, *J Algebra* **211** (1999), 647–685.
- [44] T J Enright and B Shelton, *Categories of highest weight modules: applications to classical Hermitian symmetric pairs*, *Memoirs AMS* **67** (1987), no. 367.
- [45] P Freyd, *Abelian categories*, Harper and Row, 1964.
- [46] W Fulton, *Young tableaux*, CUP, 1997.
- [47] W Fulton and J Harris, *Representation theory*, Springer, 1991.
- [48] O Ganyushkin and V Mazorchuk, *Classical finite transformation semigroups*, Springer, 2009.
- [49] J E Goodman and J O'Rourke (eds.), *Handbook of discrete and computational geometry*, CRC, 1997.
- [50] J. J. Graham and G. I. Lehrer, *Cellular algebras*, *Invent. Math.* **123** (1996), 1–34.
- [51] J A Green, *Polynomial representations of GL_n* , Springer-Verlag, Berlin, 1980.
- [52] M Hamermesh, *Group theory*, Pergamon, Oxford, 1962.
- [53] R. Hartshorne, *Algebraic geometry*, Graduate Texts in Mathematics 52, Springer, 1977.
- [54] P J Hilton and U Stambach, *A course in homological algebra*, Springer, 1971.
- [55] P N Hoefsmit, *Representations of Hecke algebras of finite groups with BN pairs of classical type*, Ph.D. thesis, University of British Columbia, 1974.
- [56] J M Howie, *Fundamental of semigroup theory*, OUP, 1995.
- [57] J E Humphreys, *Reflection groups and Coxeter groups*, Cambridge University Press, 1990.

- [58] N Jacobson, *Lie algebras*, wiley 1962, dover 1979 ed., Dover, 1962.
- [59] ———, *Structure of rings*, AMS, 1964.
- [60] ———, *Basic Algebra I*, Freeman, 1980.
- [61] ———, *Basic Algebra II*, Freeman, 1980.
- [62] ———, *Basic Algebra II*, Freeman, 1980.
- [63] G. D. James, *The representation theory of the symmetric groups*, Lecture Notes in Mathematics 682, Springer, 1978.
- [64] G D James and A Kerber, *The representation theory of the symmetric group*, Addison-Wesley, London, 1981.
- [65] ———, *The representation theory of the symmetric group*, Addison-Wesley, London, 1981.
- [66] J C Jantzen, *Representations of algebraic groups*, Academic Press, 1987.
- [67] M Jimbo, *A q -difference analogue of $U(g)$ and the Yang-Baxter equation*, Lett Math Phys **10** (1985), 63–69.
- [68] A Joseph, *Quantum groups and their primitive ideals*, Springer-Verlag, 1995.
- [69] A Joyal and R Street, *Braided tensor categories*, Adv Math **102** (1993), 20–78, (Macquarie MR850067/860081).
- [70] C. Kassel, *Quantum groups*, Springer-Verlag, 1995.
- [71] C Kassel, *Quantum groups*, Springer, 1995.
- [72] D Kazhdan and G Lusztig, *Representations of coxeter groups and Hecke algebras*, Inventiones Math. **53** (1979), 165–184.
- [73] S V Kerov, *Asymptotic representation theory of the symmetric group and its applications in analysis*, Translations, vol. 219, AMS, 2003.
- [74] S Lang, *Algebra*, 3 ed., Addison Wesley.
- [75] A Lascoux and M-P Schutzenberger, *Polynomes de kazhdan et lusztig pour les grassmanniennes*, Asterisque **87-88** (1981), 249–266.
- [76] R Leduc and A Ram, *A ribbon Hopf algebra approach to the irreducible representations of centralizer algebras: the Brauer, Birman-Wenzl, and type-A Iwahori-Hecke algebras*, Adv. Math. **125** (1997), 1–94.
- [77] I Macdonald, *Symmetric functions and Hall polynomials*, 2nd ed., Oxford, 1995.
- [78] S MacLane and G Birkhoff, *Algebra*, Collier Macmillan, New York, 1979.
- [79] W Magnus, A Karrass, and S Solitar, *Combinatorial group theory*, Wiley, 1966.

- [MarshMartin06] [80] R Marsh and P Martin, *Pascal arrays: Counting Catalan sets*, preprint (2006), arXiv:math/0612572v1 [math.CO].
- [MarDevCo] [81] P P Martin, *Some notes on the Brauer algebra*, 2005.
- [Martin90] [82] ———, *Representations of graph Temperley-Lieb algebras*, Publications of R.I.M.S. Kyoto University **26** (1990), 485.
- [Martin91] [83] ———, *Potts models and related problems in statistical mechanics*, World Scientific, Singapore, 1991.
- [Martin92] [84] ———, *On Schur-Weyl duality, A_n Hecke algebras and quantum $sl(N)$* , Int J Mod Phys A **7 suppl.1B** (1992), 645–674.
- [Martin94] [85] ———, *Temperley-Lieb algebras for non-planar statistical mechanics — the partition algebra construction*, Journal of Knot Theory and its Ramifications **3** (1994), no. 1, 51–82.
- [Martin96] [86] ———, *The structure of the partition algebras*, J Algebra **183** (1996), 319–358.
- [Martin08] [87] ———, *The decomposition matrices of the Brauer algebra over the complex field*, preprint (2008), (<http://arxiv.org/abs/0908.1500>).
- [MartinGreenParker07] [88] P P Martin, R M Green, and A E Parker, *Towers of recollement and bases for diagram algebras: planar diagrams and a little beyond*, J Algebra **316** (2007), 392–452, (math.RT/0610971).
- [MartinMcAnally92] [89] P P Martin and D S McAnally, *On commutants, dual pairs and non-semisimple algebras from statistical mechanics*, Int J Mod Phys A **7 suppl.1B** (1992), 675–705.
- [MartinSaleur93] [90] P P Martin and H Saleur, *On an algebraic approach to higher dimensional statistical mechanics*, Commun. Math. Phys. **158** (1993), 155–190.
- [MartinSaleur94a] [91] ———, *The blob algebra and the periodic Temperley-Lieb algebra*, Lett. Math. Phys. **30** (1994), 189–206, (hep-th/9302094).
- [MartinSaleur94c] [92] ———, *On algebraic diagonalisation of the XXZ chain*, Int J Mod Phys B **8** (1994), 3637–3644.
- [MartinWoodcock98] [93] P P Martin and D Woodcock, *The partition algebras and a new deformation of the Schur algebras*, J Algebra **203** (1998), 91–124.
- [MartinWoodcock2000] [94] ———, *On the structure of the blob algebra*, J Algebra **225** (2000), 957–988.
- [MartinWoodcock03] [95] ———, *Generalized blob algebras and alcove geometry*, LMS J Comput Math **6** (2003), 249–296, (math.RT/0205263).
- [MartinWoodcockLevy00] [96] P P Martin, D Woodcock, and D Levy, *A diagrammatic approach to Hecke algebras of the reflection equation*, J Phys A **33** (2000), 1265–1296.
- [WoodcockLevy2000] [97] ———, *A diagrammatic approach to Hecke algebras of the reflection equation*, J Phys A **33** (2000), 1265–1296.

- [98] B Mendelson, *Introduction to topology*, Blackie, 1962.
- [99] E E Moise, *Geometric topology in dimensions 2 and 3*, Graduate Texts in Mathematics 47, Springer-Verlag, New York, 1977.
- [100] F D Murnaghan, *The theory of group representations*, Johns Hopkins 1938/Dover 1963, 1938.
- [101] G E Murphy, *A new construction of Young's seminormal representation of the symmetric group*, J Algebra **69** (1981), 287–291.
- [102] M Nazarov, *Young's orthogonal form for Brauer's centralizer algebra*, J Algebra **182** (1996), 664–693.
- [103] R Orellana and A Ram, *Affine braids, Markov traces and the category O*, Newton Institute preprint NI01032-SFM, 2001.
- [104] Perlis, *Theory of matrices*, Addison-Wesley, 1958.
- [105] A Ram and H Wenzl, *Matrix units for centralizer algebras*, J Algebra **145** (1992), 378–395.
- [106] N Yu Reshetikhin and V G Turaev, *Ribbon graphs and their invariants derived from quantum groups*, Comm Math Phys **127** (1990), 1–26.
- [107] C. M. Ringel, *The category of modules with good filtrations over a quasi-hereditary algebra has almost split sequences*, Math. Z. **208** (1991), 209–225.
- [108] N El Samra and R King, *Dimensions of irreducible representations of the classical Lie groups*, J Phys A **12** (1979), 2317–2328.
- [109] I. Schur, *Über eine Klasse von Matrizen, die sich einer gegebenen Matrix zuordnen lassen*, I. Schur: Gesammelte Abhandlungen (A. Brauer and H. Rohrbach, eds.), vol. I, Springer-Verlag, 1973, pp. 1–71.
- [110] J P Serre, *Lie algebras and Lie groups*, Benjamin, 1965.
- [111] W. Soergel, *Kazhdan-Lusztig polynomials and a combinatoric for tilting modules*, Representation Theory **1** (1997), 83–114.
- [112] W Specht, *Die irreduziblen darstellungen der symmetrischen gruppe*, Math Z **39** (1935), 696–711.
- [113] H Wenzl, *Hecke algebras of type A_n and subfactors*, Inventiones Math. **92** (1988), 349–383.
- [114] T Yamanouchi, Proc Phys-Math Soc, Japan **19** (1937), 436.
- [115] O Zariski and P Samuel, *Commutative algebra vol.1*, Springer, 1958.
- [116] ———, *Commutative algebra vol.1*, Springer, 1958.
- [117] G M Ziegler, *Lectures on polytopes*, Springer, 1995.

Index

- p -modular system, 198
- affine variety, 33
- alcove, 57, 258, 262, 279
- alcove geometry, 263
- Algebra, 16, 121
 - Brauer, 197
 - Hecke, 161, 163
 - partition, 181
 - Temperley–Lieb, 169
- algebra
 - basic, 211
 - quasihereditary, 212
 - Temperley–Lieb, 32
- algebraic group, 333
- Artin–Wedderburn Theorem, 19
- axiom of choice, 30
- balanced map, 105
- block graph, 256
- block relation, 256
- bottleneck principle, 205
- braid group, 161
- Bratteli diagram, 153
- Brauer ‘modular’ system, 198
- Brauer reciprocity, 43, 126, 212
- Bruhat order, 57, 141
- Burnside’s Theorem, 122
- Cartan decomposition matrix, 22, 43, 129
- Cartan invariants, 124
- Cartan matrix, 52
- Category, 73
 - concrete, 75
 - dual/opposite, 74
 - partition, 181
 - small, 77
- category
 - skeletally small, 211
- Cayley graph, 37, 141
- Chamber, 54
- chamber, 48
- character, 13
- complex, 141
 - polyhedral, 49
- cone order, 142
- content, 154
- continuous group, 336
- coset space, 59
- Coxeter system, 52
- decomposition matrix, 22
- diagram
 - partition, 183
 - Temperley–Lieb, 169
- digraph
 - acyclic, 36
 - rooted, 36
- Domain, 27
- dominance order, 69, 236, 241
- dominant, 292
- dual graph, 263
- facet, 48, 263, 277, 279
- Field, 27
- filtration, 104, 226
- Form
 - bilinear, 134
 - contravariant, 135
- Frobenius reciprocity, 110
- Functor, 75
 - globalisation, 128
 - localisation, 128
 - restriction, 105, 119

- functor
 - induction, 110
- graph
 - connected, 37
 - geometric dual, 141
- Grothendieck group, 22, 201, 225, 228
- Group, 27
 - Abelian, 27
 - reflection, 51
 - Symmetric, 139
- group presentation, 52
- head, 116, 173, 224
- Hecke algebra, 60
- homeomorphism, 162
- hook length, 153, 154, 164
- Ideal, 28
- idempotent
 - primitive, 44
- idempotent lifting, 112
- Integral Domain, 27
- isotopy, 162
- Jacobsen radical, 17
- join semilattice, 35
- Jordan–Holder Theorem, 17, 81, 104
- Jucys–Murphy elements, 244
- Kazhdan–Lusztig polynomial, 60
- Krull–Schmidt Theorem, 19, 104
- lattice, 35
- length function, 53
- Lie algebra, 22, 60
- Lie group, 60
- Littlewood–Richardson coefficients, 247
- Module, 28, 97
 - Absolutely Simple, 122
 - Brauer, 130
 - category, 98
 - composition factor, 104
 - composition series, 104
 - direct sum, 99
 - free, 100
 - homomorphism, 98
 - projective, 19, 128
- module
 - semisimple, 99
- Module Homomorphism, 28
- Monoid, 27
- monoid
 - regular, 28
 - Temperley–Lieb, 32
- Morita equivalence, 120
- multipartition, 155
- Peirce decomposition, 20
- permutahedron, 141
- polytope, 141
- Principal Ideal Domain, 27
- propagating line, 183, 205
- propagating number, 219
- quasi-heredity, 130, 240
- quasiregular, 17
- quiver, 37
- radical, 116
 - Jacobson, 43
- reductive representation theory, 198
- reflection group, 51
- regular, 69, 258, 260
- rim, 68, 250
- rim hook, 68
- Ring, 27
 - Artinian, 17, 243
 - Division, 27, 123
 - Local, 27
 - Noetherian, 17
- ring
 - semiperfect, 112
- root system, 51
 - positive, 52
- Schrier Refinement Theorem, 81
- Schur’s Lemma, 244
- Schur’s lemma, 18, 122
- Semigroup, 27
- semisimple element, 333
- simplex, 47

- skew, 68
- Smith normal form, 134
- socle, 116
- solvable group, 11
- Splitting field, 123
- subcategory
 - dense, 211
 - isomorphism dense, 211
- Tensor product, 105
- torus, 333
- tower of recollement, 212
- transitive group action, 141
- unipotent element, 333
- unitary representation, 14
- universal enveloping algebra, 23
- Young diagram, 67
 - skew, 68
- Young graph, 67
- Young lattice, 67
- Young's orthogonal form, 153
- Zorn's Lemma, 18