


# CMPEN 472


## Homework 6:      Solution Approach

1. Getting a number from keyboard (keyboard input, numbers)
2. Printing a number on terminal window (convert each digit to ASCII characters)


# CMPEN 472




>  
> S\$312A




# CMPEN 472




>  
> S\$312A




# CMPEN 472




>  
> S\$312A




# CMPEN 472



>  
> S\$312A




# CMPEN 472




>  
> S\$312A

LDX ADDR  
or  
LDX \$300D



# CMPEN 472




# CMPEN 472

## Homework 6:      Solution Approach



1. Getting a number from keyboard (keyboard input, numbers)
- 2. Printing a number on terminal window (convert each digit to ASCII characters)**





# CM PEN 472





> S\$300D  
\$300D = \$312A 12586  
>





# CM PEN 472




# CM PEN 472




# CM PEN 472



# CMPEN 472



> S\$300D  
\$300D =\$312A 12586  
>



# ASCII Table and Description

ASCII stands for American Standard Code for Information Interchange. Computers can only understand numbers, so an ASCII code is the numerical representation of a character such as 'a' or '@' or an action of some sort. ASCII was developed a long time ago and now the non-printing characters are rarely used for their original purpose. Below is the ASCII character table and this includes descriptions of the first 32 non-printing characters. ASCII was actually designed for use with teletypes and so the descriptions are somewhat obscure. If someone says they want your CV however in ASCII format, all this means is they want 'plain' text with no formatting such as tabs, bold or underscoring - the raw format that any computer can understand. This is usually so they can easily import the file into their own applications without issues. Notepad.exe creates ASCII text, or in MS Word you can save a file as 'text only'

Dec	Hx	Oct	Char	Dec	Hx	Oct	Html	Chr	Dec	Hx	Oct	Html	Chr	Dec	Hx	Oct	Html	Chr
0	0	000	<b>NUL</b> (null)	32	20	040	&#32;	<b>Space</b>	64	40	100	&#64;	<b>@</b>	96	60	140	&#96;	<b>`</b>
1	1	001	<b>SOH</b> (start of heading)	33	21	041	&#33;	<b>!</b>	65	41	101	&#65;	<b>A</b>	97	61	141	&#97;	<b>a</b>
2	2	002	<b>STX</b> (start of text)	34	22	042	&#34;	<b>"</b>	66	42	102	&#66;	<b>B</b>	98	62	142	&#98;	<b>b</b>
3	3	003	<b>ETX</b> (end of text)	35	23	043	&#35;	<b>#</b>	67	43	103	&#67;	<b>C</b>	99	63	143	&#99;	<b>c</b>
4	4	004	<b>EOT</b> (end of transmission)	36	24	044	&#36;	<b>\$</b>	68	44	104	&#68;	<b>D</b>	100	64	144	&#100;	<b>d</b>
5	5	005	<b>ENQ</b> (enquiry)	37	25	045	&#37;	<b>%</b>	69	45	105	&#69;	<b>E</b>	101	65	145	&#101;	<b>e</b>
6	6	006	<b>ACK</b> (acknowledge)	38	26	046	&#38;	<b>&amp;</b>	70	46	106	&#70;	<b>F</b>	102	66	146	&#102;	<b>f</b>
7	7	007	<b>BEL</b> (bell)	39	27	047	&#39;	<b>'</b>	71	47	107	&#71;	<b>G</b>	103	67	147	&#103;	<b>g</b>
8	8	010	<b>BS</b> (backspace)	40	28	050	&#40;	<b>(</b>	72	48	110	&#72;	<b>H</b>	104	68	150	&#104;	<b>h</b>
9	9	011	<b>TAB</b> (horizontal tab)	41	29	051	&#41;	<b>)</b>	73	49	111	&#73;	<b>I</b>	105	69	151	&#105;	<b>i</b>
10	A	012	<b>LF</b> (NL line feed, new line)	42	2A	052	&#42;	<b>*</b>	74	4A	112	&#74;	<b>J</b>	106	6A	152	&#106;	<b>j</b>
11	B	013	<b>VT</b> (vertical tab)	43	2B	053	&#43;	<b>+</b>	75	4B	113	&#75;	<b>K</b>	107	6B	153	&#107;	<b>k</b>
12	C	014	<b>FF</b> (NP form feed, new page)	44	2C	054	&#44;	<b>,</b>	76	4C	114	&#76;	<b>L</b>	108	6C	154	&#108;	<b>l</b>
13	D	015	<b>CR</b> (carriage return)	45	2D	055	&#45;	<b>-</b>	77	4D	115	&#77;	<b>M</b>	109	6D	155	&#109;	<b>m</b>
14	E	016	<b>SO</b> (shift out)	46	2E	056	&#46;	<b>.</b>	78	4E	116	&#78;	<b>N</b>	110	6E	156	&#110;	<b>n</b>
15	F	017	<b>SI</b> (shift in)	47	2F	057	&#47;	<b>/</b>	79	4F	117	&#79;	<b>O</b>	111	6F	157	&#111;	<b>o</b>
16	10	020	<b>DLE</b> (data link escape)	48	30	060	&#48;	<b>0</b>	80	50	120	&#80;	<b>P</b>	112	70	160	&#112;	<b>p</b>
17	11	021	<b>DC1</b> (device control 1)	49	31	061	&#49;	<b>1</b>	81	51	121	&#81;	<b>Q</b>	113	71	161	&#113;	<b>q</b>
18	12	022	<b>DC2</b> (device control 2)	50	32	062	&#50;	<b>2</b>	82	52	122	&#82;	<b>R</b>	114	72	162	&#114;	<b>r</b>
19	13	023	<b>DC3</b> (device control 3)	51	33	063	&#51;	<b>3</b>	83	53	123	&#83;	<b>S</b>	115	73	163	&#115;	<b>s</b>
20	14	024	<b>DC4</b> (device control 4)	52	34	064	&#52;	<b>4</b>	84	54	124	&#84;	<b>T</b>	116	74	164	&#116;	<b>t</b>
21	15	025	<b>NAK</b> (negative acknowledge)	53	35	065	&#53;	<b>5</b>	85	55	125	&#85;	<b>U</b>	117	75	165	&#117;	<b>u</b>
22	16	026	<b>SYN</b> (synchronous idle)	54	36	066	&#54;	<b>6</b>	86	56	126	&#86;	<b>V</b>	118	76	166	&#118;	<b>v</b>
23	17	027	<b>ETB</b> (end of trans. block)	55	37	067	&#55;	<b>7</b>	87	57	127	&#87;	<b>W</b>	119	77	167	&#119;	<b>w</b>
24	18	030	<b>CAN</b> (cancel)	56	38	070	&#56;	<b>8</b>	88	58	130	&#88;	<b>X</b>	120	78	170	&#120;	<b>x</b>
25	19	031	<b>EM</b> (end of medium)	57	39	071	&#57;	<b>9</b>	89	59	131	&#89;	<b>Y</b>	121	79	171	&#121;	<b>y</b>
26	1A	032	<b>SUB</b> (substitute)	58	3A	072	&#58;	<b>:</b>	90	5A	132	&#90;	<b>Z</b>	122	7A	172	&#122;	<b>z</b>
27	1B	033	<b>ESC</b> (escape)	59	3B	073	&#59;	<b>;</b>	91	5B	133	&#91;	<b>[</b>	123	7B	173	&#123;	<b>{</b>
28	1C	034	<b>FS</b> (file separator)	60	3C	074	&#60;	<b>&lt;</b>	92	5C	134	&#92;	<b>\</b>	124	7C	174	&#124;	<b> </b>
29	1D	035	<b>GS</b> (group separator)	61	3D	075	&#61;	<b>=</b>	93	5D	135	&#93;	<b>]</b>	125	7D	175	&#125;	<b>}</b>
30	1E	036	<b>RS</b> (record separator)	62	3E	076	&#62;	<b>&gt;</b>	94	5E	136	&#94;	<b>^</b>	126	7E	176	&#126;	<b>~</b>
31	1F	037	<b>US</b> (unit separator)	63	3F	077	&#63;	<b>?</b>	95	5F	137	&#95;	<b>_</b>	127	7F	177	&#127;	<b>DEL</b>

