

Module: Problem 3

This module provides utility functions for simple string analysis.
Currently it contains a single function that extracts and sums all numeric characters present in a given string, raising an error when the string does not contain any digits.

Functions

`sum_digits(string)`

Description:

Scans the supplied string for digit characters (`0` - `9`). If at least one digit is found, it converts each digit to an integer and returns the sum of those integers. If the string contains no digits, a `ValueError` is raised.

Parameters: - `string` (*str*): The input text to be examined for numeric characters.

Returns:

- *int*: The sum of all digit characters found in `string` .
(Returned only when at least one digit is present.)

Examples:

```
# Observed runtime behavior - error cases
result = sum_digits('hello')    # → raises ValueError: No digits in input
result = sum_digits('test')    # → raises ValueError: No digits in input
result = sum_digits('')        # → raises ValueError: No digits in input

# Typical successful usage (not observed but inferred from implementation)
result = sum_digits('alb2c3')  # → 6
```

Edge Cases / Notes: - The function **crashes** (raises `ValueError`) when the input string contains no digit characters, as demonstrated by the inputs `'hello'` , `'test'` , and `''` . - Only single-character digits are summed; multi-digit numbers are treated as separate characters (e.g., `'12'` yields `1 + 2 = 3`). - Non-string inputs will cause an `AttributeError` because the implementation assumes the argument supports the `str` methods `isdigit` and iteration.
Users should ensure that `string` is indeed a string before calling the function.