


Day-2: File Ownership and Access Control

Topics: chown, chgrp, ownership + permissions

Part A - Ownership Investigation (10 Minutes)

- Create a directory named ownership_lab.

```
mkdir ownership_lab
```



- Inside it, create:


```
incident_report.txt
```

```
network.log
```

```
credentials.txt
```


```
cd ownership_lab
```

```
touch incident_report.txt network.log credentials.txt
```



- Display the detailed information for these files.

```
ls -l
```



- For each file, identify:

Owner

Group

Owner permissions

Group permissions

Others permissions

File	Owner	Group	Owner Permissions	Group Permissions	Others Permissions
incident_report.txt	praneetha	praneetha	Read, Write (rw-)	Read (r--)	Read (r--)
network.log	praneetha	praneetha	Read, Write (rw-)	Read (r--)	Read (r--)
credentials.txt	praneetha	praneetha	Read, Write (rw-)	Read (r--)	Read (r--)

- Determine the UID and GID of the current user.

UID: `id -u`

GID: `id -g`

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ id -u
1000

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ id -g
1000
```

- Compare the UID/GID information with the ownership displayed for the newly created files. The UID and GID of the current user match the owner and group of the newly created files. This is because files are normally created with the current user as the owner and the user's primary group as the group owner.
- Explain the difference between file ownership and file permissions. File ownership specifies which user and group are associated with a file. File permissions specify the actions that the owner, group members, and other users can perform on the file, such as reading, writing, or executing it. Ownership identifies who owns the file, while permissions control what users can do with the file.

Part B - chown: Changing Ownership (15 Minutes)

- Change the owner of `incident_report.txt` to alice.

`sudo chown alice incident_report.txt`

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo chown alice incident_report.txt
[sudo] password for praneetha:
```

- Change the owner of `network.log` to bob.

`sudo chown bob network.log`

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo chown bob network.log
```

- Change the owner of `credentials.txt` to charlie.

`sudo chown charlie credentials.txt`

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo chown charlie credentials.txt
```

- Verify each change.

`ls -l <filename>`

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l incident_report.txt
-rw-rw-r-- 1 alice praneetha 0 Sep  1 20:11 incident_report.txt

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l network.log
-rw-rw-r-- 1 bob praneetha 0 Sep  1 20:11 network.log

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l credentials.txt
-rw-rw-r-- 1 charlie praneetha 0 Sep  1 20:11 credentials.txt
```

- Try changing the owner of a file to another user without using sudo. Record the result.
chown alice network.log

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ chown alice network.log
chown: changing ownership of 'network.log': Operation not permitted
```

The ownership was not changed because an ordinary user does not have permission to transfer file ownership to another user.

- Explain why an ordinary user is generally not permitted to transfer file ownership to another user.

An ordinary user usually cannot change the ownership of a file because only an administrator has the permission to transfer files to other users. This helps prevent security issues and keeps file ownership under proper control. Therefore, the chown command usually requires sudo privileges.

- Using a single command, configure:

incident_report.txt

Owner: alice

Group: security

chown alice:security incident_report.txt

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo chown alice:security incident_report.txt
```

- Verify the resulting ownership.

ls -l incident_report.txt

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l incident_report.txt
-rw-rw-r-- 1 alice security 0 Sep  1 20:11 incident_report.txt
```

Part C - chgrp: Changing Group Ownership (15 Minutes)

- Change the group ownership of network.log to developers.
sudo chgrp developers network.log

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo chgrp developers network.log
[sudo] password for praneetha:
```

- Change the group ownership of credentials.txt to security.
sudo chgrp security credentials.txt

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo chgrp security credentials.txt
```

- Verify the changes.

ls -l network.log

ls -l credentials.txt

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l network.log
-rw-rw-r-- 1 bob developers 0 Sep  1 20:11 network.log

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l credentials.txt
-rw-rw-r-- 1 charlie security 0 Sep  1 20:11 credentials.txt
```

- Display the group memberships of alice, bob, and charlie.

groups alice

groups bob

groups charlie

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ groups alice
alice : alice security

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ groups bob
bob : bob security developers

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ groups charlie
charlie : charlie security
```

- Log in as alice and create a file named alice_report.txt.

Login: su - alice

To create file: touch alice_report.txt

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ su - alice
Password:
$ whoami
alice
$ touch alice_report.txt
$ ls -l alice_report.txt
-rw-rw-r-- 1 alice alice 0 Sep  2 22:05 alice_report.txt
```

- Attempt to change the group of alice_report.txt to security.

chgrp security alice_report.txt

```
$ chgrp security alice_report.txt
$ groups
alice security
```

- Attempt to change its group to developers.

chgrp developers alice_report.txt

```
$ chgrp developers alice_report.txt
chgrp: changing group of 'alice_report.txt': Operation not permitted
$
```

- Compare the results.

Alice was able to change the group of alice_report.txt to security, but Alice could not change it to developers. This is because Alice is a member of security but not developers.

- Explain how a user's group membership affects their ability to change the group ownership of a file they own.

A user who owns a file can generally change its group only to a group they belong to. Therefore, group membership determines which groups the user can assign to their own files.

Part D - Ownership + Permission Investigation (20 Minutes)

- Configure:

-rw-r----- alice security incident_report.txt

Configure the ownership: sudo chown alice:security incident_report.txt

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo chown alice:security incident_report.txt

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l incident_report.txt
-rw-rw-r-- 1 alice security 0 Sep  1 20:11 incident_report.txt
```

Configure the permissions: sudo chmod 640 incident_report.txt

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo chmod 640 incident_report.txt

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l incident_report.txt
-rw-r----- 1 alice security 0 Sep  1 20:11 incident_report.txt
```

- Identify what operations are available to:
alice: Can read and modify the file. (owner)
Charlie: Can only read the file. (security)
bob: Can only read the file. (security)

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l incident_report.txt
-rw-r----- 1 alice security 0 Sep  1 20:11 incident_report.txt

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ groups alice
alice : alice security

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ groups bob
bob : bob security developers

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ groups charlie
charlie : charlie security
```

- A user who belongs to neither security nor the file owner
A user who is neither the owner nor a member of the security group gets the others permissions.
Since the file has --- for others, the user cannot read, modify, or access the file.
- charlie belongs to security. Test whether Charlie can:
Read incident_report.txt: can read
Modify incident_report.txt: cannot modify
Delete incident_report.txt: cannot delete
Record the result of each operation.

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ su - charlie
Password:
$ cd /home/praneetha/Desktop/ownership_lab
$ cat incident_report.txt
$ echo "Charlie test" >> incident_report.txt
-sh: 3: cannot create incident_report.txt: Permission denied
$ rm incident_report.txt
rm: remove write-protected regular empty file 'incident_report.txt'? y
rm: cannot remove 'incident_report.txt': Permission denied
```

- Change the permissions to:

-rw-rw----

sudo chmod 660 incident_report.txt

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo chmod 660 incident_report.txt
[sudo] password for praneetha:

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ ls -l incident_report.txt
-rw-rw---- 1 alice security 0 Sep  1 20:11 incident_report.txt
```

- Repeat the test as charlie.
Read incident_report.txt: can read
Modify incident_report.txt: can modify
Delete incident_report.txt: cannot delete

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ su - charlie
Password:
$ cd /home/praneetha/Desktop/ownership_lab
$ cat incident_report.txt
$ echo "Charlie test" >> incident_report.txt
$ rm incident_report.txt
rm: cannot remove 'incident_report.txt': Permission denied
$ cat incident_report.txt
Charlie test
$ exit
```

- Explain why Charlie's access changed even though the owner and group of the file did not change.

Charlie's access changed because the group permission was changed from r-- to rw-. Charlie is a member of the security group, so he could read the file before, but after the permission change he could also modify it. The owner and group of the file remained the same.


- Remove bob from the security group.
sudo gpasswd -d bob security

```
(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ groups bob
bob : bob security developers

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ sudo gpasswd -d bob security
[sudo] password for praneetha:
Removing user bob from group security

(praneetha@Praneetha)-[~/Desktop/ownership_lab]
$ groups bob
bob : bob developers
```

- Without changing the file's ownership or permissions, test Bob's access again. cannot read, modify and delete.

A terminal window with a dark background. The prompt is (praneetha@Praneetha) - [~/Desktop/ownership_lab]. The user runs 'su - bob', enters a password, and changes to the directory /home/praneetha/Desktop/ownership_lab. They then run 'whoami' which returns 'bob'. Next, they run 'cat incident_report.txt' and receive 'Permission denied'. Then, they run 'echo "Bob test" >> incident_report.txt' and receive '-sh: 4: cannot create incident_report.txt: Permission denied'. Finally, they run 'rm incident_report.txt' and receive 'rm: remove write-protected regular file 'incident_report.txt'? y' followed by 'rm: cannot remove 'incident_report.txt': Permission denied'. The session ends with '\$ exit'.

```
(praneetha@Praneetha) - [~/Desktop/ownership_lab]
$ su - bob
Password:
$ cd /home/praneetha/Desktop/ownership_lab
$ whoami
bob
$ cat incident_report.txt
cat: incident_report.txt: Permission denied
$ echo "Bob test" >> incident_report.txt
-sh: 4: cannot create incident_report.txt: Permission denied
$ rm incident_report.txt
rm: remove write-protected regular file 'incident_report.txt'? y
rm: cannot remove 'incident_report.txt': Permission denied
$ exit
```

- Explain why Bob's effective permissions changed.

Bob's effective permissions changed because he was removed from the security group. Although the file still has the same owner, group, and permissions, Bob is no longer a member of the group. Therefore, he receives the others permissions (---) instead of the group's rw-permissions.