

FlyAway (An Airline Booking Portal)

Document contains:

- Project and developer details
- Sprints planned and the tasks achieved in them
- Algorithms and flowcharts of the application
- Links to the GitHub repository to verify the project completion
- Conclusions

Project and developer details

Project objective:

As a Full Stack Developer, design and develop an airline booking portal named as FlyAway. Use the GitHub repository to manage the project artifacts.

Background of the problem statement:

FlyAway is a ticket-booking portal that lets people book flights on their website.

The website needs to have the following features:

- A search form in the homepage to allow entry of travel details, like the date of travel, source, destination, and the number of persons.
- Based on the travel details entered, it will show the available flights with their ticket prices.
- Once a person selects a flight to book, they will be taken to a register page where they must fill in their personal details. In the next page, they are shown the flight details of the flight that they are booking, and the payment is done via a dummy payment gateway. On completion of the payment, they are shown a confirmation page with the details of the booking.

For the above features to work, there will be an admin backend with the following features:

- An admin login page where the admin can change the password after login, if he wishes
- A master list of places for source and destination
- A master list of airlines
- A list of flights where each flight has a source, destination, airline, and ticket price

The goal of the company is to deliver a high-end quality product as early as possible.

The flow and features of the application:

- Plan more than two sprints to complete the application
- Document the flow of the application and prepare a flow chart
- List the core concepts and algorithms being used to complete this application
- Implement the appropriate concepts, such as exceptions, collections, and sorting techniques for source code optimization and increased performance

Developer Details: P Praveen Kumar

Ppraveen62.ppk@gmail.com

9502646206

Sprints planned and the tasks achieved in them

There are three sprints for this project


Sprint-1: Studied the Features of project and prepared the flow chart and created Git Repository.

Sprint-2: created Jsp pages and written servlet java program for booking portal and All the features are being implemented.


Sprint-3: Final testing of website using different inputs and pushing it to GitHub.

Algorithms and flowcharts of the application


Flow chart:




1. Home page is created using jsp.




2. Given input is being verified in the servlet, if it's a wrong input it is being redirected to the same page. If it's right, all the flights are being shown for the given source and destination through the database, which is done by another servlet.



3.if flight is selected and book now button is clicked then it's being redirected to user details page form according to the no of persons given.



The screenshot shows a web browser window with the URL `localhost:8087/fly_away_proj/flightsServlet2`. The page features a blue header with a logo and the text "HAVE A NICE FLIGHT!". The main heading is "FlyAway" in a stylized font, followed by "Enter Details". Below this, there are two sets of form fields for "Person 1" and "Person 2". Each set includes fields for Name, Gender (a dropdown menu currently showing "Male"), Age (a text input with "1"), Email Id, and Mobile no. A "continue" button is located at the bottom of the form. In the background, there is a large, faint image of a white airplane with blue accents.




This screenshot shows the same "FlyAway" web application, but now the form for "Person 1" is filled with data. The "Name" field contains "praveen", the "Age" field contains "24", and the "Email Id" field contains "ppraveen@gmail.com". The "Gender" dropdown remains set to "Male". The "Mobile no" field is empty. The "Person 2" section remains empty. The "continue" button is still present at the bottom of the form. The background image of the airplane is also visible.

5.if data given is null or input is wrong it is being redirected to same page with some warning ,this things are done by servlet.

user x +

localhost:8087/fly_away_proj/userdetailsverify

Learning on Simpli... Gmail Dashboard | Hacker... Feed | LinkedIn GitHub IT Jobs For Freshers... MySQL Tutorial - Le...

 **FlyAway**

Enter Details

Person 1

Name

Gender

Age

Email Id

Mobile no

Person 2

Name

Gender


Age

Email Id

Mobile no

Hello user! please enter details of person correctly.

Activate Windows
Go to Settings to activate Windows.




6. If data entered is not null , right and clicked on continue then a flight details are shown for confirmation.

user x +

localhost:8087/fly_away_proj/userdetailsverify

Learning on Simpli... Gmail Dashboard | Hacker... Feed | LinkedIn GitHub IT Jobs For Freshers... MySQL Tutorial - Le...

 **FlyAway**

Enter Details

Person 1

Name

Gender

Age

Email Id

Mobile no

Person 2

Name

Gender


Age


Email Id

Mobile no


Hello user! please enter details of person correctly.

Activate Windows
Go to Settings to activate Windows.






7.if confirm button is clicked and it is redirected to payment gateway page.





8.if wrong details are entered it redirects to same page for again entering the details and when data is correctly entered it passes it to next page this is done using servlet.

9.In this date is not entered and clicked on pay.




10.its shows warning on same page and a data is entered again.







11.If pay button is clicked ,on successful transaction shows booking id and transaction id are shown in new page.




Coming to admin part




1. On clicking on admin login a login page is displayed.





2.This data of username and password entered is being verified by the servlet through connecting to the database. If details entered is wrong then it redirects to the same page showing warning.




3.if data entered is matched with the database then servlet redirect to admin dashboard.




4. if password is null it shows warning if it is not null password is being updated in database
And redirected to login page showing password change.




5.if list of source and destination link is clicked on dashboard the data is being fetched and shown in the page using servlet



6.if list of airlines link is clicked on dashboard the data is being fetched and shown in the page using servlet




7.if list of flights link is clicked on dashboard the data is being fetched and shown in the page using servlet



The screenshot shows a web browser at localhost:8087/fly_away_proj/listflights. The page has a header with the 'FlyAway' logo and a navigation bar with links like 'Dashboard', 'Gmail', 'Hacker...', 'Feed | LinkedIn', 'GitHub', 'IT Jobs For Freshers...', and 'MySQL Tutorial - Le...'. Below the header, there is a 'Dashboard' link and a 'List of Flights' section. The 'List of Flights' section displays a table with 7 columns: Flight No, Airline, Departure Time, Source, Destination, Arrival Time, and Trip Fare. The table contains 20 rows of flight data. A watermark 'Activate Windows' is visible across the table.

Flight No	Airline	Departure Time	Source	Destination	Arrival Time	Trip Fare
2354	Deccan	19:34	Vishakapatnam	Hyderabad	23:57	4090.0
2434	Indigo	13:45	Surat	Mumbai	19:45	4000.0
2445	Indigo	02:45	Kolkata	Chennai	05:00	3000.0
3098	Indigo	13:26	Hyderabad	Surat	15:45	3400.0
3425	AirIndia	12:50	Surat	Chennai	17:50	3265.0
4590	TruJet	23:45	Jaipur	Bengaluru	02:45	4300.0
5668	Deccan	09:45	Vishakapatnam	Pune	11:33	3445.0
5900	Deccan	22:34	Jaipur	Pune	00:10	4900.0
10287	Indigo	21:00	Mumbai	Hyderabad	00:10	3800.0
12080	AirIndia	23:39	Hyderabad	Bengaluru	01:25	3000.0
12085	Indigo	22:22	Hyderabad	Pune	00:35	4500.0
12090	Indigo	10:11	Hyderabad	Mumbai	13:26	4010.0
12093	Indigo	12:29	Hyderabad	Jaipur	14:26	2590.0
12567	TruJet	13:45	Mumbai	Vishakapatnam	15:59	5300.0
12870	TruJet	21:28	Hyderabad	Kolkata	00:30	3400.0
17960	Indigo	07:34	Hyderabad	Lucknow	04:45	3900.0




The screenshot shows a web browser at localhost:8087/fly_away_proj/listflights. The page displays a table with 7 columns: Flight No, Airline, Departure Time, Source, Destination, Arrival Time, and Trip Fare. The table contains 30 rows of flight data. A watermark 'Activate Windows' is visible across the table.

Flight No	Airline	Departure Time	Source	Destination	Arrival Time	Trip Fare
56790	TruJet	22:45	Jaipur	Hyderabad	00:55	3300.0
56902	Deccan	02:29	Mumbai	Chennai	04:30	5200.0
57798	AirIndia	12:34	Chennai	Kolkata	15:59	4003.0
58468	Deccan	23:30	Bengaluru	Surat	03:33	4000.0
67335	AirIndia	23:45	Mumbai	Surat	02:25	3500.0
67856	Deccan	12:55	Mumbai	Kolkata	14:55	4520.0
84748	Indigo	21:00	Lucknow	Surat	23:59	4500.0
121435	AirIndia	10:47	Pune	Surat	13:45	4000.0
124904	AirIndia	13:55	Mumbai	Pune	15:45	4500.0
214345	Indigo	04:00	Pune	Mumbai	07:59	3800.0
235352	Deccan	12:34	Bengaluru	Hyderabad	03:44	4321.0
243254	TruJet	05:55	Kolkata	Mumbai	08:45	3050.0
365473	AirIndia	09:45	Chennai	Bengaluru	12:00	4500.0
368479	TruJet	08:55	Chennai	Lucknow	11:55	3444.0
385759	AirIndia	04:49	Lucknow	Jaipur	07:30	4662.0
434385	TruJet	13:44	Vishakapatnam	Pune	19:31	4300.0
450003	Indigo	04:45	Bengaluru	Hyderabad	08:55	5009.0
453798	AirIndia	23:50	Jaipur	Vishakapatnam	02:45	4000.0
457720	TruJet	09:55	Kolkata	Vishakapatnam	12:45	5600.0
547685	Deccan	09:55	Chennai	Kolkata	13:20	4500.0
563454	Indigo	12:45	Chennai	Jaipur	05:55	3300.0
567379	TruJet	05:55	Jaipur	Vishakapatnam	08:45	4530.0
568829	TruJet	03:49	Bengaluru	Mumbai	05:34	3433.0
585794	Deccan	23:56	Chennai	Mumbai	04:45	3099.0
645768	TruJet	09:46	Surat	Jaipur	11:55	5000.0
658479	AirIndia	07:47	Lucknow	Jaipur	09:47	4500.0
1324542	Indigo	12:00	Surat	Hyderabad	03:45	4500.0
2134352	TruJet	08:45	Pune	Lucknow	12:34	3800.0
243254	AirIndia	00:10	Kolkata	Surat	12:00	3300.0

8.if list of flight trip modification link is clicked on dashboard then menu is shown for add flight deatails and delete flight details .


If this links are clicked.



The screenshot shows a web browser window with the URL `localhost:8087/fly_away_proj/flightsmod`. The page features the FlyAway logo and a navigation menu with links for [Add Flight Details](#) and [Delete Flight Details](#). Below the menu is a table displaying flight details.


Flight No	Airline	Depature Time	Source	Destination	Arrival Time	Trip Fare
2354	Deccan	19:34	Vishakapatnam	Hyderabad	23:57	4090.0
2434	Indigo	13:45	Surat	Mumbai	19:45	4000.0
2445	Indigo	02:45	Kolkata	Chennai	05:00	3000.0
3098	Indigo	13:26	Hyderabad	Surat	15:45	3400.0
3425	AirIndia	12:50	Surat	Chennai	17:50	3265.0
4590	TruJet	23:45	Jaipur	Bengaluru	02:45	4300.0
5668	Deccan	09:45	Vishakapatnam	Pune	11:33	3445.0
5900	Deccan	22:34	Jaipur	Pune	00:10	4900.0
10287	Indigo	21:00	Mumbai	Hyderabad	00:10	3800.0

9.for adding flight details in database ,this data are being filled an clicked on add flight bbutton .




The screenshot shows a web browser window with the URL `localhost:8087/fly_away_proj/flights.jsp`. The page displays the 'Add Flight Details' form, which includes input fields for Flight No, Airline Name, Source, Destination, Departure Time, Arrival Time, and Trip Fare. A button labeled 'Add flight' is present, along with a [back](#) link.

10. for deleting flight details from database, flight no is entered.



11. if logout link is clicked on dashboard it is redirected to home page.



Database

MySQL 8.0 Command Line Client

— □ X

owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> use flyaway;

Database changed

mysql> show tables;

Tables_in_flyaway
admin
flightdto
sordes

3 rows in set (0.14 sec)

mysql> select * from admin;

EmailId	Password
admin@flyaway.com	12345


1 row in set (0.00 sec)

mysql> select * from flightdto;

flightno	airline	arrivaltime	departuretime	destination	source	tripfare
2354	Deccan	23:57	19:34	Hyderabad	Vishakapatnam	4090
2434	Indigo	19:45	13:45	Mumbai	Surat	4000
2445	Indigo	05:00	02:45	Chennai	Kolkata	3000
3098	Indigo	15:45	13:26	Surat	Hyderabad	3400
3425	AirIndia	17:50	12:50	Chennai	Surat	3265
4590	TruJet	02:45	23:45	Bengaluru	Jaipur	4300
5668	Deccan	11:33	09:45	Pune	Vishakapatnam	3445
5900	Deccan	00:10	22:34	Pune	Jaipur	4900
10287	Indigo	00:10	21:00	Hyderabad	Mumbai	3800
12080	AirIndia	01:25	23:39	Bengaluru	Hyderabad	3000
12085	Indigo	00:35	22:22	Pune	Hyderabad	4500
12090	Indigo	13:26	10:11	Mumbai	Hyderabad	4010
12093	Indigo	14:26	12:29	Jaipur	Hyderabad	2590
12567	TruJet	15:59	13:45	Vishakapatnam	Mumbai	5300
12870	TruJet	00:30	21:28	Kolkata	Hyderabad	3400
12960	Indigo	04:45	02:34	Lucknow	Hyderabad	3900

Activate Windows
Go to Settings to activate Windows.

Files



Pushing to GitHub

MINGW64:/e/simplilearn/github/phase 2/FlyAway Proj

```
BALA@PPK MINGW64 /e/simplilearn/github/phase 2/FlyAway Proj
$ git init
Initialized empty Git repository in E:/simplilearn/github/phase 2/FlyAway Proj/.
git/
git add .

BALA@PPK MINGW64 /e/simplilearn/github/phase 2/FlyAway Proj (master)
$ git add .
warning: in the working copy of 'fly away project/target/maven-status/maven-compiler-plugin/compile/default-compile/inputFiles.lst', LF will be replaced by CRLF
the next time Git touches it

BALA@PPK MINGW64 /e/simplilearn/github/phase 2/FlyAway Proj (master)
$ git commit -m "files are added"
[master (root-commit) 6d356ef] files are added
118 files changed, 2544 insertions(+)
create mode 100644 Screenshots/1.png
create mode 100644 Screenshots/10.png
create mode 100644 Screenshots/11.png
create mode 100644 Screenshots/12.png
create mode 100644 Screenshots/13.png
create mode 100644 Screenshots/14.png
create mode 100644 Screenshots/15.png
create mode 100644 Screenshots/16.png
create mode 100644 Screenshots/17.png
create mode 100644 Screenshots/18.png
create mode 100644 Screenshots/19.png
create mode 100644 Screenshots/2.png
create mode 100644 Screenshots/20.png
create mode 100644 Screenshots/21.png
create mode 100644 Screenshots/22.png
create mode 100644 Screenshots/23.png
create mode 100644 Screenshots/24.png
create mode 100644 Screenshots/25.png
create mode 100644 Screenshots/27.png
create mode 100644 Screenshots/29.png
create mode 100644 Screenshots/3.png
create mode 100644 Screenshots/4.png
create mode 100644 Screenshots/5.png
create mode 100644 Screenshots/6.png
create mode 100644 Screenshots/7.png
create mode 100644 Screenshots/8.png
create mode 100644 Screenshots/9.png
create mode 100644 flow chart.docx
create mode 100644 flowchart.pdf
create mode 100644 flowchart.png
create mode 100644 fly away project/.classpath
create mode 100644 fly away project/.project
create mode 100644 fly away project/.settings/.isdtscope
```

```
MINGW64:/e/simplilearn/github/phase 2/FlyAway Proj
create mode 100644 fly away project/src/main/webapp/pic2.jpg.jpg
create mode 100644 fly away project/src/main/webapp/userDetails.jsp
create mode 100644 fly away project/target/classes/com/addflights.class
create mode 100644 fly away project/target/classes/com/adminHome.class
create mode 100644 fly away project/target/classes/com/adminVerify.class
create mode 100644 fly away project/target/classes/com/book.class
create mode 100644 fly away project/target/classes/com/changepwd.class
create mode 100644 fly away project/target/classes/com/deleteflights.class
create mode 100644 fly away project/target/classes/com/flightservlet.class
create mode 100644 fly away project/target/classes/com/flightservlet2.class
create mode 100644 fly away project/target/classes/com/flightsmod.class
create mode 100644 fly away project/target/classes/com/homecheck.class
create mode 100644 fly away project/target/classes/com/listairlines.class
create mode 100644 fly away project/target/classes/com/listflights.class
create mode 100644 fly away project/target/classes/com/listsourcedestination.class
create mode 100644 fly away project/target/classes/com/paymentcheck.class
create mode 100644 fly away project/target/classes/com/pic2.jpg.jpg
create mode 100644 fly away project/target/classes/com/toUser.class
create mode 100644 fly away project/target/classes/com/userdetailsverify.class
create mode 100644 fly away project/target/classes/dto/flightsdto.class
create mode 100644 fly away project/target/classes/hibernate.cfg.xml
create mode 100644 fly away project/target/m2e-wtp/web-resources/META-INF/manifest.MF
create mode 100644 fly away project/target/m2e-wtp/web-resources/META-INF/maven/flyawayproject/flyawayproject/pom.properties
create mode 100644 fly away project/target/m2e-wtp/web-resources/META-INF/maven/flyawayproject/flyawayproject/pom.xml
create mode 100644 fly away project/target/maven-status/maven-compiler-plugin/compile/default-compile/createdFiles.lst
create mode 100644 fly away project/target/maven-status/maven-compiler-plugin/compile/default-compile/inputFiles.lst
create mode 100644 flyawaydoc.docx
create mode 100644 source code.txt
create mode 100644 ~$yawaydoc.docx
create mode 100644 ~$WRL0083.tmp

BALA@PPK MINGW64 /e/simplilearn/github/phase 2/FlyAway Proj (master)
$ git branch -M main
BALA@PPK MINGW64 /e/simplilearn/github/phase 2/FlyAway Proj (main)
$ git remote add origin https://github.com/opraveen62/FlyAway-Finalproj--javaEE.git
BALA@PPK MINGW64 /e/simplilearn/github/phase 2/FlyAway Proj (main)
$ git push -u origin main

Enumerating objects: 125, done.
Counting objects: 100% (125/125), done.
Compressing objects: 100% (105/105), done.
Writing objects: 97% (122/125), 3.89 MiB | 696.00 KiB/s
```

Activate Windows
Go to Settings to activate Windows.

Links to the GitHub repository to verify the project completion

<https://github.com/ppraveen62/FlyAway-finalproj--javaEE.git>

Conclusion:

The Web application is prepared according to the provided flow and features of the application and everything followed according to the instructions.