

```

`html
<!DOCTYPE html>
<html lang="en" class="h-full bg-slate-950 text-slate-100">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Malar Cabs - Premium Ride Booking India</title>
  <!-- Tailwind CSS -->
  <script src="https://cdn.tailwindcss.com"></script>
  <!-- Lucide Icons -->
  <script src="https://unpkg.com/lucide@latest"></script>
  <!-- Google Fonts -->
  <link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght=300;400;500;600;
700;800&display=swap" rel="stylesheet">
  <!-- Leaflet Map CSS -->
  <link rel="stylesheet" href="https://unpkg.com/leaflet@1.9.4/dist/leaflet.css" />
<style>
  body {
    font-family: 'Plus Jakarta Sans', sans-serif;
  }
  /* Custom scrollbar */
  ::-webkit-scrollbar {
    width: 6px;
  }
  ::-webkit-scrollbar-track {
    background: #0f172a;
  }
  ::-webkit-scrollbar-thumb {
    background: #334155;
    border-radius: 3px;
  }
  ::-webkit-scrollbar-thumb:hover {
    background: #475569;
  }

  /* Dark mode custom filter styling for Leaflet Map */
  .leaflet-container {
    background: #020617 !important;
  }
  .dark-tiles {
    filter: invert(100%) hue-rotate(180deg) brightness(95%) contrast(90%);
  }
  .leaflet-bar a {
    background-color: #0f172a !important;
    color: #f8fafc !important;
    border-color: #1e293b !important;
  }

```

```

.leaflet-bar a:hover {
  background-color: #1e293b !important;
  color: #fbbf24 !important;
}
.leaflet-popup-content-wrapper, .leaflet-popup-tip {
  background: #0f172a !important;
  color: #f8fafc !important;
  border: 1px solid #334155 !important;
}
</style>
</head>
<body class="h-full flex flex-col justify-between overflow-x-hidden selection:bg-amber-500
selection:text-slate-950">

  <!-- Header Navigation -->
  <header class="sticky top-0 z-40 w-full border-b border-slate-800 bg-slate-950/80
backdrop-blur-md">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 h-16 flex items-center
justify-between">
      <div class="flex items-center gap-3">
        <div class="bg-gradient-to-tr from-amber-400 to-amber-600 p-2.5 rounded-xl
shadow-lg shadow-amber-500/20">
          <i data-lucide="car" class="w-6 h-6 text-slate-950 stroke-[2.5]"></i>
        </div>
        <div>
          <span class="text-xl font-extrabold tracking-tight bg-gradient-to-r
from-amber-400 via-amber-200 to-white bg-clip-text text-transparent">MALAR
CABS</span>
          <span class="block text-[9px] text-amber-400/80 font-semibold uppercase
tracking-widest -mt-1">Premium Indian Mobility</span>
        </div>
      </div>

      <nav class="hidden md:flex items-center gap-6 text-sm font-medium text-slate-300">
        <a href="#book" class="hover:text-amber-400 transition-colors">Book Now</a>
        <a href="#rates" onclick="showRatesInfo()" class="hover:text-amber-400
transition-colors">Tariff Rates</a>
        <button onclick="toggleAIAssistant()" class="flex items-center gap-2 bg-slate-900
border border-slate-800 hover:border-amber-500/30 px-3.5 py-1.5 rounded-full text-xs
text-amber-400 transition-all">
          <span class="relative flex h-2 w-2">
            <span class="animate-ping absolute inline-flex h-full w-full rounded-full
bg-amber-400 opacity-75"></span>
            <span class="relative inline-flex rounded-full h-2 w-2 bg-amber-500"></span>
          </span>
          Malar India AI Travel Planner
        </button>
      </nav>

```

```

        <div class="flex items-center gap-3">
            <button onclick="openHistoryModal()" class="p-2 text-slate-400 hover:text-white
            hover:bg-slate-900 rounded-lg transition-colors relative" title="Booking History">
                <i data-lucide="history" class="w-5 h-5"></i>
                <span id="historyBadge" class="hidden absolute top-1 right-1 w-2.5 h-2.5
                bg-amber-500 rounded-full border border-slate-950"></span>
            </button>
            <a href="#book" class="bg-amber-400 hover:bg-amber-300 text-slate-950
            font-bold px-4 py-2 rounded-xl text-sm transition-all duration-200 transform active:scale-95
            shadow-md shadow-amber-400/10">
                Ride Now
            </a>
        </div>
    </div>
</div>
</header>

<!-- Main Content Area -->
<main class="flex-grow max-w-7xl w-full mx-auto px-4 sm:px-6 lg:px-8 py-8">

    <!-- Hero Section -->
    <section class="mb-12 relative overflow-hidden rounded-3xl border border-slate-800
    bg-gradient-to-b from-slate-900 to-slate-950 p-6 sm:p-10 lg:p-12">
        <div class="absolute inset-0
        bg-[radial-gradient(circle_at_top_right,rgba(245,158,11,0.08),transparent_45%)]"></div>
        <div class="relative z-10 max-w-3xl">
            <span class="inline-flex items-center gap-1.5 px-3 py-1 rounded-full text-xs
            font-semibold bg-amber-500/10 text-amber-400 border border-amber-500/20 mb-4">
                <i data-lucide="map" class="w-3.5 h-3.5"></i> Tap to Book: Click Map to Select
                Pickup & Drop
            </span>
            <h1 class="text-3xl sm:text-5xl font-extrabold tracking-tight leading-none mb-4">
                Reliable Journeys Across India with <span class="bg-gradient-to-r
                from-amber-400 to-amber-200 bg-clip-text text-transparent">Malar Cabs</span>
            </h1>
            <p class="text-slate-400 text-base sm:text-lg mb-6 leading-relaxed">
                Select your route directly on our high-precision interactive map. Outstations
                feature transparent pricing with automatic **2-way up & down kilometers** calculation and
                standard minimum mileage coverage rules.
            </p>
            <div class="flex flex-wrap gap-4 text-xs sm:text-sm text-slate-400">
                <div class="flex items-center gap-1.5 bg-slate-950 px-3 py-1.5 rounded-lg
                border border-slate-800/80"><i data-lucide="shield-check" class="w-4 h-4
                text-emerald-400"></i> Sanitized Sedan, Hatchback & SUV</div>
                <div class="flex items-center gap-1.5 bg-slate-950 px-3 py-1.5 rounded-lg
                border border-slate-800/80"><i data-lucide="map-pin" class="w-4 h-4 text-amber-400"></i>
                Automatic 2-Way Outstations</div>
            </div>
        </div>
    </section>

```

```
        <div class="flex items-center gap-1.5 bg-slate-950 px-3 py-1.5 rounded-lg
border border-slate-800/80"><i data-lucide="badge-percent" class="w-4 h-4
text-indigo-400"></i> Tolls & Parking Prepays</div>
```

```
    </div>
```

```
  </div>
```

```
</section>
```

```
<!-- Booking & Tracking Main Interface Grid -->
```

```
<div id="book" class="grid grid-cols-1 lg:grid-cols-12 gap-8 items-start">
```

```
  <!-- Booking Form Panel (Left Columns) -->
```

```
  <section class="lg:col-span-6 bg-slate-900/60 border border-slate-800/80
rounded-2xl p-6 backdrop-blur-sm shadow-xl">
```

```
    <!-- Category Select Tabs (Outstation vs hourly rental) -->
```

```
    <div class="flex p-1 bg-slate-950 rounded-xl border border-slate-800/80 mb-6">
```

```
      <button id="tabOutstation" onclick="switchBookingMode('outstation')"
class="w-1/2 text-center py-2.5 text-xs sm:text-sm font-bold rounded-lg transition-all
text-amber-950 bg-amber-400">
```

```
        Long Distance (Outstation)
```

```
      </button>
```

```
      <button id="tabRental" onclick="switchBookingMode('rental')" class="w-1/2
text-center py-2.5 text-xs sm:text-sm font-bold rounded-lg transition-all text-slate-400
hover:text-slate-100">
```

```
        Local Rental (Hourly)
```

```
      </button>
```

```
    </div>
```

```
  <div class="flex items-center justify-between mb-6">
```

```
    <h2 class="text-xl font-bold flex items-center gap-2" id="formHeaderTitle">
```

```
      <i data-lucide="navigation" class="w-5 h-5 text-amber-400"></i> Outstation
Cab Request
```

```
    </h2>
```

```
    <span class="text-xs text-amber-400 font-semibold"
id="modeDescription">Fare: ₹15/km (Min 250 km)</span>
```

```
  </div>
```

```
<!-- Booking State Flow Control -->
```

```
<div id="bookingFlow">
```

```
  <!-- Step 1: Input Locations -->
```

```
  <form id="rideForm" onsubmit="handleRouteCalculation(event)"
class="space-y-4">
```

```
    <!-- Pickup Field -->
```

```
    <div class="relative">
```

```
      <label class="block text-xs font-semibold text-slate-400 uppercase
tracking-wider mb-1.5 flex justify-between">
```

```
        <span>Pickup Address</span>
```

```

        <span class="text-[10px] text-amber-400/80 lowercase italic
font-normal">or select on the map</span>
    </label>
    <div class="relative">
        <i data-lucide="circle-dot" class="absolute left-3.5 top-1/2
-translate-y-1/2 w-4 h-4 text-emerald-400"></i>
        <input type="text" id="pickup" required placeholder="Type or click on
map..."

        class="w-full pl-10 pr-4 py-3 bg-slate-950 border border-slate-800
focus:border-amber-400 focus:ring-1 focus:ring-amber-400 rounded-xl text-sm
placeholder-slate-500 transition-all outline-none">
    </div>
</div>

<!-- Dropoff Field -->
<div id="dropoffContainer" class="relative">
    <label class="block text-xs font-semibold text-slate-400 uppercase
tracking-wider mb-1.5 flex justify-between">
        <span>Destination (Drop-off Address)</span>
        <span class="text-[10px] text-amber-400/80 lowercase italic
font-normal">or select on the map</span>
    </label>
    <div class="relative">
        <i data-lucide="map-pin" class="absolute left-3.5 top-1/2 -translate-y-1/2
w-4 h-4 text-rose-500"></i>
        <input type="text" id="dropoff" required placeholder="Type or click on
map..."

        class="w-full pl-10 pr-4 py-3 bg-slate-950 border border-slate-800
focus:border-amber-400 focus:ring-1 focus:ring-amber-400 rounded-xl text-sm
placeholder-slate-500 transition-all outline-none">
    </div>
</div>

<!-- Rental Hours Selector (Minimum 4 hours) -->
<div id="rentalHoursContainer" class="relative hidden animate-fade-in">
    <label class="block text-xs font-semibold text-slate-400 uppercase
tracking-wider mb-1.5">Rental Package Duration (Min 4 Hours)</label>
    <div class="relative">
        <i data-lucide="clock" class="absolute left-3.5 top-1/2 -translate-y-1/2
w-4 h-4 text-amber-400"></i>
        <select id="rentalHours" onchange="recalculateOnHoursChange()"
class="w-full pl-10 pr-4 py-3 bg-slate-950 border border-slate-800 focus:border-amber-400
focus:ring-1 focus:ring-amber-400 rounded-xl text-sm text-slate-300 transition-all
outline-none appearance-none">
            <option value="4" selected>4 Hours Package (Min package - Includes
40 km)</option>
            <option value="8">8 Hours Package (Includes 80 km)</option>
            <option value="12">12 Hours Package (Includes 120 km)</option>

```

```

        </select>
        <div class="pointer-events-none absolute inset-y-0 right-0 flex
items-center px-4 text-slate-400">
            <i data-lucide="chevron-down" class="w-4 h-4"></i>
        </div>
    </div>
</div>

<!-- Rental Running Distance Estimator -->
<div id="rentalKmContainer" class="relative hidden animate-fade-in">
    <label class="block text-xs font-semibold text-slate-400 uppercase
tracking-wider mb-1.5 flex justify-between">
        <span>Expected Journey Distance (km)</span>
        <span class="text-[10px] text-amber-400/80 lowercase italic
font-normal">additional charges apply beyond 40 km limit</span>
    </label>
    <div class="relative">
        <i data-lucide="gauge" class="absolute left-3.5 top-1/2 -translate-y-1/2
w-4 h-4 text-amber-400"></i>
        <input type="number" id="rentalKm" value="40" min="1"
oninput="recalculateOnHoursChange()" placeholder="e.g. 50"
class="w-full pl-10 pr-4 py-3 bg-slate-950 border border-slate-800
focus:border-amber-400 focus:ring-1 focus:ring-amber-400 rounded-xl text-sm text-slate-300
placeholder-slate-500 transition-all outline-none">
    </div>
</div>

<!-- Date & Time Row -->
<div class="grid grid-cols-2 gap-4">
    <div>
        <label class="block text-xs font-semibold text-slate-400 uppercase
tracking-wider mb-1.5">Journey Date</label>
        <input type="date" id="rideDate" required class="w-full px-4 py-3
bg-slate-950 border border-slate-800 focus:border-amber-400 focus:ring-1
focus:ring-amber-400 rounded-xl text-sm text-slate-300 transition-all outline-none">
    </div>
    <div>
        <label class="block text-xs font-semibold text-slate-400 uppercase
tracking-wider mb-1.5">Pickup Time</label>
        <input type="time" id="rideTime" required class="w-full px-4 py-3
bg-slate-950 border border-slate-800 focus:border-amber-400 focus:ring-1
focus:ring-amber-400 rounded-xl text-sm text-slate-300 transition-all outline-none">
    </div>
</div>

<!-- Submit Button with Dynamic Spinner -->
<button type="submit" id="submitFormBtn" class="w-full bg-amber-400
hover:bg-amber-300 text-slate-950 font-bold py-3.5 px-4 rounded-xl text-sm transition-all

```

```

transform active:scale-[0.98] shadow-lg shadow-amber-400/10 flex items-center
justify-center gap-2">
    <span id="submitBtnText">Calculate Real-time Distance & Fare</span>
    <i data-lucide="arrow-right" class="w-4 h-4" id="submitBtnIcon"></i>
</button>
</form>

<!-- Step 2: Fleet Selection -->
<div id="fleetSelection" class="hidden mt-6 space-y-6 animate-fade-in">
    <div class="border-t border-slate-800 pt-6">
        <div class="flex flex-col sm:flex-row sm:items-center justify-between
gap-1.5 mb-3">
            <h3 class="text-sm font-semibold uppercase tracking-wider
text-slate-400">Choose Vehicle Type</h3>
            <div class="text-right">
                <span id="computedDistance" class="text-amber-400 font-bold
text-sm block">Calculating tariff...</span>
                <span id="routeSummaryLabel" class="text-[10px] text-slate-400
block italic"></span>
            </div>
        </div>
    </div>

    <!-- Ride Fleet Cards -->
    <div class="space-y-3">
        <!-- Option 1: Comfort Sedan / Hatchback -->
        <label class="relative flex items-center justify-between p-4 bg-slate-950
border-2 border-slate-800 hover:border-slate-700 rounded-xl cursor-pointer transition-all
peer-checked:border-amber-400">
            <input type="radio" name="rideClass" value="sedan" checked
class="sr-only peer" onchange="updateSelectedRide('sedan')">
            <div class="flex items-center gap-4">
                <div class="bg-amber-400/10 p-3 rounded-lg text-amber-400">
                    <i data-lucide="car" class="w-6 h-6"></i>
                </div>
                <div>
                    <h4 class="font-bold text-slate-100 flex items-center gap-1.5">
                        Sedan / Hatchback
                        <span class="text-[10px] bg-amber-500/10 text-amber-400
px-1.5 py-0.5 rounded font-medium">Swift / Dzire / Etios</span>
                    </h4>
                    <p class="text-xs text-slate-400 flex items-center gap-2 mt-0.5"
id="sedanDetails">
                        <span><i data-lucide="users" class="w-3 h-3 inline"></i> 4
                        Passenger</span>
                        <span>•</span>
                        <span>AC Sedan & Hatchback Tier</span>
                    </p>
                </div>
            </div>
        </label>
    </div>

```

```

    </div>
    <div class="text-right">
      <div class="text-lg font-extrabold text-amber-400"
id="fare-sedan">₹0</div>
      <div class="text-[10px] text-slate-500" id="sedanTiming">5 mins
away</div>
    </div>
    <!-- Custom selected indicator -->
    <div class="absolute -top-1 -right-1 w-4 h-4 bg-amber-400
rounded-full flex items-center justify-center opacity-0 peer-checked:opacity-100
transition-opacity">
      <i data-lucide="check" class="w-3 h-3 text-slate-950
stroke-[3]"></i>
    </div>
  </label>

  <!-- Option 2: Premium SUV -->
  <label class="relative flex items-center justify-between p-4 bg-slate-950
border-2 border-slate-800 hover:border-slate-700 rounded-xl cursor-pointer transition-all
peer-checked:border-amber-400">
    <input type="radio" name="rideClass" value="suv" class="sr-only
peer" onchange="updateSelectedRide('suv')">
    <div class="flex items-center gap-4">
      <div class="bg-amber-400/10 p-3 rounded-lg text-amber-400">
        <i data-lucide="package" class="w-6 h-6"></i>
      </div>
      <div>
        <h4 class="font-bold text-slate-100 flex items-center gap-1.5">
          Premium SUV
          <span class="text-[10px] bg-amber-500/10 text-amber-400
px-1.5 py-0.5 rounded font-medium">Ertiga / Innova</span>
        </h4>
        <p class="text-xs text-slate-400 flex items-center gap-2 mt-0.5"
id="suvDetails">
          <span><i data-lucide="users" class="w-3 h-3 inline"></i> 6/7
Passenger</span>
          <span>•</span>
          <span>Spacious Cabin</span>
        </p>
      </div>
    </div>
  </div>
  <div class="text-right">
    <div class="text-lg font-extrabold text-amber-400"
id="fare-suv">₹0</div>
    <div class="text-[10px] text-slate-500" id="suvTiming">7 mins
away</div>
  </div>
</label>

```



```

</div>

<!-- Trip Add-ons -->
<div class="border-t border-slate-800/80 pt-5 mt-5">
  <h4 class="text-xs font-semibold text-slate-400 uppercase
tracking-wider mb-2.5 flex items-center gap-1.5">
    <i data-lucide="plus-circle" class="w-4 h-4 text-amber-400"></i> Trip
Add-ons (Optional)
  </h4>
  <div class="grid grid-cols-1 sm:grid-cols-2 gap-3">
    <label class="flex items-center gap-3 p-3 bg-slate-950 border
border-slate-800 rounded-xl cursor-pointer hover:border-amber-400/30 transition-all">
      <input type="checkbox" id="addTolls" onchange="toggleAddons()"
class="rounded border-slate-800 text-amber-500 focus:ring-amber-500 bg-slate-900 w-4.5
h-4.5">
      <div>
        <span class="text-xs font-bold text-slate-200 block">Include Toll
Charges</span>
        <span class="text-[10px] text-slate-500 block"
id="tollCostLabel">Estimated for route</span>
      </div>
    </label>
    <label class="flex items-center gap-3 p-3 bg-slate-950 border
border-slate-800 rounded-xl cursor-pointer hover:border-amber-400/30 transition-all">
      <input type="checkbox" id="addParking"
onchange="toggleAddons()" class="rounded border-slate-800 text-amber-500
focus:ring-amber-500 bg-slate-900 w-4.5 h-4.5">
      <div>
        <span class="text-xs font-bold text-slate-200 block">Prepay
Parking Fees</span>
        <span class="text-[10px] text-slate-500 block">Airport / Station
(+₹150)</span>
      </div>
    </label>
  </div>
</div>

<!-- Payment & Confirmation Panel -->
<div class="border-t border-slate-800 pt-6 space-y-4">
  <div class="flex items-center justify-between text-sm">
    <span class="text-slate-400">Payment Option</span>
    <div class="flex items-center gap-2 bg-slate-950 border border-slate-800
rounded-lg px-3 py-1.5 text-xs text-slate-300">
      <i data-lucide="wallet" class="w-4 h-4 text-amber-400"></i>
      <span>Cash / UPI on Ride Complete</span>
    </div>
  </div>
</div>

```

```

        <div class="bg-amber-400/5 border border-amber-500/10 rounded-xl p-4
flex items-start gap-3">
        <i data-lucide="info" class="w-5 h-5 text-amber-400 shrink-0
mt-0.5"></i>
        <p class="text-xs text-slate-400 leading-relaxed" id="finePrintNotice">
        Rates exclude toll booths, interstate checkpoint border taxes, and
tourist parking charges. Minimum charges apply as defined by our standard distance
metrics.
        </p>
        </div>

        <div class="flex gap-3">
        <button onclick="resetBookingForm()" class="w-1/3 bg-slate-950 border
border-slate-800 text-slate-300 hover:text-white hover:bg-slate-900 font-semibold py-3 px-4
rounded-xl text-sm transition-all">
        Back
        </button>
        <button onclick="confirmBooking()" class="w-2/3 bg-amber-400
hover:bg-amber-300 text-slate-950 font-bold py-3 px-4 rounded-xl text-sm transition-all
transform active:scale-95 shadow-lg shadow-amber-400/20 flex items-center justify-center
gap-2">
        <span>Book Malar Ride</span>
        <i data-lucide="check-circle-2" class="w-4 h-4"></i>
        </button>
        </div>
        </div>
        </div>
        </div>
        <!-- Simulation/Status Stage -->
        <div id="bookingSimulation" class="hidden space-y-6 text-center py-6">
        <div id="searchingState" class="space-y-4">
        <div class="relative w-24 h-24 mx-auto flex items-center justify-center">
        <div class="absolute inset-0 border-4 border-amber-400/25
rounded-full"></div>
        <div class="absolute inset-0 border-4 border-amber-400
border-t-transparent rounded-full animate-spin"></div>
        <i data-lucide="search" class="w-8 h-8 text-amber-400
animate-pulse"></i>
        </div>
        <div>
        <h3 class="text-lg font-bold text-slate-100">Contacting Indian
Dispatch...</h3>
        <p class="text-xs text-slate-400 mt-1 max-w-xs mx-auto">Allocating
nearest professional driver on selected route. Please stay on page.</p>
        </div>
        </div>

```

```

<div id="activeTripState" class="hidden space-y-6 text-left">
  <!-- Driver Match Details -->
  <div class="flex items-center justify-between bg-slate-950 border
border-slate-800 rounded-xl p-4">
    <div class="flex items-center gap-3">
      <div class="w-12 h-12 rounded-full bg-slate-800 flex items-center
justify-center border border-slate-700 text-slate-200">
        <i data-lucide="user" class="w-6 h-6"></i>
      </div>
      <div>
        <div class="font-bold text-sm text-slate-100 flex items-center gap-2">
          <span id="matchedDriver">Amit Sharma</span>
          <span class="text-xs font-normal text-amber-400 flex
items-center"><i data-lucide="star" class="w-3 h-3 fill-amber-400 inline mr-0.5"></i>
4.8</span>
        </div>
        <p class="text-xs text-slate-400" id="assignedVehicle">White
Hatchback • MH12-AB-9844</p>
      </div>
    </div>
    <div class="text-right">
      <button onclick="contactDriver()" class="p-2.5 bg-slate-900 border
border-slate-800 hover:border-amber-400/30 rounded-lg text-amber-400 transition-colors"
title="Call Driver">
        <i data-lucide="phone-call" class="w-4 h-4"></i>
      </button>
    </div>
  </div>

  <!-- Progress Bar / Route Simulation -->
  <div class="space-y-3">
    <div class="flex justify-between text-xs text-slate-400">
      <span class="flex items-center gap-1.5"><i data-lucide="circle-dot"
class="w-3.5 h-3.5 text-emerald-400"></i> Pickup</span>
      <span class="flex items-center gap-1.5" id="tripRouteEndLabel"><i
data-lucide="map-pin" class="w-3.5 h-3.5 text-rose-500"></i> Destination</span>
    </div>
    <!-- Styled SVG Mock Map Route Animation -->
    <div class="relative h-20 bg-slate-950 border border-slate-800/80
rounded-xl overflow-hidden p-3 flex flex-col justify-center">
      <div class="absolute inset-0
bg-[radial-gradient(circle_at_center,rgba(51,65,85,0.1)_1px,transparent_1px)]
[background-size:16px_16px] opacity-40"></div>

      <div class="relative w-full h-1 bg-slate-800 rounded-full">
        <!-- Dynamic Progress bar -->

```

```
        <div id="liveProgressBar" class="absolute top-0 left-0 h-full
bg-gradient-to-r from-emerald-400 to-amber-400 rounded-full" style="width: 10%;"></div>
```

```
        <!-- Animated Car Icon Pin -->
        <div id="liveCarIndicator" class="absolute top-1/2 -translate-y-1/2
-ml-3.5 flex flex-col items-center justify-center" style="left: 10%;">
            <div class="bg-amber-400 text-slate-950 p-1.5 rounded-full
shadow-lg shadow-amber-400/30 animate-bounce">
                <i data-lucide="car" class="w-3.5 h-3.5 stroke-[2.5]"></i>
            </div>
        </div>
    </div>
    <div class="flex justify-between text-xs font-semibold">
        <span class="text-emerald-400" id="liveRoutePickup">Station</span>
        <span class="text-rose-400" id="liveRouteDropoff">Airport</span>
    </div>
</div>
```

```
    <!-- Estimated Arrival Timing Cards -->
    <div class="grid grid-cols-2 gap-4">
        <div class="bg-slate-950 border border-slate-800 rounded-xl p-3">
            <div class="text-[10px] uppercase text-slate-500 font-semibold"
id="dynamicTimingHeader">Estimated ETA</div>
            <div id="liveETA" class="text-lg font-bold
text-amber-400">Calculating...</div>
        </div>
        <div class="bg-slate-950 border border-slate-800 rounded-xl p-3">
            <div class="text-[10px] uppercase text-slate-500 font-semibold">Total
Fare Due (inc. Add-ons)</div>
            <div id="livePrice" class="text-lg font-bold text-slate-100">₹0.00</div>
        </div>
    </div>
```

```
    <div class="flex gap-3">
        <button onclick="cancelActiveTrip()" class="w-full bg-rose-500/10 border
border-rose-500/20 hover:bg-rose-500/20 text-rose-400 font-bold py-3 px-4 rounded-xl
text-sm transition-all">
            Cancel Trip Request
        </button>
    </div>
</div>
</div>
</section>
```

```
<!-- Sidebar Panel: Interactive Live Map & Travel Assistant (Right Columns) -->
<aside class="lg:col-span-6 space-y-6">
    <!-- Live High Fidelity Map Card -->
```

```

<div class="bg-slate-900/60 border border-slate-800/80 rounded-2xl p-5 shadow-xl
space-y-4">
  <div class="flex items-center justify-between">
    <div class="flex items-center gap-2">
      <i data-lucide="map" class="w-5 h-5 text-amber-400"></i>
      <h3 class="text-sm font-bold text-slate-100">Live Indian Route
Planner</h3>
    </div>
    <div class="flex items-center gap-2">
      <button onclick="getUserCurrentLocation()" class="p-1.5 bg-slate-950
hover:bg-slate-800 border border-slate-800 rounded-lg text-xs flex items-center gap-1
hover:text-amber-400 transition-colors" title="Locate Me">
        <i data-lucide="locate" class="w-3.5 h-3.5"></i>
        <span class="hidden sm:inline">Locate Me</span>
      </button>
      <button onclick="clearMapMarkers()" class="p-1.5 bg-slate-950
hover:bg-slate-850 border border-slate-800 rounded-lg text-xs text-rose-400
hover:text-rose-300 transition-colors">
        Reset Pins
      </button>
    </div>
  </div>

  <!-- Real Map Container -->
  <div id="map" class="h-80 w-full rounded-xl overflow-hidden border
border-slate-800 relative z-10 shadow-inner"></div>

  <div class="bg-slate-950 p-3 rounded-xl border border-slate-800/60 flex
items-center gap-3 text-xs text-slate-400">
    <div class="bg-amber-400/10 p-2 rounded-lg text-amber-400 shrink-0">
      <i data-lucide="info" class="w-4 h-4"></i>
    </div>
    <p class="leading-relaxed">
      <strong>Interactive Mode:</strong> Click the map once to set your <span
class="text-emerald-400 font-semibold">Pickup</span>, and click a second time to set your
<span class="text-rose-400 font-semibold">Destination</span>. The system will draw a
direct route and compute pricing immediately!
    </p>
  </div>

  <!-- Gemini-Powered AI Travel Assistant -->
  <div class="bg-gradient-to-b from-slate-900 to-slate-950 border border-slate-800
rounded-2xl p-5 shadow-xl relative overflow-hidden">
    <div class="absolute -right-12 -top-12 w-32 h-32 bg-amber-500/5 blur-3xl
rounded-full"></div>
    <div class="flex items-center justify-between mb-4 pb-4 border-b
border-slate-800/80">

```

```

<div class="flex items-center gap-2.5">
  <div class="bg-amber-400/10 p-2 rounded-lg text-amber-400">
    <i data-lucide="sparkles" class="w-5 h-5 animate-pulse"></i>
  </div>
  <div>
    <h3 class="font-bold text-sm text-slate-100">Malar India AI Guide</h3>
    <p class="text-[10px] text-amber-400/80">Powered by Gemini 2.5
Flash</p>
  </div>
</div>
<div>
  <span class="flex h-2 w-2 relative">
    <span class="animate-ping absolute inline-flex h-full w-full rounded-full
bg-emerald-400 opacity-75"></span>
    <span class="relative inline-flex rounded-full h-2 w-2
bg-emerald-500"></span>
  </span>
</div>

<!-- Conversation Sandbox -->
<div id="aiChatBox" class="space-y-3 max-h-48 overflow-y-auto mb-4 pr-1
text-xs">
  <div class="bg-slate-950 border border-slate-800/60 p-3 rounded-xl
rounded-tl-none text-slate-300 leading-relaxed">
    Namaste! I am your **Malar India AI Travel Companion**. Ask me anything
about interstate tolls, NH route guides, tourist hubs in Rajasthan, hill stations near Delhi, or
travel itineraries.
  </div>
</div>

<!-- Chat Input -->
<div class="space-y-2">
  <div class="relative">
    <input type="text" id="chatInput" placeholder="e.g. 'Scenic places to visit
near Mumbai'..."
      class="w-full pl-3 pr-10 py-2.5 bg-slate-950 border border-slate-800
focus:border-amber-400 rounded-xl text-xs placeholder-slate-500 transition-all
outline-none">
    <button onclick="handleAISubmit()" id="sendBtn" class="absolute right-1.5
top-1/2 -translate-y-1/2 p-1.5 bg-amber-400 hover:bg-amber-300 text-slate-950 rounded-lg
transition-all" title="Ask Gemini">
      <i data-lucide="send" class="w-3.5 h-3.5"></i>
    </button>
  </div>
  <p class="text-[10px] text-slate-500 text-center">Inquire about Outstation
scenic plans & local detours.</p>
</div>
</div>

```

```

<!-- India Rates Reference Board -->
<div class="bg-slate-900/60 border border-slate-800/80 rounded-2xl p-5
shadow-xl" id="rates">
  <h3 class="text-sm font-bold text-slate-100 mb-4 flex items-center gap-2">
    <i data-lucide="calculator" class="w-4 h-4 text-amber-400"></i> New Modified
India Cab Tariffs
  </h3>

  <div class="space-y-3 text-xs">
    <div class="bg-slate-950 border border-slate-800 p-3.5 rounded-xl">
      <div class="flex justify-between font-bold text-amber-400 border-b
border-slate-900 pb-1.5 mb-1.5">
        <span>Sedan / Hatchback Class</span>
        <span>Swift, Dzire, Etios or equivalent</span>
      </div>
      <div class="space-y-2">
        <div class="flex justify-between text-slate-400">
          <span>Local Rental Package:</span>
          <span class="font-bold text-slate-200">₹1,200 (Min 4 hrs - up to 40
km)</span>
        </div>
        <div class="flex justify-between text-slate-400">
          <span>Extra Local Rental Distance:</span>
          <span class="font-bold text-slate-200">₹15 per extra km</span>
        </div>
        <div class="flex justify-between text-slate-400 pt-1.5 border-t
border-slate-900">
          <span>Outstation Base (up to 250 km):</span>
          <span class="font-bold text-emerald-400">₹3,250 + ₹600 Driver
Bata</span>
        </div>
        <div class="flex justify-between text-slate-400">
          <span>Extra Outstation Distance (2-way applied):</span>
          <span class="font-bold text-slate-200">₹15 per extra km</span>
        </div>
      </div>
    </div>

    <div class="bg-slate-950 border border-slate-800 p-3.5 rounded-xl">
      <div class="flex justify-between font-bold text-amber-400 border-b
border-slate-900 pb-1.5 mb-1.5">
        <span>Premium SUV Class</span>
        <span>Ertiga, Innova or equivalent</span>
      </div>
      <div class="space-y-2">
        <div class="flex justify-between text-slate-400">
          <span>Local Rental Package:</span>

```

```
<span class="font-bold text-slate-200">₹2,200 (Min 4 hrs - up to 40
km)</span>
</div>
<div class="flex justify-between text-slate-400">
  <span>Extra Local Rental Distance:</span>
  <span class="font-bold text-slate-200">₹25 per extra km</span>
</div>
<div class="flex justify-between text-slate-400 pt-1.5 border-t
border-slate-900">
  <span>Outstation Base (up to 250 km):</span>
  <span class="font-bold text-emerald-400">₹5,000 + ₹800 Driver
Bata</span>
</div>
<div class="flex justify-between text-slate-400">
  <span>Extra Outstation Distance (2-way applied):</span>
  <span class="font-bold text-slate-200">₹22 per extra km</span>
</div>
</div>
</div>
</div>
</div>
</aside>
</div>
</main>

<!-- Footer Area -->
<footer class="border-t border-slate-900 bg-slate-950 py-8 mt-12">
  <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 text-center sm:text-left flex flex-col
sm:flex-row items-center justify-between gap-4">
    <div class="flex items-center gap-3">
      <div class="bg-amber-400/10 p-2 rounded-lg text-amber-400">
        <i data-lucide="car" class="w-5 h-5"></i>
      </div>
      <div>
        <span class="font-extrabold text-sm tracking-tight text-slate-200">MALAR
CABS</span>
        <span class="block text-[10px] text-slate-500">© 2026 Malar Premium Mobility
(India). All rights reserved.</span>
      </div>
    </div>
    <div class="flex gap-4 text-xs text-slate-400">
      <a href="#" class="hover:text-amber-400 transition-colors">Privacy Policy</a>
      <span>•</span>
      <a href="#" class="hover:text-amber-400 transition-colors">Terms of Service</a>
      <span>•</span>
      <a href="#" class="hover:text-amber-400 transition-colors">24/7 Support</a>
    </div>
```



```
</div>
</footer>
```

```
<!-- History Modal Panel -->
<div id="historyModal" class="hidden fixed inset-0 z-50 overflow-y-auto bg-slate-950/80
backdrop-blur-sm flex items-center justify-center p-4">
  <div class="bg-slate-900 border border-slate-800 max-w-md w-full rounded-2xl
overflow-hidden shadow-2xl">
    <div class="p-5 border-b border-slate-800/80 flex items-center justify-between">
      <h3 class="font-bold text-slate-100 flex items-center gap-2">
        <i data-lucide="history" class="w-5 h-5 text-amber-400"></i> Booking History
(India)
      </h3>
      <button onclick="closeHistoryModal()" class="text-slate-400 hover:text-white p-1
rounded-lg">
        <i data-lucide="x" class="w-5 h-5"></i>
      </button>
    </div>
    <div class="p-5 max-h-96 overflow-y-auto space-y-3 text-sm" id="historyContainer">
      <p class="text-slate-400 text-center py-6">No rides booked in this session yet.</p>
    </div>
  </div>
</div>
```

```
<!-- WhatsApp Bill Modal -->
<div id="whatsappBillModal" class="hidden fixed inset-0 z-50 overflow-y-auto
bg-slate-950/80 backdrop-blur-sm flex items-center justify-center p-4">
  <div class="bg-slate-900 border border-slate-800 max-w-sm w-full rounded-2xl p-6
text-center shadow-2xl space-y-4">
    <div class="w-12 h-12 bg-emerald-500/10 rounded-full flex items-center justify-center
mx-auto text-emerald-400">
      <i data-lucide="message-square" class="w-6 h-6"></i>
    </div>
    <div>
      <h3 class="font-bold text-lg text-slate-100">Trip Completed!</h3>
      <p class="text-xs text-slate-400 mt-2 leading-relaxed">
        Thank you for riding with Malar Cabs. Enter your WhatsApp number below to
receive your detailed PDF bill copy instantly.
      </p>
    </div>

    <form id="whatsappForm" onsubmit="handleSendWhatsappBill(event)"
class="space-y-4">
      <div class="flex gap-2 bg-slate-950 border border-slate-800 rounded-xl px-3
py-2.5 items-center">
        <span class="text-xs font-bold text-slate-400 border-r border-slate-800
pr-2">+91</span>
```

```

        <input type="tel" id="whatsappNum" required pattern="[0-9]{10}"
placeholder="Enter 10-digit WhatsApp number"
        class="w-full bg-transparent text-xs text-slate-100 placeholder-slate-700
outline-none">
    </div>
    <div class="flex gap-2">
        <button type="button" onclick="closeWhatsappBillModal(false)" class="w-1/3
bg-slate-950 border border-slate-800 text-slate-400 hover:text-white py-2.5 rounded-xl
text-xs transition-all">
            Skip
        </button>
        <button type="submit" class="w-2/3 bg-emerald-500 hover:bg-emerald-400
text-slate-950 font-bold py-2.5 rounded-xl text-xs transition-all flex items-center justify-center
gap-1.5 shadow-lg shadow-emerald-500/10">
            <span>Send Bill</span>
            <i data-lucide="send" class="w-3.5 h-3.5"></i>
        </button>
    </div>
</form>
</div>
</div>

```

```

<!-- Custom Modal Alerts (Avoid standard browser alerts) -->
<div id="customModal" class="hidden fixed inset-0 z-50 overflow-y-auto bg-slate-950/80
backdrop-blur-sm flex items-center justify-center p-4">
    <div class="bg-slate-900 border border-slate-800 max-sm w-full rounded-2xl p-6
text-center shadow-2xl space-y-4">
        <div class="w-12 h-12 bg-amber-400/10 rounded-full flex items-center justify-center
mx-auto text-amber-400" id="customModallconContainer">
            <i data-lucide="bell" class="w-6 h-6" id="customModallcon"></i>
        </div>
        <div>
            <h3 class="font-bold text-lg text-slate-100" id="customModalTitle">Alert
Message</h3>
            <p class="text-xs text-slate-400 mt-2 leading-relaxed"
id="customModalBody">Additional context message details will appear here.</p>
        </div>
        <button onclick="closeCustomModal()" class="w-full bg-amber-400
hover:bg-amber-300 text-slate-950 font-semibold py-2.5 px-4 rounded-xl text-sm
transition-all">
            Acknowledge
        </button>
    </div>
</div>

```

```

<!-- Leaflet Map Script JS -->
<script src="https://unpkg.com/leaflet@1.9.4/dist/leaflet.js"></script>

```

```

<!-- Application Logic Script -->
<script>
  // API Settings
  const apiKey = ""; // Runtime automatically provisions this

  // Map State Variables
  let map;
  let pickupMarker = null;
  let dropoffMarker = null;
  let routePolyline = null;

  // App Booking State
  let currentBookingMode = 'outstation'; // 'outstation' or 'rental'
  let tripHistory = [];
  let computedDistanceValue = 0; // calculated dynamically via map or Gemini
(represents billable distance)
  let computedDurationMinutes = 0; // calculated dynamically via Gemini or map
(represents billable duration)
  let routeSummaryText = ""; // calculated dynamically via map
  let selectedRideType = 'sedan'; // default
  let simulationInterval = null;
  let simulationProgress = 0;

  // Custom Add-ons States
  let includeTolls = false;
  let includeParking = false;

  // India Specific Driver & Car Lists
  const driversList = [
    { name: "Amit Sharma", car: "White Suzuki Dzire", plate: "MH12-AB-9844" },
    { name: "Rahul Verma", car: "Silver Suzuki Ertiga", plate: "DL3C-AA-5591" },
    { name: "Jaspri Singh", car: "Grey Toyota Etios", plate: "HR26-CQ-1102" },
    { name: "Vijay Kumar", car: "White Toyota Innova", plate: "KA03-MM-4480" }
  ];

  // On Load Page Init
  window.addEventListener('DOMContentLoaded', () => {
    lucide.createIcons();

    // Set current date/time values for convenient booking
    const now = new Date();
    document.getElementById('rideDate').value = now.toISOString().split('T')[0];

    let hours = String(now.getHours()).padStart(2, '0');
    let minutes = String(now.getMinutes()).padStart(2, '0');
    document.getElementById('rideTime').value = `${hours}:${minutes}`;

    // Initialize Map

```

```

    initLeafletMap();
  });

  // Initialize Leaflet Map
  function initLeafletMap() {
    // Center in India (Delhi coordinates as base)
    const baseLat = 28.6139;
    const baseLng = 77.2090;

    map = L.map('map', {
      center: [baseLat, baseLng],
      zoom: 5,
      zoomControl: true,
      attributionControl: false
    });

    // Dark premium tile layout using OpenStreetMap and custom invert CSS filters
    const tiles = L.tileLayer('https://{s}.tile.openstreetmap.org/{z}/{x}/{y}.png', {
      maxZoom: 18,
      className: 'dark-tiles'
    }).addTo(map);

    // Handle Map Click placing coordinates
    map.on('click', handleMapClick);
  }

  // Handle placing pins via map clicking
  function handleMapClick(e) {
    const latLng = e.latLng;

    if (!pickupMarker) {
      // Place Pickup Pin
      setPickupPin(latLng);
    } else if (!dropoffMarker && currentBookingMode === 'outstation') {
      // Place Drop-off Pin
      setDropoffPin(latLng);
    } else {
      // Reset map markers and start over with new pickup location
      clearMapMarkers();
      setPickupPin(latLng);
    }
  }

  // Set Pickup Pin
  async function setPickupPin(latLng) {
    // Green custom dot for pickup marker
    const greenIcon = L.divIcon({
      className: 'custom-div-icon',

```

```

        html: `
```

```

dropoffMarker.on('dragend', async function(event) {
  const marker = event.target;
  const newPos = marker.getLatLng();
  const newLabel = await reverseGeocodeLandmark(newPos, "Destination");
  document.getElementById('dropoff').value = newLabel;
  recomputeMapDistances();
});

recomputeMapDistances();
}

// Calculate and draw live golden route polyline between pins
function recomputeMapDistances() {
  if (!pickupMarker) return;

  if (currentBookingMode === 'rental') {
    // Centering map
    map.panTo(pickupMarker.getLatLng());
    updateRentalFares();
    return;
  }

  if (!dropoffMarker) return;

  const latlng1 = pickupMarker.getLatLng();
  const latlng2 = dropoffMarker.getLatLng();

  // Draw line (golden)
  if (routePolyline) {
    map.removeLayer(routePolyline);
  }

  routePolyline = L.polyline([latlng1, latlng2], {
    color: '#fbbf24',
    weight: 4,
    dashArray: '5, 10',
    opacity: 0.8
  }).addTo(map);

  // Fit markers on viewport
  const bounds = L.latLngBounds([latlng1, latlng2]);
  map.fitBounds(bounds, { padding: [40, 40] });

  // Geodesic distance calculation (meters)
  const rawMeters = latlng1.distanceTo(latlng2);
  // Multiplier coefficient to approximate actual highway routes instead of direct lines
  const realKm = parseFloat(((rawMeters / 1000) * 1.25).toFixed(1));
  const estMinutes = Math.ceil(realKm * 1.4 + 10);

```

```

        // Render fares instantly
        renderOutstationFares(realKm, estMinutes, "Calculated via Interactive Map
Pinning");
    }

    // Geolocation hook to locate user automatically
    function getUserCurrentLocation() {
        if (navigator.geolocation) {
            navigator.geolocation.getCurrentPosition(async (position) => {
                const lat = position.coords.latitude;
                const lng = position.coords.longitude;

                map.setView([lat, lng], 13);

                // Set Pickup Pin automatically
                clearMapMarkers();
                setPickupPin(L.latLng(lat, lng));
            }, () => {
                showCustomModal("Location Error", "Unable to retrieve device geolocation.
Please tap/click coordinates manually on the map.", "alert-triangle");
            });
        } else {
            showCustomModal("Unsupported", "Geolocation is not supported by your
browser.", "alert-triangle");
        }
    }

    // Helper to name pinned coordinates with custom fallbacks
    async function reverseGeocodeLandmark(latlng, fallbackHeader) {
        const lat = latlng.lat.toFixed(4);
        const lng = latlng.lng.toFixed(4);

        try {
            const response = await
fetch(`https://nominatim.openstreetmap.org/reverse?format=json&lat=${lat}&lon=${lng}&zoo
m=14&addressdetails=1`);
            if (response.ok) {
                const data = await response.json();
                if (data && data.display_name) {
                    const parts = data.display_name.split(',');
                    return parts.slice(0, 3).join(', ').trim();
                }
            }
        } catch (err) {
            // fall through
        }
    }

```

```

    if (lat > 25) {
        return `Northern Sector Landmark (Lat: ${lat}, Lng: ${lng})`;
    } else if (lat < 15) {
        return `Southern Sector Landmark (Lat: ${lat}, Lng: ${lng})`;
    }
    return `Chauffeur Pickup Landmark (Lat: ${lat}, Lng: ${lng})`;
}

// Reset/Clear Markers
function clearMapMarkers() {
    if (pickupMarker) {
        map.removeLayer(pickupMarker);
        pickupMarker = null;
    }
    if (dropoffMarker) {
        map.removeLayer(dropoffMarker);
        dropoffMarker = null;
    }
    if (routePolyline) {
        map.removeLayer(routePolyline);
        routePolyline = null;
    }
    document.getElementById('pickup').value = '';
    document.getElementById('dropoff').value = '';
    document.getElementById('routeSummaryLabel').innerText = '';
    document.getElementById('computedDistance').innerText = "Calculating tariff...";
    document.getElementById('fare-sedan').innerText = "₹0";
    document.getElementById('fare-suv').innerText = "₹0";
    document.getElementById('addTolls').checked = false;
    document.getElementById('addParking').checked = false;
    includeTolls = false;
    includeParking = false;
}

// Switch Tab booking mode
function switchBookingMode(mode) {
    currentBookingMode = mode;

    const tabOutstation = document.getElementById('tabOutstation');
    const tabRental = document.getElementById('tabRental');
    const formHeaderTitle = document.getElementById('formHeaderTitle');
    const modeDescription = document.getElementById('modeDescription');

    const dropoffContainer = document.getElementById('dropoffContainer');
    const rentalHoursContainer = document.getElementById('rentalHoursContainer');
    const rentalKmContainer = document.getElementById('rentalKmContainer');
    const dropoffInput = document.getElementById('dropoff');

```



```

        if (mode === 'outstation') {
            tabOutstation.className = "w-1/2 text-center py-2.5 text-xs sm:text-sm font-bold rounded-lg transition-all text-amber-950 bg-amber-400";
            tabRental.className = "w-1/2 text-center py-2.5 text-xs sm:text-sm font-bold rounded-lg transition-all text-slate-400 hover:text-slate-100";

            formHeaderTitle.innerHTML = `<i data-lucide="navigation" class="w-5 h-5 text-amber-400"></i> Outstation Cab Request`;
            modeDescription.innerText = "Fare: ₹15/km (Min 250 km)";

            dropoffContainer.classList.remove('hidden');
            dropoffInput.setAttribute('required', 'required');
            rentalHoursContainer.classList.add('hidden');
            rentalKmContainer.classList.add('hidden');
        } else {
            tabRental.className = "w-1/2 text-center py-2.5 text-xs sm:text-sm font-bold rounded-lg transition-all text-amber-950 bg-amber-400";
            tabOutstation.className = "w-1/2 text-center py-2.5 text-xs sm:text-sm font-bold rounded-lg transition-all text-slate-400 hover:text-slate-100";

            formHeaderTitle.innerHTML = `<i data-lucide="clock" class="w-5 h-5 text-amber-400"></i> Local Hourly Rental`;
            modeDescription.innerText = "Fare: Min 4 hrs (₹1,200 Sedan/Hatch)";

            dropoffContainer.classList.add('hidden');
            dropoffInput.removeAttribute('required');
            rentalHoursContainer.classList.remove('hidden');
            rentalKmContainer.classList.remove('hidden');

            if (dropoffMarker) {
                map.removeLayer(dropoffMarker);
                dropoffMarker = null;
            }
            if (routePolyline) {
                map.removeLayer(routePolyline);
                routePolyline = null;
            }
        }
        recomputeMapDistances();
        lucide.createIcons();
    }

    // Toggle add-ons state from checkboxes
    function toggleAddons() {
        includeTolls = document.getElementById('addTolls').checked;
        includeParking = document.getElementById('addParking').checked;

        if (currentBookingMode === 'outstation') {

```

```

        recomputeMapDistances();
    } else {
        updateRentalFares();
    }
}

// Auto calculate on hours change
function recalculateOnHoursChange() {
    if (currentBookingMode === 'rental' &&
!document.getElementById('fleetSelection').classList.contains('hidden')) {
        updateRentalFares();
    }
}

// Apply real-time distances to DOM & evaluate outstation fares
function renderOutstationFares(distanceKm, durationMinutes, summary) {
    // Outstation calculates by 2-way up & down kilometers automatically
    const roundTripDistanceKm = parseFloat((distanceKm * 2).toFixed(1));
    computedDistanceValue = roundTripDistanceKm;
    computedDurationMinutes = durationMinutes * 2; // Approximate double duration for
up & down
    routeSummaryText = summary || "Direct Highway Route";

    // Outstation calculation rules:
    // Sedan / Hatchback: base 250km is ₹3250 + ₹600 Driver Bata (Total Min = ₹3850).
Extra km = ₹15
    // SUV: base 250km is ₹5000 + ₹800 Driver Bata (Total Min = ₹5800). Extra km =
₹22

    const sedanBaseCost = 3250;
    const sedanBata = 600;
    const suvBaseCost = 5000;
    const suvBata = 800;

    const baseDistanceLimit = 250;
    const extraKm = Math.max(0, computedDistanceValue - baseDistanceLimit);

    let priceSedan = sedanBaseCost + sedanBata + Math.ceil(extraKm * 15);
    let priceSUV = suvBaseCost + suvBata + Math.ceil(extraKm * 22);

    // Dynamic Surcharges Calculations (using the 2-way computed distance)
    const tollEstimate = includeTolls ? Math.max(150, Math.ceil(computedDistanceValue
* 1.8)) : 0;
    const parkingEstimate = includeParking ? 150 : 0;

    // Apply Surcharges to Fares
    priceSedan += tollEstimate + parkingEstimate;
    priceSUV += tollEstimate + parkingEstimate;

```

```

// Update Add-on Sub-labels for Clarity (Toll includes round trip tolls)
document.getElementById('tollCostLabel').innerText = includeTolls ? `Est:
+ ₹${tollEstimate}` : `Est: ~₹${Math.max(150, Math.ceil(computedDistanceValue * 1.8))}`;

document.getElementById('computedDistance').innerText = `One-way:
${distanceKm} km | Billable 2-Way: ${computedDistanceValue} km`;
document.getElementById('routeSummaryLabel').innerText = `${routeSummaryText}
• (2-Way Round Trip; Min 250 km applies)`;

document.getElementById('fare-sedan').innerText = `₹${priceSedan}`;
document.getElementById('fare-suv').innerText = `₹${priceSUV}`;

// Update details texts
document.getElementById('sedanDetails').innerHTML = `<span><i
data-lucide="users" class="w-3 h-3 inline"></i> 4 Passenger</span> <span>•</span> <span>
class="text-amber-400 font-semibold">₹3,250 + ₹600 Bata (Extra: ₹15/km)</span>`;
document.getElementById('suvDetails').innerHTML = `<span><i data-lucide="users"
class="w-3 h-3 inline"></i> 7 Passenger</span> <span>•</span> <span>
class="text-amber-400 font-semibold">₹5,000 + ₹800 Bata (Extra: ₹22/km)</span>`;
document.getElementById('finePrintNotice').innerText = "Fares include up & down
driver bata. Excludes dynamic state border taxes and checkpoint permits if routing across
state borders.";
}

// Calculate and apply local rental fares
function updateRentalFares() {
  const hours = parseInt(document.getElementById('rentalHours').value) || 4;
  const rentalKmInput = parseFloat(document.getElementById('rentalKm').value) || 40;

  computedDistanceValue = rentalKmInput;
  computedDurationMinutes = hours * 60;
  routeSummaryText = `${hours} Hrs Package`;

  // Minimum 4 Hours Base Tariff:
  // Sedan / Hatchback: ₹1,200 (includes 40 km). Extra km: ₹15
  // SUV: ₹2,200 (includes 40 km). Extra km: ₹25
  let baseSedanCost = 1200;
  let baseSuvCost = 2200;
  let baseKmLimit = 40;

  // If hours scale beyond 4, calculate proportionally
  if (hours > 4) {
    const ratio = hours / 4;
    baseSedanCost = baseSedanCost * ratio;
    baseSuvCost = baseSuvCost * ratio;
    baseKmLimit = baseKmLimit * ratio;
  }
}

```

```

const extraKm = Math.max(0, rentalKmInput - baseKmLimit);
let priceSedan = Math.ceil(baseSedanCost + (extraKm * 15));
let priceSUV = Math.ceil(baseSuvCost + (extraKm * 25));

// Dynamic Surcharges Calculations
const tollEstimate = includeTolls ? 150 : 0;
const parkingEstimate = includeParking ? 150 : 0;

// Apply Surcharges to Fares
priceSedan += tollEstimate + parkingEstimate;
priceSUV += tollEstimate + parkingEstimate;

// Update Add-on Sub-labels for Clarity
document.getElementById('tollCostLabel').innerText = includeTolls ? `Est: +₹150` :
`Flat: ₹150`;

document.getElementById('computedDistance').innerText = `${hours} Hours Package
(${rentalKmInput} km)`;
document.getElementById('routeSummaryLabel').innerText = `Included limit:
${baseKmLimit} km`;

document.getElementById('fare-sedan').innerText = `₹${priceSedan}`;
document.getElementById('fare-suv').innerText = `₹${priceSUV}`;

// Update details texts
document.getElementById('sedanDetails').innerHTML = `<i
data-lucide="users" class="w-3 h-3 inline"></i> 4 Passengers</span> <span>•</span>
<span class="text-amber-400">Min 4 hrs ₹1,200 (Extra: ₹15/km)</span>`;
document.getElementById('suvDetails').innerHTML = `<i data-lucide="users"
class="w-3 h-3 inline"></i> 7 Passengers</span> <span>•</span> <span
class="text-amber-400">Min 4 hrs ₹2,200 (Extra: ₹25/km)</span>`;
document.getElementById('finePrintNotice').innerText = `Hourly rental package has
been customized for ${hours} hours. Post package usage is automatically calculated at
standard excess tariffs.`;
}

// Real-Time Route Distance Calculator calling Gemini AI with Grounding
async function calculateRealTimeRouteDistance(pickup, dropoff) {
  const submitBtn = document.getElementById('submitFormBtn');
  const btnText = document.getElementById('submitBtnText');
  submitBtn.disabled = true;
  btnText.innerText = "Analyzing live routes & traffic...";

  const systemPrompt = "You are a precise GPS and routing assistant specialized in
Indian transport networks. Calculate or find the shortest actual driving road distance in
kilometers and duration in minutes between the two Indian locations. Return a single
structured JSON response only.";

```

```
const userPrompt = `Find the actual driving road distance in kilometers and driving
time duration in minutes between pickup address: '${pickup}' and drop-off destination:
'${dropoff}' in India. Be accurate.`;
```

```
const payload = {
  contents: [{ parts: [{ text: userPrompt }] }],
  systemInstruction: { parts: [{ text: systemPrompt }] },
  tools: [{ "google_search": {} }],
  generationConfig: {
    responseMimeType: "application/json",
    responseSchema: {
      type: "OBJECT",
      properties: {
        distanceKm: { type: "NUMBER" },
        durationMinutes: { type: "NUMBER" },
        routeSummary: { type: "STRING" }
      },
      required: ["distanceKm", "durationMinutes", "routeSummary"]
    }
  }
};
```

```
const correctUrl =
`https://generativelanguage.googleapis.com/v1beta/models/gemini-2.5-flash-preview-09-202
5:generateContent?key=${apiKey}`;
```

```
let delay = 1000;
for (let i = 0; i < 5; i++) {
  try {
    const response = await fetch(correctUrl, {
      method: 'POST',
      headers: { 'Content-Type': 'application/json' },
      body: JSON.stringify(payload)
    });

    if (response.ok) {
      const data = await response.json();
      const parsedData =
JSON.parse(data.candidates?.[0]?.content?.parts?.[0]?.text);
      if (parsedData && parsedData.distanceKm) {
        return parsedData;
      }
    }
  } catch (e) {
    // Fail silently, trigger backoff retry
  }
  await new Promise(resolve => setTimeout(resolve, delay));
  delay *= 2;
}
```

```

    }
    throw new Error("API call failed after max retries.");
}

// Compute mockup route calculations
async function handleRouteCalculation(e) {
    e.preventDefault();
    const pickup = document.getElementById('pickup').value.trim();
    const dropoff = document.getElementById('dropoff').value.trim();

    if (!pickup) {
        showCustomModal("Error", "Please input a valid pickup location in India.",
"alert-triangle");
        return;
    }

    if (currentBookingMode === 'outstation') {
        if (!dropoff) {
            showCustomModal("Error", "Drop-off is required for outstation calculation.",
"alert-triangle");
            return;
        }

        if (computedDistanceValue > 0 && routePolyline) {
            // Already computed on map selection!
        } else {
            try {
                const routeInfo = await calculateRealTimeRouteDistance(pickup, dropoff);
                renderOutstationFares(routeInfo.distanceKm, routeInfo.durationMinutes,
routeInfo.routeSummary);
            } catch (error) {
                const fallbackKm = parseFloat((Math.abs(pickup.length - dropoff.length) * 12
+ 45).toFixed(1));
                const fallbackMin = Math.ceil(fallbackKm * 1.5);
                const fallbackSummary = "Estimated highway route";
                renderOutstationFares(fallbackKm, fallbackMin, fallbackSummary);
            } finally {
                const submitBtn = document.getElementById('submitFormBtn');
                const btnText = document.getElementById('submitBtnText');
                submitBtn.disabled = false;
                btnText.innerText = "Calculate Real-time Distance & Fare";
            }
        }
    } else {
        updateRentalFares();
    }

    document.getElementById('rideForm').classList.add('hidden');
}

```

```

        document.getElementById('fleetSelection').classList.remove('hidden');
        lucide.createIcons();
    }

    // Reset Booking Panel back to Step 1
    function resetBookingForm() {
        document.getElementById('fleetSelection').classList.add('hidden');
        document.getElementById('rideForm').classList.remove('hidden');
    }

    // Selected option controller
    function updateSelectedRide(type) {
        selectedRideType = type;
    }

    // Trigger simulated booking flows
    function confirmBooking() {
        document.getElementById('fleetSelection').classList.add('hidden');
        document.getElementById('bookingSimulation').classList.remove('hidden');
        document.getElementById('searchingState').classList.remove('hidden');
        document.getElementById('activeTripState').classList.add('hidden');

        setTimeout(() => {
            document.getElementById('searchingState').classList.add('hidden');
            document.getElementById('activeTripState').classList.remove('hidden');

            const pickup = document.getElementById('pickup').value;
            const dropoff = currentBookingMode === 'outstation' ?
document.getElementById('dropoff').value : `Hourly Rental
($${document.getElementById('rentalHours').value} Hrs)`;

            let finalFare = 0;
            let driverMatch = driversList[0];

            const tollEstimate = includeTolls ? (currentBookingMode === 'outstation' ?
Math.max(150, Math.ceil(computedDistanceValue * 1.8)) : 150) : 0;
            const parkingEstimate = includeParking ? 150 : 0;

            if (currentBookingMode === 'outstation') {
                const baseDistanceLimit = 250;
                const extraKm = Math.max(0, computedDistanceValue - baseDistanceLimit);
                finalFare = selectedRideType === 'sedan' ? (3250 + 600 + Math.ceil(extraKm *
15)) : (5000 + 800 + Math.ceil(extraKm * 22));
                finalFare += tollEstimate + parkingEstimate;
                driverMatch = selectedRideType === 'sedan' ? driversList[0] : driversList[1];
                document.getElementById('tripRouteEndLabel').innerHTML = `<i
data-lucide="map-pin" class="w-3.5 h-3.5 text-rose-500"></i> Destination`;

```

```

    document.getElementById('dynamicTimingHeader').innerText = "Estimated
ETA";
    } else {
        const hours = parseInt(document.getElementById('rentalHours').value) || 4;
        const rentalKmInput = parseFloat(document.getElementById('rentalKm').value)
|| 40;

        let baseSedanCost = 1200;
        let baseSuvCost = 2200;
        let baseKmLimit = 40;

        if (hours > 4) {
            const ratio = hours / 4;
            baseSedanCost = baseSedanCost * ratio;
            baseSuvCost = baseSuvCost * ratio;
            baseKmLimit = baseKmLimit * ratio;
        }

        const extraKm = Math.max(0, rentalKmInput - baseKmLimit);
        finalFare = selectedRideType === 'sedan' ? Math.ceil(baseSedanCost +
(extraKm * 15)) : Math.ceil(baseSuvCost + (extraKm * 25));
        finalFare += tollEstimate + parkingEstimate;
        driverMatch = selectedRideType === 'sedan' ? driversList[2] : driversList[3];
        document.getElementById('tripRouteEndLabel').innerHTML = `<i
data-lucide="clock" class="w-3.5 h-3.5 text-rose-500"></i> Rental Duration`;
        document.getElementById('dynamicTimingHeader').innerText = "Remaining
Time";
    }

    // If hatchback/sedan, assign appropriate vehicle name in visual progress
    const displayCarName = selectedRideType === 'sedan' ? "Silver Dzire
(Sedan/Hatch)" : driverMatch.car;

    document.getElementById('matchedDriver').innerText = driverMatch.name;
    document.getElementById('assignedVehicle').innerText = `${displayCarName} •
${driverMatch.plate}`;
    document.getElementById('liveRoutePickup').innerText = pickup.length > 20 ?
pickup.slice(0, 18) + '...' : pickup;
    document.getElementById('liveRouteDropoff').innerText = dropoff.length > 20 ?
dropoff.slice(0, 18) + '...' : dropoff;
    document.getElementById('livePrice').innerText = `₹${finalFare}`;

    const now = new Date();
    const newRecord = {
        id: Math.floor(Math.random() * 1000000),
        pickup,
        dropoff: currentBookingMode === 'outstation' ? `${dropoff} (Round Trip -
${computedDistanceValue} km)` : dropoff,
        fare: finalFare,

```



```

    rideClass: selectedRideType === 'sedan' ? 'Sedan / Hatchback' : 'Premium
SUV',
    date: now.toLocaleDateString(),
    time: now.toLocaleTimeString([], { hour: '2-digit', minute: '2-digit' })
  };
  tripHistory.unshift(newRecord);
  updateHistoryBadge();

  simulationProgress = 0;
  document.getElementById('liveProgressBar').style.width = '0%';
  document.getElementById('liveCarIndicator').style.left = '0%';

  if (simulationInterval) clearInterval(simulationInterval);

  simulationInterval = setInterval(() => {
    simulationProgress += 5;
    if (simulationProgress <= 100) {
      document.getElementById('liveProgressBar').style.width =
`${simulationProgress}%`;
      document.getElementById('liveCarIndicator').style.left =
`${simulationProgress}%`;

      if (currentBookingMode === 'outstation') {
        const remainingMinutes = Math.ceil(((100 - simulationProgress) / 100) *
computedDurationMinutes);
        if (remainingMinutes > 60) {
          document.getElementById('liveETA').innerText =
`${Math.floor(remainingMinutes / 60)}h ${remainingMinutes % 60}m`;
        } else {
          document.getElementById('liveETA').innerText = `${remainingMinutes}
mins left`;
        }
      } else {
        const hours = parseInt(document.getElementById('rentalHours').value) || 4;
        const remainingMinutes = Math.ceil(((100 - simulationProgress) / 100) *
(hours * 60));
        document.getElementById('liveETA').innerText = `${remainingMinutes}
mins left`;
      }
    } else {
      clearInterval(simulationInterval);
      openWhatsappBillModal(); // Open WhatsApp prompts once simulation
finishes
    }
  }, 1000);

  }, 2500);
}

```

```

// Open WhatsApp prompt modal
function openWhatsappBillModal() {
    document.getElementById('whatsappNum').value = ""; // clear old entries
    document.getElementById('whatsappBillModal').classList.remove('hidden');
}

// Close WhatsApp prompt modal
function closeWhatsappBillModal(wasSent) {
    document.getElementById('whatsappBillModal').classList.add('hidden');
    if (wasSent) {
        showCustomModal("Bill Dispatched!", "Detailed digital taxi invoice sent successfully to your WhatsApp handle.", "check-circle");
    }
    resetToStart();
}

// Handle sending dynamic bill copy
function handleSendWhatsappBill(e) {
    e.preventDefault();
    const phone = document.getElementById('whatsappNum').value.trim();
    if (phone.length === 10) {
        closeWhatsappBillModal(true);
    } else {
        showCustomModal("Error", "Please enter a valid 10-digit Indian WhatsApp number.", "alert-triangle");
    }
}

// Cancel trip function
function cancelActiveTrip() {
    if (simulationInterval) clearInterval(simulationInterval);
    showCustomModal("Trip Cancelled", "Your booking session with Malar Cabs has been successfully cancelled.", "x");
    resetToStart();
}

// Reset to normal form stage
function resetToStart() {
    document.getElementById('bookingSimulation').classList.add('hidden');
    document.getElementById('rideForm').classList.remove('hidden');
    clearMapMarkers();
}

// Update history UI
function updateHistoryBadge() {
    const badge = document.getElementById('historyBadge');
    if (tripHistory.length > 0) {

```

```

        badge.classList.remove('hidden');
    } else {
        badge.classList.add('hidden');
    }
}

// Open Booking History Modal UI
function openHistoryModal() {
    const container = document.getElementById('historyContainer');
    container.innerHTML = '';

    if (tripHistory.length === 0) {
        container.innerHTML = `

No rides
booked in this session yet.</p>`;
    } else {
        tripHistory.forEach(trip => {
            const block = document.createElement('div');
            block.className = "bg-slate-950 border border-slate-800 p-4 rounded-xl
space-y-2 relative";
            block.innerHTML = `
                <div class="flex items-center justify-between text-xs">
                    <span class="text-amber-400 font-semibold bg-amber-500/10 px-2 py-0.5
rounded">${trip.rideClass}</span>
                    <span class="text-slate-500">${trip.date} • ${trip.time}</span>
                </div>
                <div class="space-y-1 mt-1 text-xs text-slate-300">
                    <div class="flex items-center gap-1"><span class="w-1.5 h-1.5
bg-emerald-400 rounded-full"></span> <strong>Pickup:</strong> ${trip.pickup}</div>
                    <div class="flex items-center gap-1"><span class="w-1.5 h-1.5
bg-rose-500 rounded-full"></span> <strong>Drop-off/Duration:</strong> ${trip.dropoff}</div>
                </div>
                <div class="flex items-center justify-between text-xs pt-2 border-t
border-slate-900/60 font-semibold text-slate-200">
                    <span>Total Fare</span>
                    <span class="text-amber-400 text-sm">₹${trip.fare}</span>
                </div>
            `;
            container.appendChild(block);
        });
    }
    document.getElementById('historyModal').classList.remove('hidden');
}

// Close History Modal
function closeHistoryModal() {
    document.getElementById('historyModal').classList.add('hidden');
}


```

```

// Show Rates Information modal
function showRatesInfo() {
    showCustomModal("Malar Tariff Board", "Sedan / Hatchback: ₹14/km Outstation (2-Way) or ₹290/hr Local Rental.\nSUV: ₹18/km Outstation (2-Way) or ₹350/hr Local Rental.", "calculator");
}

// Simulated contact driver
function contactDriver() {
    showCustomModal("Chauffeur Contacted", "We have dispatched a notification ping to your driver to call you on your registered Indian phone number.", "phone");
}

// Custom Modal controllers
function showCustomModal(title, text, iconName) {
    document.getElementById('customModalTitle').innerText = title;
    document.getElementById('customModalBody').innerText = text;

    const iconElement = document.getElementById('customModallcon');
    iconElement.setAttribute('data-lucide', iconName || 'bell');
    lucide.createIcons();

    document.getElementById('customModal').classList.remove('hidden');
}

// Close Custom Alerts
function closeCustomModal() {
    document.getElementById('customModal').classList.add('hidden');
}

// Toggle Travel AI panel
function toggleAIAssistant() {
    document.getElementById('chatInput').scrollIntoView({ behavior: 'smooth' });
    document.getElementById('chatInput').focus();
}

// Gemini AI Chat integration
async function handleAISubmit() {
    const chatInput = document.getElementById('chatInput');
    const messageText = chatInput.value.trim();
    if (!messageText) return;

    chatInput.value = "";
    appendChatMessage("user", messageText);
    const loadingId = appendChatMessage("ai-loading", "Analyzing routes...");

    try {
        const response = await callGeminiAPI(messageText);
    }
}

```

```

document.getElementById/loadingId)?.remove();

if (response) {
  appendChatMessage("ai", response);
} else {
  appendChatMessage("ai", "I apologize, I experienced a minor network issue
calculating your route tips. Please try that again!");
}
} catch (error) {
  document.getElementById/loadingId)?.remove();
  appendChatMessage("ai", "Sorry, I am offline or having trouble processing the
inquiry. Check back shortly!");
}
}

function appendChatMessage(sender, text) {
  const chatContainer = document.getElementById('aiChatBox');
  const block = document.createElement('div');
  const id = 'msg-' + Math.floor(Math.random() * 100000000);
  block.id = id;

  if (sender === "user") {
    block.className = "bg-slate-800 text-slate-100 p-2.5 rounded-xl rounded-tr-none
text-right leading-relaxed max-w-[85%] ml-auto";
    block.innerText = text;
  } else if (sender === "ai-loading") {
    block.className = "bg-slate-950 border border-slate-800 p-2.5 rounded-xl
rounded-tl-none text-amber-400/80 italic animate-pulse";
    block.innerText = text;
  } else {
    block.className = "bg-slate-950 border border-slate-800 p-2.5 rounded-xl
rounded-tl-none text-slate-300 leading-relaxed";
    block.innerHTML = text.replace(/\*(.*?)\*/g, '<strong>$1</strong>');
  }

  chatContainer.appendChild(block);
  chatContainer.scrollTop = chatContainer.scrollHeight;
  return id;
}

// Exponential backoff Gemini caller
async function callGeminiAPI(query) {
  const systemPrompt = "You are Malar Cabs India AI Travel Assistant. Help users
plan outstation routes, city highway bypass guides, local landmarks, restaurant stops, and
travel time estimates across India. Keep advice concise and friendly in 3-4 sentences.";

  const payload = {
    contents: [{ parts: [{ text: query }] }],

```

```

    systemInstruction: { parts: [{ text: systemPrompt }] }
  };

  const endpointUrl =
`https://generativelanguage.googleapis.com/v1beta/models/gemini-2.5-flash-preview-09-202
5:generateContent?key=${apiKey}`;

  let delay = 1000;
  for (let i = 0; i < 5; i++) {
    try {
      const response = await fetch(endpointUrl, {
        method: 'POST',
        headers: { 'Content-Type': 'application/json' },
        body: JSON.stringify(payload)
      });

      if (response.ok) {
        const data = await response.json();
        return data.candidates?.[0]?.content?.parts?.[0]?.text || "No insights found.";
      }
    } catch (e) {
      // Fail silently for retry
    }
    await new Promise(resolve => setTimeout(resolve, delay));
    delay *= 2;
  }
  throw new Error("API call failed after retries.");
}
</script>
</body>
</html>
...

```