

THE COMPLETE WEB  
DEVELOPMENT  
COURSE

STEP BY STEP  
WITH  
NO STEP SKIPPED



## INTRODUCTION

DEVELOPMENT ISLAND  
[help@completewebdevelopmentcourse.co.uk](mailto:help@completewebdevelopmentcourse.co.uk)

THE COMPLETE WEB  
DEVELOPMENT  
COURSE

STEP BY STEP  
WITH  
NO STEP SKIPPED



DEVELOPMENT ISLAND  
[help@completewebdevelopmentcourse.co.uk](mailto:help@completewebdevelopmentcourse.co.uk)

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      inline css
    </title>

  </head>

  <body>
    <p style="color:green; font-size:300%">
      Deciding what not to do is as important as deciding
what to do.
    </p>

  </body>

</html>
```

THE COMPLETE WEB  
DEVELOPMENT  
COURSE

STEP BY STEP  
WITH  
NO STEP SKIPPED



## INTERNAL CSS

DEVELOPMENT ISLAND

[help@completewebdevelopmentcourse.co.uk](mailto:help@completewebdevelopmentcourse.co.uk)

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset = "utf-8">
    <title>
      internal css
    </title>
    <style>
      p {
        color: green;
        font-size: 300%;
      }
    </style>
  </head>

  <body>
    <p>
      Deciding what not to do is as important as deciding
      what to do.
    </p>

    <p>
      Second paragraph.
    </p>
  </body>
```

```
</html>
```

THE COMPLETE WEB  
DEVELOPMENT  
COURSE

STEP BY STEP  
WITH  
NO STEP SKIPPED



## EXTERNAL CSS

DEVELOPMENT ISLAND

[help@completewebdevelopmentcourse.co.uk](mailto:help@completewebdevelopmentcourse.co.uk)

```
<!--3.externalcss.html-->
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      external css
    </title>
    <link rel="stylesheet" type="text/css"
href="css/style.css">
  </head>

  <body>
    <p>
      Deciding what not to do is as important as deciding
what to do.
    </p>

    <p>
      Second paragraph.
    </p>
  </body>

</html>
```



## CLASSES AND IDS

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      classes and ids
    </title>
    <style>
      #decide {
        color: green;
        font-size: 300%;
      }
      .blue{
        color: blue;
      }
    </style>
  </head>

  <body>
    <p id="decide">
      Deciding what not to do is as important as deciding
      what to do.
    </p>

    <p class="blue">
```

```
    Second paragraph.  
</p>  
<p class="blue">  
    Third paragraph.  
</p>  
</body>  
  
</html>
```



## DIV AND SPAN

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      div and span
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:auto;
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
        width: auto;
      }
      .greenbox{
        background-color: #31af37;
        height: 100px;
        width: auto;
      }
      .great{
        background-color: #5a3479;
```



```
    }
</style>
</head>

<body>
  <div class="bluebox">
    <p>
      Facebook is
      <span class="great">
        great
      </span>
      .
    </p>

  </div>
  <div class="yellowbox">
    <p>
      Apple.
    </p>

  </div>
  <div class="greenbox">
    <p>
      Microsoft.
    </p>

  </div>
</body>

</html>
```

THE COMPLETE WEB  
DEVELOPMENT  
COURSE

STEP BY STEP  
WITH  
NO STEP SKIPPED



## THE BOX MODEL

DEVELOPMENT ISLAND  
[help@completewebdevelopmentcourse.co.uk](mailto:help@completewebdevelopmentcourse.co.uk)



```
<!DOCTYPE html>
<html>
<head>
<meta charset = "utf-8">
<title>Box Model Padding</title>
<style>
    .bluebox{
        background-color: #3A5795;
        color: white;
        height: auto;
        width:auto;
        padding: 16px;
    }
    .yellowbox{
        background-color: rgb(222, 224, 85);
        height: auto;
        width: auto;
        padding: 10px 5px 7px 3em;
    }
    .greenbox{
        background-color: #31af37;
        height: auto;
        width: auto;
        padding: 40px 10px;
    }
    p{
```

```
        margin: 0;
    }
</style>
</head>

<body>
    <div class="bluebox">
        <p>Facebook.</p>
    </div>
    <div class="yellowbox">
        <p>Apple.</p>
    </div>
    <div class="greenbox">
        <p>Microsoft.</p>
    </div>
</body>

</html>
```



## STYLING BORDERS

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      Box Model Border
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: auto;
        width:auto;
        padding: 16px;
        border: 10px #e8c14e ridge;
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: auto;
        width: auto;
        padding: 10px 5px 7px 3em;
        border-width: 10px 15px 5px 10px;
        border-color: black green orange yellow;
        border-style: ridge;
      }
      .greenbox{
```

```
        background-color: #31af37;
        height: 100px;
        width: 100px;
        padding: 10px;
        border-width: 10px;
        border-style: groove;
        border-color: #28ccb6;
        border-radius: 80px;
    }
    p{
        margin: 0;
        background-color: #8bbbbf;
    }
</style>
</head>
```

```
<body>
    <div class="bluebox">
        <p>
            Facebook.
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
        </p>

    </div>
</body>
```

```
</html>
```



```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      Box Model Outline
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: auto;
        width:auto;
        padding: 16px;
        border: 10px #e8c14e ridge;
        outline-style: solid;
        outline-color: #bc8df5;
        outline-width: thick;
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: auto;
        width: auto;
        padding: 10px 5px 7px 3em;
        border-width: 10px 15px 5px 10px;
        border-color: black green orange yellow;
```

```
        border-style: ridge;
    }
    .greenbox{
        background-color: #31af37;
        height: 100px;
        width: 100px;
        padding: 10px;
        border-width: 10px;
        border-style: groove;
        border-color: #28ccb6;
        border-radius:80px;
    }
    p{
        margin: 0;
        background-color: #8bbbbf;
    }
</style>
</head>
```

```
<body>
    <div class="bluebox">
        <p>
            Facebook.
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
        </p>

    </div>
</body>
```

```
</html>
```







```
<!DOCTYPE html>
<html>
  <head>
    <meta charset = "utf-8">
    <title>
      Box Model Margin
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: auto;
        width:auto;
        padding: 16px;
        border: 10px #e8c14e ridge;
        outline-style: solid;
        outline-color: #bc8df5;
        outline-width: thick;
        margin: 20px;
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: auto;
        width: auto;
        padding: 10px 5px 7px 3em;
        border-width: 10px 15px 5px 10px;
```

```
        border-color: black green orange yellow;
        border-style: ridge;
        margin: 60px 10px 30px 20px;
    }
    .greenbox{
        background-color: #31af37;
        height: 100px;
        width: 100px;
        padding: 10px;
        border-width: 10px;
        border-style: groove;
        border-color: #28ccb6;
        border-radius: 80px;
        margin: 60px 10px;
    }
    p{
        margin: 0;
        background-color: #8bbbbf;
    }

</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook.
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
        </p>

    </div>
```

```
</body>
```

```
</html>
```



## BACKGROUND

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      Background
    </title>
    <style>
      .bluebox{
        background-image: url(images/picture.jpg);
        background-size: 100% 100%;
        background-repeat: no-repeat;
        background-origin: content-box;
        color: white;
        height: 100px;
        width:auto;
        padding: 16px;
        border: 10px #e8c14e ridge;
        outline-style: solid;
        outline-color: #bc8df5;
        outline-width: thick;
        margin: 20px;
      }
      .yellowbox{
        background-image: url(images/picture.jpg);
        background-size: 50px 50px;
```

```

        background-repeat: no-repeat;
        background-origin: border-box;
        /*      background-position: left;
        */
        height: 100px;
        width: auto;
        padding: 10px 5px 7px 3em;
        border-width: 10px 15px 5px 10px;
        border-color: black green orange yellow;
        border-style: ridge;
        margin: 60px 10px 30px 20px;
    }
    .greenbox{
        background-color: #31af37;
        height: 100px;
        width: 100px;
        padding: 10px;
        border-width: 10px;
        border-style: groove;
        border-color: #28ccb6;
        border-radius: 80px;
        margin: 60px 10px;
    }
    p{
        margin: 0;
        background-color: #8bbbbf;
    }

</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook.
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

```

```
</div>
<div class="greenbox">
  <p>
    Microsoft.
  </p>

</div>
</body>

</html>
```



```
<!DOCTYPE html>
<html>
  <head>
    <meta charset = "utf-8">
    <title>
      floating
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:auto;
        float: left;
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
        width: auto;
        float: right;
      }
      .greenbox{
        background-color: #31af37;
        height: 100px;
        width: auto;
        clear: both;
      }
    </style>
  </head>
  <body>
    <div>
      <div class="bluebox">
        Blue box
      </div>
      <div class="yellowbox">
        Yellow box
      </div>
      <div class="greenbox">
        Green box
      </div>
    </div>
  </body>
</html>
```



```
    }
    .great{
        background-color: #5a3479;

    }
</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook is
            <span class="great">
                great
            </span>
            .
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
        </p>

    </div>
</body>

</html>
```



```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      positioning
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:auto;
        position: fixed;
        top: 30px;
        left: 30px;
        /*      z-index: 1;
        */
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
        width: auto;
        position: relative;
        top: 20px;
        left: 20px;
```

```
        /*          z-index: 0;
        */
    }
    .greenbox{
        background-color: #31af37;
        height: 100px;
        width: auto;
        position: absolute;
        top: 40px;
        left: 40px;
    }
    .great{
        background-color: #5a3479;

    }
</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook is
            <span class="great">
                great
            </span>
            .
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
        </p>

    </div>
</body>
```

```
</html>
```



```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      display
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:auto;
        /*      visibility: hidden;
        */
        /*      display: none;
        */
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
        width: auto;
      }
      .greenbox{
        background-color: #31af37;
        height: 100px;
```

```
        width: auto;
    }
    .great{
        background-color: #5a3479;

        display: block;
    }
</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook is
            <span class="great">
                great
            </span>
            .
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
        </p>

    </div>
</body>

</html>
```



## TEXT DECORATION

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset = "utf-8">
    <title>
      div and span
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:auto;
        text-decoration: underline;
        font-weight: bold;
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
        width: auto;
        text-decoration: overline;
        font-style: italic;
        font-size: 1.5em;
      }
      .greenbox{
        background-color: #31af37;
```

```
        height: 100px;
        width: auto;
        letter-spacing: 10px;
        text-shadow: 3px 3px #c18c04;
        text-indent: 40px;
    }
    .great{
        background-color: #5a3479;

    }
</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook is
            <span class="great">
                great
            </span>
            .
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
        </p>

    </div>
</body>

</html>
```





## TEXT ALIGN

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      text align
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:auto;
        text-decoration: underline;
        font-weight: bold;
        /*      text-align: justify;
        */
        /*      text-align: center;
        */
        /*      text-align: left;
        */
        text-align: right;
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
```

```
        width: auto;
        text-decoration: overline;
        font-style: italic;
        font-size: 1.5em;
    }
    .greenbox{
        background-color: #31af37;
        height: 100px;
        width: auto;
        letter-spacing: 10px;
        text-shadow: 3px 3px #c18c04;
        text-indent: 40px;
    }
    .great{
        background-color: #5a3479;

    }
</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook Facebook Facebook Facebook Facebook
            Facebook Facebook Facebook Facebook Facebook Facebook
            Facebook Facebook Facebook Facebook Facebook Facebook
            Facebook Facebook Facebook Facebook Facebook Facebook
            Facebook Facebook Facebook Facebook Facebook Facebook
            Facebook Facebook
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
```

```
</p>
```

```
</div>
```

```
</body>
```

```
</html>
```



## TEXT FONTS

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      text font
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:auto;
        font-size: 100px;
        font-family: sans-serif;
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
        width: auto;
        font-size: 100px;
        font-family: "Times New Roman", Times, serif;
      }
      .greenbox{
        background-color: #31af37;
        height: 100px;
```

```
        width: auto;
        font-size: 100px;
        font-family: monospace;
    }
    .great{
        background-color: #5a3479;

    }
</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
        </p>

    </div>
</body>

</html>
```



## TEXT EFFECTS

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      text effects
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:auto;
        overflow: hidden;
        white-space: nowrap;
        text-overflow: ellipsis;
      }
      .bluebox:hover{
        overflow: visible;
      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
        width: 400px;
        /*      word-break: break-all;
        */
      }
```



le Apple Apple Apple Apple Apple Apple Apple Apple Apple Apple  
Apple Apple Apple Apple

</p>

</div>

<div class="greenbox">

<p>

Microsoft.

</p>

</div>

</body>

</html>





## IMAGE SPRITES

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      imagesprites
    </title>
    <style>
      #image1{
        width: 500px;
        height: 500px;
        background: url(images/picture.jpg) -700px -200px;
      }

    </style>
  </head>

  <body>
    <img id="image1">
  </body>

</html>
```

THE COMPLETE WEB  
DEVELOPMENT  
COURSE

STEP BY STEP  
WITH  
NO STEP SKIPPED



## IMAGE OPACITY

DEVELOPMENT ISLAND  
[help@completewebdevelopmentcourse.co.uk](mailto:help@completewebdevelopmentcourse.co.uk)

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      image opacity
    </title>
    <style>
      .image1{
        width: 200px;
        height: 150px;
        opacity: 0.4;
        margin-right: 30px;
      }

      .image2{
        width: 200px;
        height: 150px;
        opacity: 1;
      }

    </style>
  </head>

  <body>
```

```
</body>  
  
  
</html>
```



## STYLING LISTS

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      lists
    </title>
    <style>
      ul.list1{
        /*    list-style: square;
        */
        /*    list-style: lower-roman;
        */
        /*    list-style: upper-roman;
        */
        list-style-image: url(images/bluesquare.gif)
      }

      ul.list2{
        list-style: none;
        padding: 0;
        margin: 0;
      }
      ul.list2 li{
        background-image: url(images/bluesquare.gif);
        background-repeat: no-repeat;
```

```
        background-position: 0px center;
        padding-left: 30px;
    }
</style>
</head>

<body>
    <p>
        A list of European capitals:
    </p>
    <ul class="list1">
        <li>
            Paris
        </li>
        <li>
            London
        </li>
        <li>
            Madrid
        </li>
    </ul>
    <p>
        A list of European capitals:
    </p>
    <ul class="list2">
        <li>
            Paris
        </li>
        <li>
            London
        </li>
        <li>
            Madrid
        </li>
    </ul>
</body>

</html>
```

THE COMPLETE WEB  
DEVELOPMENT  
COURSE

STEP BY STEP  
WITH  
NO STEP SKIPPED



## STYLING LINKS

DEVELOPMENT ISLAND

[help@completewebdevelopmentcourse.co.uk](mailto:help@completewebdevelopmentcourse.co.uk)

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset = "utf-8">
    <title>
      div and span
    </title>
    <style>
      a:link{
        color: #2a8e1f;

      }
      a:hover{
        font-size: 3em;

      }
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:auto;
      }
      div.bluebox a:active {
        font-size: 4em;

      }
    </style>
  </head>
  <body>
    <div class="bluebox">
      <a href="#">Click Me</a>
    </div>
  </body>
</html>
```

```
.yellowbox{
  background-color: rgb(222, 224, 85);
  height: 100px;
  width: auto;
}
div.yellowbox a:visited{
  color: #f2a145;
  font-size: 6em;
}
.greenbox{
  background-color: #31af37;
  height: 100px;
  width: auto;
}
.great{
  background-color: #5a3479;
}
</style>
</head>

<body>
  <div class="bluebox">
    <p>
      Facebook.
    </p>

    <p>
      <a href="http://www.amazon.com">
        Visit Link.
      </a>
    </p>
  </div>
  <div class="yellowbox">
    <p>
      Apple.
    </p>

    <p>
      <a href="http://www.ebay.com">
        Visit Link.
      </a>
    </p>
  </div>
</body>
</html>
```

```
    </p>
</div>
<div class="greenbox">
  <p>
    Microsoft.
  </p>
  <p>
    <a href="http://www.cnn.com">
      Visit Link.
    </a>
  </p>
</div>
</body>

</html>
```





```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      gradients
    </title>
    <style>
      .bluebox{
        /*      background-color: #3A5795;
        */
        color: white;
        height: 100px;
        width:auto;
        /*      background: linear-gradient(blue,white);
        */
        /*
        background: -webkit-linear-gradient(blue,white);
        background: -o-linear-gradient(blue,white);
        background: -moz-linear-gradient(blue,white);
        */
        /*      background: linear-
gradient(blue,white,orange);
        */
        /*      background: linear-gradient(to left,
blue,white,orange);
```

```

        */
        /*      background: linear-gradient(to bottom
left, blue,white,orange);
        */
        /*      background: linear-gradient(90deg,
blue,white,orange);
        */
        /*      background: linear-gradient(to left,
rgba(0,0,255,0.5),rgba(0,0,255,1));
        */
        /*      background: radial-
gradient(blue,white,orange);
        */
        /*      background: radial-gradient(blue
5%,white 15%,orange 80%);
        */
        background: radial-gradient(circle,blue 5%,white
15%,orange 80%);
    }
    .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
        width: auto;
    }
    .greenbox{
        background-color: #31af37;
        height: 100px;
        width: auto;
    }
    .great{
        background-color: #5a3479;

    }
</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook.
        </p>

```

```
</div>
<div class="yellowbox">
  <p>
    Apple.
  </p>

</div>
<div class="greenbox">
  <p>
    Microsoft.
  </p>

</div>
</body>

</html>
```



```
<!DOCTYPE html>
<html>
  <head>
    <meta charset = "utf-8">
    <title>
      2D tranforms
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:100px;
        /*      transform: rotate(30deg);
        */
        /*      -ms-transform: rotate(30deg);
        */
        /*      -webkit-transform: rotate(30deg);
        */
        /*      transform: translate(20px,30px);
        */
        /*      transform: scale(0.5,1);
        */
        transform: skew(10deg,10deg);
      }
    </style>
  </head>
  <body>
    <div class = "bluebox">
      <div class = "text">
        2D tranforms
      </div>
    </div>
  </body>
</html>
```

```
.yellowbox{
  background-color: rgb(222, 224, 85);
  height: 100px;
  width: auto;
}
.greenbox{
  background-color: #31af37;
  height: 100px;
  width: auto;
}
.great{
  background-color: #5a3479;
}
</style>
</head>

<body>
  <div class="bluebox">
    <p>
      Facebook.
    </p>

  </div>
  <div class="yellowbox">
    <p>
      Apple.
    </p>

  </div>
  <div class="greenbox">
    <p>
      Microsoft.
    </p>

  </div>
</body>

</html>
```



## 3D TRANSFORMS

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      3D tranforms
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:100px;
        /*      transform: rotateX(30deg);
        */
        transform: rotateY(30deg);
        /*      -ms-transform: rotateY(30deg);
        */
        /*      -webkit-transform: rotateY(30deg);
        */

      }
      .yellowbox{
        background-color: rgb(222, 224, 85);
```

```
        height: 100px;
        width: auto;
    }
    .greenbox{
        background-color: #31af37;
        height: 100px;
        width: auto;
    }
    .great{
        background-color: #5a3479;

    }
</style>
</head>
```

```
<body>
  <div class="bluebox">
    <p>
      Facebook.
    </p>

  </div>
  <div class="yellowbox">
    <p>
      Apple.
    </p>

  </div>
  <div class="greenbox">
    <p>
      Microsoft.
    </p>

  </div>
</body>
```

```
</html>
```

THE COMPLETE WEB  
DEVELOPMENT  
COURSE

STEP BY STEP  
WITH  
NO STEP SKIPPED



DEVELOPMENT ISLAND  
[help@completewebdevelopmentcourse.co.uk](mailto:help@completewebdevelopmentcourse.co.uk)

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      transitions
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:100px;
        transition: width 1s;
      }
      .bluebox:hover{
        width: 300px;
      }

      .yellowbox{
        background-color: rgb(222, 224, 85);
        height: 100px;
        width: auto;
      }
      .greenbox{
```



```
        background-color: #31af37;
        height: 100px;
        width: 100px;
        transition: width 1s, height 1s, transform 1s;
    }
    .greenbox:hover{
        width: 300px;
        height: 300px;
        transform: rotateX(180deg);
    }
    .great{
        background-color: #5a3479;

    }
</style>
</head>

<body>
    <div class="bluebox">
        <p>
            Facebook.
        </p>

    </div>
    <div class="yellowbox">
        <p>
            Apple.
        </p>

    </div>
    <div class="greenbox">
        <p>
            Microsoft.
        </p>

    </div>
</body>

</html>
```

THE COMPLETE WEB  
DEVELOPMENT  
COURSE

STEP BY STEP  
WITH  
NO STEP SKIPPED



DEVELOPMENT ISLAND  
[help@completewebdevelopmentcourse.co.uk](mailto:help@completewebdevelopmentcourse.co.uk)

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset ="utf-8">
    <title>
      animations
    </title>
    <style>
      .bluebox{
        background-color: #3A5795;
        color: white;
        height: 100px;
        width:100px;
        position: relative;
        -webkit-animation: myanimation 3s;
      }
      /*
      @-webkit-keyframes myanimation {
        from{
          background: green}
        to{
          background:#3A5795}
      }
      */
      @-webkit-keyframes myanimation{
        0% {
```

```
        background: red;
        left:0px;
        top: 0px}
25% {
    background: yellow;
    left:200px;
    top: 0px}
50% {
    background: blue;
    left:200px;
    top: 200px}
75% {
    background: green;
    left:0px;
    top: 200px}
100% {
    background: red;
    left:0px;
    top: 0px}
}

.yellowbox{
    background-color: rgb(222, 224, 85);
    height: 100px;
    width: auto;
}
.greenbox{
    background-color: #31af37;
    height: 100px;
    width: auto;
}

.great{
    background-color: #5a3479;

}
</style>
</head>

<body>
    <div class="bluebox">
        <p>
```

```
        Facebook.
    </p>

</div>
<div class="yellowbox">
    <p>
        Apple.
    </p>

</div>
<div class="greenbox">
    <p>
        Microsoft.
    </p>

</div>
</body>

</html>
```