

Cucumber Report

30-Jun-2025, 10:51:33 am

Start : Jun 30, 10:49:18.796 am

End : Jun 30, 10:51:32.011 am

Duration : 2 m 13.215 s

Features





PASSED - 2
FAILED - 2
SKIPPED - 0

Scenarios

PASSED - 18
FAILED - 2
SKIPPED - 0


Steps

PASSED - 156
FAILED - 1
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate Cart page functionalities</u>	48.763 s	6	6	0	0	50	50	0	0
<u>Validate checkout page features</u>	22.644 s	4	3	1	0	51	36	0	15
<u>Validate Login Functionalities</u>	22.279 s	4	4	0	0	23	23	0	0
<u>Validate Product page functionalities</u>	39.494 s	6	5	1	0	48	47	1	0


<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<i>Name</i>	1	1	0	0	1	1	0	0
@Smoke	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Validate Cart page functionalities</u>	6	6	0	0	48.763 s
2	<u>Validate checkout page features</u>	4	3	1	0	22.644 s
3	<u>Validate Login Functionalities</u>	4	4	0	0	22.279 s
4	<u>Validate Product page functionalities</u>	6	5	1	0	39.494 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate Cart page functionalities</u>	<u>Add a single product to the cart</u>	6	6	0	0	12.998 s
2	<u>Validate Cart page functionalities</u>	<u>Add many product to the cart</u>	7	7	0	0	5.812 s
3	<u>Validate Cart page functionalities</u>	<u>Remove product from cart</u>	8	8	0	0	9.069 s
4	<u>Validate Cart page functionalities</u>	<u>Remove product from the cart</u>	10	10	0	0	8.075 s
5	<u>Validate Cart page functionalities</u>	<u>View cart contents</u>	9	9	0	0	5.938 s
6	<u>Validate Cart page functionalities</u>	<u>Continue shopping from cart</u>	10	10	0	0	6.832 s
7	<u>Validate checkout page features</u>	<u>Initiate checkout</u>	10	10	0	0	6.778 s
8	<u>Validate checkout page features</u>	<u>Checkouts with valid information</u>	13	13	0	0	5.870 s
9	<u>Validate checkout page features</u>	<u>Checkout without zip code</u>	13	13	0	0	5.960 s
10	<u>Validate checkout page features</u>	<u>Finish checkout process</u>	15	0	0	15	4.021 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Validate Login Functionalities</u>	<u>Login with valid credentials</u>	5	5	0	0	5.816 s
12	<u>Validate Login Functionalities</u>	<u>Login with invalid credentials</u>	5	5	0	0	5.374 s
13	<u>Validate Login Functionalities</u>	<u>Login with locked out user</u>	5	5	0	0	5.407 s
14	<u>Validate Login Functionalities</u>	<u>User logging out from the application</u>	8	8	0	0	5.661 s
15	<u>Validate Product page functionalities</u>	<u>Sort products by price low to high</u>	8	8	0	0	6.234 s
16	<u>Validate Product page functionalities</u>	<u>Sort products by name Z to A</u>	8	8	0	0	6.134 s
17	<u>Validate Product page functionalities</u>	<u>View product detail</u>	7	7	0	0	5.899 s
18	<u>Validate Product page functionalities</u>	<u>Navigate back to products from detail page</u>	9	9	0	0	6.263 s
19	<u>Validate Product page functionalities</u>	<u>Verify burger menu options are displayed</u>	7	7	0	0	6.945 s
20	<u>Validate Product page functionalities</u>	<u>Reset app state</u>	9	8	1	0	7.994 s

Validate Cart page functionalities


PASSED	DURATION - 48.763 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 50 Pass - 50 Fail - 0 Skip - 0	
/ 10:49:18.796 am // 10:50:07.559 am /					

Add a single product to the cart

PASSED	DURATION - 12.998 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 10:49:18.796 am // 10:49:31.794 am /			
Validate Cart page functionalities			


#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.374 s
2	Then verify login page is displayed	PASSED	0.059 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.179 s
4	And clicks login button	PASSED	0.084 s
5	Then verify user successfully logged in	PASSED	0.074 s
6	When user adds the "product" to the cart	PASSED	0.218 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	1.222 s
	SCREENSHOT		
			

Add many product to the cart




#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.238 s
2	Then verify login page is displayed	PASSED	0.036 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.169 s
4	And clicks login button	PASSED	0.087 s
5	Then verify user successfully logged in	PASSED	0.060 s
6	When user adds the following products to the cart: Sauce Labs Backpack Sauce Labs Bike Light Sauce Labs Fleece Jacket	PASSED	0.390 s
7	Then verify product added to the cart	PASSED	0.068 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	1.071 s
	SCREENSHOT		
			

Remove product from cart




#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.375 s
2	Then verify login page is displayed	PASSED	0.039 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.146 s
4	And clicks login button	PASSED	0.100 s
5	Then verify user successfully logged in	PASSED	0.080 s
6	And user adds the "product" to the cart	PASSED	0.185 s
7	When user removes the "product" from the cart	PASSED	0.124 s
8	Then verify "product" removed from the cart	PASSED	2.063 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	1.960 s
	SCREENSHOT		
			

Remove product from the cart



#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.255 s
2	Then verify login page is displayed	PASSED	0.027 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.150 s
4	And clicks login button	PASSED	0.102 s
5	Then verify user successfully logged in	PASSED	0.046 s
6	When user adds the "product" to the cart	PASSED	0.201 s
7	And navigates to the cart page	PASSED	0.048 s
8	Then verify cart page displayed	PASSED	0.020 s
9	When user removes the "product" from the cart	PASSED	0.107 s
10	Then verify "product" removed from the cart	PASSED	2.022 s
AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)			PASSED
SCREENSHOT			
			


View cart contents




#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.227 s
2	Then verify login page is displayed	PASSED	0.047 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.151 s
4	And clicks login button	PASSED	0.093 s
5	Then verify user successfully logged in	PASSED	0.045 s

#	Step / Hook Details	Status	Duration
6	When user adds the following products to the cart: Sauce Labs Backpack Sauce Labs Bike Light Sauce Labs Fleece Jacket	PASSED	0.367 s
7	And navigates to the cart page	PASSED	0.054 s
8	Then verify cart page displayed	PASSED	0.020 s
9	And print the details of the product in the cart	PASSED	0.041 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	1.084 s

Continue shopping from cart




#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.604 s
2	Then verify login page is displayed	PASSED	0.042 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.145 s
4	And clicks login button	PASSED	0.130 s
5	Then verify user successfully logged in	PASSED	0.063 s
6	When user adds the "product" to the cart	PASSED	0.240 s
7	And navigates to the cart page	PASSED	0.042 s
8	Then verify cart page displayed	PASSED	0.022 s

#	Step / Hook Details	Status	Duration
9	When user selects continue shopping	PASSED	0.053 s
10	Then verify user is on inventory page	PASSED	0.043 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	1.275 s

Validate checkout page features




Initiate checkout



#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	0.737 s
2	Then verify login page is displayed	PASSED	1.200 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.124 s
4	And clicks login button	PASSED	0.097 s
5	Then verify user successfully logged in	PASSED	0.056 s

#	Step / Hook Details	Status	Duration
6	When user adds the "product" to the cart	PASSED	0.196 s
7	And navigates to the cart page	PASSED	0.052 s
8	Then verify cart page displayed	PASSED	0.020 s
9	When user clicks checkout button	PASSED	0.076 s
10	Then verify checkout page is displayed	PASSED	0.025 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	0.919 s
	SCREENSHOT		
			



Checkouts with valid information



#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.059 s
2	Then verify login page is displayed	PASSED	0.032 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.156 s
4	And clicks login button	PASSED	0.093 s
5	Then verify user successfully logged in	PASSED	0.047 s
6	When user adds the "product" to the cart	PASSED	0.198 s
7	And navigates to the cart page	PASSED	0.086 s
8	Then verify cart page displayed	PASSED	0.019 s
9	When user clicks checkout button	PASSED	0.070 s
10	Then verify checkout page is displayed	PASSED	0.020 s

#	Step / Hook Details	Status	Duration
11	When user fills the "firstName", "lastName" and "zipCode" details	PASSED	0.162 s
12	And click on continue button	PASSED	0.072 s
13	Then verify checkout overview page is displayed	PASSED	0.024 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	0.956 s
	SCREENSHOT		
			


Checkout without zip code

PASSED	DURATION - 5.960 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 10:50:20.222 am // 10:50:26.182 am /				
Validate checkout page features				

#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.191 s
2	Then verify login page is displayed	PASSED	0.030 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.151 s
4	And clicks login button	PASSED	0.096 s
5	Then verify user successfully logged in	PASSED	0.057 s
6	When user adds the "product" to the cart	PASSED	0.222 s
7	And navigates to the cart page	PASSED	0.049 s
8	Then verify cart page displayed	PASSED	0.023 s
9	When user clicks checkout button	PASSED	0.052 s
10	Then verify checkout page is displayed	PASSED	0.015 s
11	When user fills the "firstName", "lastName" and "invalidZipCode" details	PASSED	0.125 s
12	And click on continue button	PASSED	0.060 s

#	Step / Hook Details	Status	Duration
13	Then verify Error message displayed AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.018 s
		PASSED	0.907 s


Finish checkout process




#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.start() org.openqa.selenium.WebDriverException: unknown error: JavaScript code failed from unknown command: 'Runtime.evaluate' wasn't found (Session info: MicrosoftEdge=138.0.3351.55) Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2da71f67a88432047def0dbf369cf68a, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 138.0.3351.55, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61637}, msedge: {msedgedriverVersion: 138.0.3351.55 (3171b71f28b7..., userDatumDir: C:\Users\291502\AppData\Loc...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61637/devtoo..., se:cdpVersion: 138.0.3351.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2da71f67a88432047def0dbf369cf68a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)" data-bbox="80 580 760 910"/>	FAILED	3.234 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1063) at com.automation.utils.DriverManager.createDriver(DriverManager.java:14) at com.automation.steps.Hooks.start(Hooks.java:16)		
1	Given user opens application	SKIPPED	0.000 s
2	Then verify login page is displayed	SKIPPED	0.000 s
3	When user enters username as "standard_user" and password as "secret_sauce"	SKIPPED	0.000 s
4	And clicks login button	SKIPPED	0.000 s
5	Then verify user successfully logged in	SKIPPED	0.000 s
6	When user adds the "product" to the cart	SKIPPED	0.011 s
7	And navigates to the cart page	SKIPPED	0.001 s
8	Then verify cart page displayed	SKIPPED	0.000 s
9	When user clicks checkout button	SKIPPED	0.000 s
10	Then verify checkout page is displayed	SKIPPED	0.000 s
11	When user fills the "firstName", "lastName" and "zipCode" details	SKIPPED	0.000 s
12	And click on continue button	SKIPPED	0.001 s
13	Then verify checkout overview page is displayed	SKIPPED	0.000 s
14	When user clicks finish button	SKIPPED	0.000 s
15	Then verify order confirmation page is displayed	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	0.772 s
	SCREENSHOT		

Validate Login Functionalities




Login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.261 s
2	Then verify login page is displayed	PASSED	0.030 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.141 s
4	And clicks login button	PASSED	0.088 s
5	Then verify user successfully logged in	PASSED	0.043 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	1.380 s
	SCREENSHOT		

Login with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.248 s
2	Then verify login page is displayed	PASSED	0.033 s
3	When user enters username as "fake_user" and password as "fake_pass"	PASSED	0.130 s
4	And clicks login button	PASSED	0.075 s
5	Then verify error message displayed	PASSED	0.020 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	0.960 s
	SCREENSHOT		
			


Login with locked out user



#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.301 s
2	Then verify login page is displayed	PASSED	0.027 s

#	Step / Hook Details	Status	Duration
3	When user enters username as "locked_out_user" and password as "secret_sauce"	PASSED	0.135 s
4	And clicks login button	PASSED	0.068 s
5	Then verify error message displayed	PASSED	0.017 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	0.946 s
	SCREENSHOT		

User logging out from the application




#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.200 s
2	Then verify login page is displayed	PASSED	0.043 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.155 s
4	And clicks login button	PASSED	0.085 s
5	Then verify user successfully logged in	PASSED	0.038 s
6	When user clicks on hamburger button	PASSED	0.060 s
7	And clicks logout	PASSED	0.123 s
8	Then verify user successfully logged out	PASSED	0.043 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	0.952 s
	SCREENSHOT		

#	Step / Hook Details	Status	Duration
			


Validate Product page functionalities




Sort products by price low to high



#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.156 s
2	Then verify login page is displayed	PASSED	0.028 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.147 s
4	And clicks login button	PASSED	0.084 s
5	Then verify user successfully logged in	PASSED	0.045 s
6	When user clicks on the sort button	PASSED	0.069 s
7	And selects sort by - "sortOption-price"	PASSED	0.092 s
8	Then verify products are sorted by "sortOption-price"	PASSED	0.196 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	1.153 s


#	Step / Hook Details	Status	Duration
	SCREENSHOT 		

Sort products by name Z to A

PASSED	DURATION - 6.134 s / 10:50:58.757 am // 10:51:04.891 am /		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
	Validate Product page functionalities			


#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.194 s
2	Then verify login page is displayed	PASSED	0.034 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.181 s
4	And clicks login button	PASSED	0.114 s
5	Then verify user successfully logged in	PASSED	0.072 s
6	When user clicks on the sort button	PASSED	0.076 s
7	And selects sort by - "sortOption-name"	PASSED	0.064 s
8	Then verify products are sorted by "sortOption-name"	PASSED	0.130 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	1.252 s
	SCREENSHOT 		


View product detail




#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.255 s
2	Then verify login page is displayed	PASSED	0.045 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.179 s
4	And clicks login button	PASSED	0.094 s
5	Then verify user successfully logged in	PASSED	0.061 s
6	When user clicks on "productName"	PASSED	0.106 s
7	Then verify product detail page is displayed	PASSED	0.040 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	1.074 s
	SCREENSHOT		
			

Navigate back to products from detail page





#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.471 s
2	Then verify login page is displayed	PASSED	0.032 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.153 s
4	And clicks login button	PASSED	0.089 s
5	Then verify user successfully logged in	PASSED	0.044 s
6	When user clicks on "productName"	PASSED	0.092 s
7	Then verify product detail page is displayed	PASSED	0.047 s
8	When user clicks on back to products	PASSED	0.067 s
9	Then verify user is on inventory page	PASSED	0.051 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)	PASSED	1.304 s
	SCREENSHOT		
			

Verify burger menu options are displayed



#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	1.157 s
2	Then verify login page is displayed	PASSED	0.030 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.164 s
4	And clicks login button	PASSED	0.111 s
5	Then verify user successfully logged in	PASSED	0.060 s
6	When user clicks on hamburger button	PASSED	0.092 s

#	Step / Hook Details	Status	Duration
7	Then verify menu options are displayed	PASSED	0.572 s
	AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	1.158 s

Reset app state

#	Step / Hook Details	Status	Duration
1	Given user opens application	PASSED	2.255 s
2	Then verify login page is displayed	PASSED	0.031 s
3	When user enters username as "standard_user" and password as "secret_sauce"	PASSED	0.152 s
4	And clicks login button	PASSED	0.080 s
5	Then verify user successfully logged in	PASSED	0.047 s
6	When user adds the "productName" to the cart	PASSED	0.208 s
7	And user clicks on hamburger button	PASSED	0.054 s
8	And clicks on reset app state	PASSED	0.140 s
9	Then verify "productName" removed from the cart	FAILED	0.061 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.automation.steps.CartSteps.verifyRemovedFromTheCart(CartSteps.java:24) at ?.verify "productName" removed from the cart(file:///C:/Users/291502/IdeaProjects/SauceDemo_Automation/src/test/resources/feature/)		

#	Step / Hook Details	Status	Duration
	<p>Product.feature:38) * Not displayable characters are replaced by '?'.</p>		
	<p>AFTER - com.automation.steps.Hooks.clean(io.cucumber.java.Scenario)</p> <p>SCREENSHOT</p> 	PASSED	1.212 s