# RS PRO PVC Lockout Tag 63.5 mm

Supplier Part Number: ES-2SM-DNO-RS

RS Stock No:




## FEATURES

- **PVC Material:** Provides durability and resistance to environmental factors.
- **Rectangular Shape:** Offers ample space for clear messaging.
- **"Do Not Operate" Message:** Clearly communicates equipment status to prevent misuse.
- **Black and White Legend:** Ensures high visibility and readability.
- **Red and White Background:** Enhances attention and compliance with safety standards.
- **63.5 mm Length:** Suitable for various equipment sizes.
- **51 mm Width:** Compact yet visible design.
- **Pack of 25:** Convenient quantity for multiple applications.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

RS PRO PVC Lockout Tags are designed to enhance safety by clearly indicating equipment that should not be operated. These tags are essential for lockout/tagout procedures, helping to prevent accidental equipment start-up during maintenance or repair. The durable PVC construction ensures long-lasting use in industrial environments.

## General Specifications

| | |
|---|---|
| Product Type | Lockout Tag |
| Application | Machinery;Maintenance;Panel |
| Background Colour | Red;White |
| Legend Colour | Black;White |
| Material | PVC |
| Shape | Rectangular |
| Tag Message | DO NOT OPERATE |

## Mechanical Specifications

| | |
|---|---|
| Length | 63.5 mm |
| Width | 51 mm |
| Quantity Per Package | 25 |

## Additional Image 1

