
RS PRO Steel/Steel Dome Head Blind Rivet, 4 mm Diameter x 10 mm long

Supplier Part Number: OJSDBU4010



FEATURES

- **Rivet Diameter:** 4 mm for precise and consistent fastening
- **Rivet Length:** 10 mm suitable for a range of material thicknesses
- **Head Type:** Dome head for a neat and flush finish
- **Mandrel Material:** Steel for enhanced strength and durability
- **Finish:** Trivalent Chromate Zinc for corrosion resistance
- **Grip Range:** 3 mm to 5 mm accommodating different material thicknesses
- **Standards Compliance:** Meets DIN 7337 and ISO standards ensuring quality and reliability

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO offers a high-quality 4 mm Steel Blind Rivet designed for secure fastening in various industrial applications. This rivet is ideal for situations where access is only available from one side, providing a reliable and permanent joint.

General Specifications

Finish	Clear, Trivalent Chromate, Zinc
Head Type	Dome
Product Type	Blind Rivet
Rivet Type	Blind
Fixing Hole Diameter	4.3 mm
Mandrel Material	Steel
Maximum Grip	5 mm
Minimum Grip	3 mm


Mechanical Specifications


Head Diameter	8 mm
Rivet Body Material	Steel
Rivet Diameter	4 mm
Rivet Length	10 mm
Shear Strength	3500 N
Tensile Strength	2800 N

Approvals

Standards/Approvals	DIN 7337, ISO 9001:2015, ISO 14001:2015, ISO 14589, ISO TS 16949:2009

Technical Diagrams





Nominal Diameter mm	Article Number	Body Length mm	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Flange Diameter mm	Flange Thickness mm	Nom. Mandrel Diameter mm	Min Mandrel Length mm	Shear Strength N	Tensile Strength N	Box Quantity	Price £ Per 1000
D		L				dk	K	dm	L2				
3.2	OJSDBU 3206	6.5	1.0	3.0	3.3-3.4	6.8	1.5	2.00	26.0	1200	1300	1000	£49.90
	OJSDBU 3210	9.5	5.0	7.0	3.3-3.4	6.8	1.5	2.00	26.0	1700	1300	1000	£50.83
	OJSDBU 3211	11.5	5.0	7.0	3.3-3.4	6.8	1.5	2.00	26.0	2500	1300	1000	£61.03
4.0	OJSDBU 4007	7.5	1.0	3.0	4.1-4.3	8.0	1.5	2.60	7.0	2400	2800	500	£59.15
	OJSDBU 4010	10.0	3.0	5.0	4.1-4.3	8.0	1.5	2.60	7.0	3500	2800	500	£61.03
	OJSDBU 4012	12.5	5.0	7.0	4.1-4.3	8.0	1.5	2.60	7.0	4100	2800	500	£73.05
4.8	OJSDBU 4810	10.0	1.5	3.5	4.9-5.1	9.6	1.5	3.20	7.0	3600	3800	500	£88.11
	OJSDBU 4812	12.0	3.5	6.0	4.9-5.1	9.6	1.5	3.20	7.0	4200	3800	500	£83.19
	OJSDBU 4814	14.0	6.0	8.5	4.9-5.1	9.6	1.5	3.20	7.0		3800	500	£86.88
	OJSDBU 4816	16.5	7.5	10.0	4.9-5.1	9.6	1.5	3.20	7.0		3800	400	£97.07