
RS PRO Aluminium Countersunk Head Blind Rivet Nut, M4 x 12mm long

Supplier Part Number: RNACH0430



FEATURES

- **Material:** Aluminium construction offers corrosion resistance and lightweight properties.
- **Thread Size:** M4 thread size provides compatibility with a wide range of fasteners.
- **Fixing Hole Diameter:** 6 mm fixing hole diameter allows for easy installation.
- **Length:** 12 mm length ensures a secure fit in various applications.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO M4 Aluminium Rivet Nut is designed for secure fastening in various industrial applications. This rivet nut provides a reliable solution for creating strong, load-bearing threads in thin materials where tapping is not possible. Its aluminium construction ensures durability while maintaining a lightweight profile.


General Specifications

Material	Aluminium
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M4
Fixing Hole Diameter	6 mm
Head Type	Countersunk

Mechanical Specifications

Diameter	5.9 mm
Length	12 mm
Maximum Grip	3 mm
Minimum Grip	1.5 mm
Shear Strength	1000 N
Tensile Strength	3600 N
Maximum Tightening Torque	2 Nm

Technical Diagrams



Thread Size mm	Article Number	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity	Price £ Per 1000
A		G	G		B	H	T	L				
M3	RNACH0325	1.5	2.5	5.0	4.9	7.5	1.5	8.5	0.7	2500	2000	£61.22
	RNACH0430	1.5	3.0	5.0	4.9	7.5	1.5	12.0	0.7	2500	1500	£67.77
M4	RNACH0450	3.0	5.0	6.0	5.9	8.5	1.5	13.0	2.0	3600	1000	£67.20
M5	RNACH0535	1.5	3.5	7.0	6.9	10.0	1.5	13.0	4.0	5500	1000	£79.51
	RNACH0550	3.0	5.0	7.0	6.9	10.0	1.5	15.0	4.0	5500	1000	£73.23
M6	RNACH0640	1.5	4.0	9.0	8.9	12.0	1.5	15.5	6.0	8300	500	£74.70
M8	RNACH0845	1.5	4.5	11.0	10.9	14.0	1.5	18.5	15.0	13000	300	£131.38
M12	RNACH1050	1.5	5.0	16.0	15.9	19.0	1.9	21.0	45.0	28000	150	£249.00
	RNACH1065	3.5	6.5	16.0	15.9	19.0	1.9	24.0	45.0	28000	100	£238.84
	RNACH1250	2.0	5.0	16.0	15.9	19.0	1.9	22.0	45.0	28000	100	£706.32