
# RS PRO Aluminium Countersunk Head Blind Rivet Nut, M10 x 21mm long

Supplier Part Number: RNACH1050



## FEATURES

- **Material:** Aluminium construction provides excellent corrosion resistance and lightweight properties.
- **Thread Size:** M10 thread size ensures compatibility with a wide range of bolts and screws.
- **Fixing Hole Diameter:** 13 mm fixing hole diameter allows for easy installation and secure fit.
- **Length:** 21 mm length offers versatility for different material thicknesses.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

RS PRO offers a high-quality M10 Aluminium Rivet Nut designed for secure fastening in various industrial applications. This rivet nut is ideal for creating strong, reliable threads in thin materials where traditional tapping is not feasible.


## General Specifications

| | |
|---|---|
| Material | Aluminium |
| Product Type | Rivet Nut |
| Sub Type | Nut |
| Thread Size | M10 |
| Fixing Hole Diameter | 13 mm |
| Head Type | Countersunk |

## Mechanical Specifications

| | |
|---|---|
| Diameter | 12.9 mm |
| Length | 21 mm |
| Maximum Grip | 5 mm |
| Minimum Grip | 1.5 mm |
| Shear Strength | 3800 N |
| Tensile Strength | 20000 N |
| Maximum Tightening Torque | 27 Nm |

## Technical Diagrams




| Thread Size mm | Article Number | Grip Range Min mm | Grip Range Max mm | Hole Size mm | Body Diameter mm | Flange Diameter mm | Flange Thickness mm | Body Overall Length mm | Max Tightening Torque Nm | Tensile Strength N | Box Quantity | Price £ Per 1000 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | G | G | | B | H | T | L | | | | |
| **M3** | RNACH0325 | 1.5 | 2.5 | 5.0 | 4.9 | 7.5 | 1.5 | 8.5 | 0.7 | 2500 | 2000 | £61.22 |
| | RNACH0430 | 1.5 | 3.0 | 5.0 | 4.9 | 7.5 | 1.5 | 12.0 | 0.7 | 2500 | 1500 | £67.77 |
| M4 | RNACH0450 | 3.0 | 5.0 | 6.0 | 5.9 | 8.5 | 1.5 | 13.0 | 2.0 | 3600 | 1000 | £67.20 |
| **M5** | RNACH0535 | 1.5 | 3.5 | 7.0 | 6.9 | 10.0 | 1.5 | 13.0 | 4.0 | 5500 | 1000 | £79.51 |
| | RNACH0550 | 3.0 | 5.0 | 7.0 | 6.9 | 10.0 | 1.5 | 15.0 | 4.0 | 5500 | 1000 | £73.23 |
| M6 | RNACH0640 | 1.5 | 4.0 | 9.0 | 8.9 | 12.0 | 1.5 | 15.5 | 6.0 | 8300 | 500 | £74.70 |
| M8 | RNACH0845 | 1.5 | 4.5 | 11.0 | 10.9 | 14.0 | 1.5 | 18.5 | 15.0 | 13000 | 300 | £131.38 |
| **M12** | RNACH1050 | 1.5 | 5.0 | 16.0 | 15.9 | 19.0 | 1.9 | 21.0 | 45.0 | 28000 | 150 | £249.00 |
| | RNACH1065 | 3.5 | 6.5 | 16.0 | 15.9 | 19.0 | 1.9 | 24.0 | 45.0 | 28000 | 100 | £238.84 |
| | RNACH1250 | 2.0 | 5.0 | 16.0 | 15.9 | 19.0 | 1.9 | 22.0 | 45.0 | 28000 | 100 | £706.32 |