
RS PRO Aluminium Reduced Head Blind Rivet Nut, M5 x 11.5mm long

Supplier Part Number: RNARH0520

FEATURES

- **Material:** Aluminium construction ensures durability and corrosion resistance.
- **Thread Size:** M5 thread size for compatibility with standard fasteners.
- **Diameter:** 6.9 mm diameter for precise fitting.
- **Fixing Hole Diameter:** 7 mm fixing hole diameter for secure installation.
- **Length:** 11.5 mm length for versatile application.



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO M5 Aluminium Rivet Nut is designed for secure fastening in a variety of applications. Made from durable aluminium, this rivet nut provides reliable performance and corrosion resistance. Ideal for use in environments where lightweight and strong fastening is required.


General Specifications


Material	Aluminium
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M5
Fixing Hole Diameter	7 mm
Head Type	Reduced


Mechanical Specifications

Diameter	6.9 mm
Length	11.5 mm
Maximum Grip	2 mm
Minimum Grip	0.5 mm
Shear Strength	1200 N
Tensile Strength	5500 N
Maximum Tightening Torque	4 Nm

Technical Diagrams







Thread Size mm	Article Number	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity	Price £ Per 1000
A		G	G		B	H	T	L				
M3	RNARH0320	0.5	1.5	5.0	4.9	6.0	0.5	9.0	0.7	2500	2000	£61.22
M4	RNARH0420	0.5	2.0	6.0	5.9	7.0	0.5	10.5	2.0	3600	1500	£74.57
M5	RNARH0520	0.5	2.0	7.0	6.9	8.0	0.6	11.5	4.0	5500	1000	£72.23
M6	RNARH0625	0.5	2.5	9.0	8.9	10.0	0.6	14.0	6.0	8300	500	£79.18
M8	RNARH0825	0.5	2.5	11.0	10.9	12.0	0.6	15.5	15.0	13000	300	£139.26
M10	RNARH1030	1.0	3.0	12.0	11.9	14.0	0.6	17.7	27.0	20000	150	£194.66