
RS PRO Aluminium Reduced Head Blind Rivet Nut, M6 x 14mm long

Supplier Part Number: RNARH0625



FEATURES

- **Material:** Aluminium construction offers lightweight strength and corrosion resistance.
- **Thread Size:** M6 thread size ensures compatibility with standard fasteners.
- **Fixing Hole Diameter:** 9 mm fixing hole diameter for easy installation.
- **Length:** 14 mm length provides a secure fit in various materials.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO M6 Aluminium Rivet Nut is designed for secure fastening in a variety of applications. Made from high-quality aluminium, this rivet nut provides excellent durability and corrosion resistance, making it ideal for use in challenging environments. Its M6 thread size ensures compatibility with a wide range of bolts and screws.


General Specifications


Material	Aluminium
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M6
Fixing Hole Diameter	9 mm
Head Type	Reduced


Mechanical Specifications

Diameter	8.9 mm
Length	14 mm
Maximum Grip	2.5 mm
Minimum Grip	0.5 mm
Shear Strength	2000 N
Tensile Strength	8300 N
Maximum Tightening Torque	6 Nm

Technical Diagrams







Thread Size mm	Article Number	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity	Price £ Per 1000
A		G	G		B	H	T	L				
M3	RNARH0320	0.5	1.5	5.0	4.9	6.0	0.5	9.0	0.7	2500	2000	£61.22
M4	RNARH0420	0.5	2.0	6.0	5.9	7.0	0.5	10.5	2.0	3600	1500	£74.57
M5	RNARH0520	0.5	2.0	7.0	6.9	8.0	0.6	11.5	4.0	5500	1000	£72.23
M6	RNARH0625	0.5	2.5	9.0	8.9	10.0	0.6	14.0	6.0	8300	500	£79.18
M8	RNARH0825	0.5	2.5	11.0	10.9	12.0	0.6	15.5	15.0	13000	300	£139.26
M10	RNARH1030	1.0	3.0	12.0	11.9	14.0	0.6	17.7	27.0	20000	150	£194.66