
RS PRO Aluminium Reduced Head Blind Rivet Nut, M8 x 15.5mm long

Supplier Part Number: RNARH0825



FEATURES

- **Material:** Aluminium construction ensures lightweight and corrosion resistance.
- **Thread Size:** M8 thread size for compatibility with standard fasteners.
- **Fixing Hole Diameter:** 11 mm diameter allows for easy installation.
- **Length:** 15.5 mm length provides stability and secure fastening.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO M8 Aluminium Rivet Nut is designed for secure fastening in various industrial applications. This rivet nut provides a reliable solution for creating strong threads in thin materials, offering ease of installation and durability.


General Specifications


Material	Aluminium
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M8
Fixing Hole Diameter	11 mm
Head Type	Reduced


Mechanical Specifications

Diameter	10.9 mm
Length	15.5 mm
Maximum Grip	2.5 mm
Minimum Grip	0.5 mm
Shear Strength	2400 N
Tensile Strength	13000 N
Maximum Tightening Torque	15 Nm

Technical Diagrams







Thread Size mm	Article Number	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity	Price £ Per 1000
A		G	G		B	H	T	L				
M3	RNARH0320	0.5	1.5	5.0	4.9	6.0	0.5	9.0	0.7	2500	2000	£61.22
M4	RNARH0420	0.5	2.0	6.0	5.9	7.0	0.5	10.5	2.0	3600	1500	£74.57
M5	RNARH0520	0.5	2.0	7.0	6.9	8.0	0.6	11.5	4.0	5500	1000	£72.23
M6	RNARH0625	0.5	2.5	9.0	8.9	10.0	0.6	14.0	6.0	8300	500	£79.18
M8	RNARH0825	0.5	2.5	11.0	10.9	12.0	0.6	15.5	15.0	13000	300	£139.26
M10	RNARH1030	1.0	3.0	12.0	11.9	14.0	0.6	17.7	27.0	20000	150	£194.66