
RS PRO Aluminium Reduced Head Blind Rivet Nut, M10 x 17.7mm long

Supplier Part Number: RNARH1030



FEATURES

- **Material:** Aluminium construction ensures lightweight and corrosion resistance.
- **Thread Size:** M10 thread size for compatibility with a wide range of bolts and screws.
- **Fixing Hole Diameter:** 12 mm fixing hole diameter for precise fitting.
- **Length:** 17.7 mm length provides stability and strength in applications.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO M10 Aluminium Rivet Nut is designed for secure fastening in various industrial applications. This rivet nut provides a reliable solution for creating strong threads in thin materials, offering ease of installation and durability.


General Specifications


Material	Aluminium
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M10
Fixing Hole Diameter	12 mm
Head Type	Reduced


Mechanical Specifications

Diameter	11.9 mm
Length	17.7 mm
Maximum Grip	3 mm
Minimum Grip	1 mm
Shear Strength	3800 N
Tensile Strength	20000 N
Maximum Tightening Torque	27 Nm

Technical Diagrams







Thread Size mm	Article Number	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity	Price £ Per 1000
A		G	G		B	H	T	L				
M3	RNARH0320	0.5	1.5	5.0	4.9	6.0	0.5	9.0	0.7	2500	2000	£61.22
M4	RNARH0420	0.5	2.0	6.0	5.9	7.0	0.5	10.5	2.0	3600	1500	£74.57
M5	RNARH0520	0.5	2.0	7.0	6.9	8.0	0.6	11.5	4.0	5500	1000	£72.23
M6	RNARH0625	0.5	2.5	9.0	8.9	10.0	0.6	14.0	6.0	8300	500	£79.18
M8	RNARH0825	0.5	2.5	11.0	10.9	12.0	0.6	15.5	15.0	13000	300	£139.26
M10	RNARH1030	1.0	3.0	12.0	11.9	14.0	0.6	17.7	27.0	20000	150	£194.66