RS PRO Carbon Steel Flat Head Blind Rivet Nut, M4 x 22mm long

Supplier Part Number: RNSFHJK04100



FEATURES

- **Material:** Carbon steel construction ensures durability and strength.
- **Finish:** Clear trivalent chromate and zinc finish offers excellent corrosion resistance.
- **Thread Size:** M4 thread size for compatibility with a wide range of applications.
- **Diameter:** 7.9 mm diameter for precise fitting.
- **Fixing Hole Diameter:** 8 mm fixing hole diameter for easy installation.
- **Length:** 22 mm length suitable for various fastening needs.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO M4 Rivet Nut is designed for secure fastening in various industrial applications. Made from durable carbon steel, it provides reliable performance and is ideal for use in environments where strength and corrosion resistance are essential.


General Specifications


Finish	Clear, Trivalent Chromate, Zinc
Material	Carbon Steel
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M4
Fixing Hole Diameter	8 mm
Head Type	Flat


Mechanical Specifications

Diameter	7.9 mm
Length	22 mm
Maximum Grip	10 mm
Minimum Grip	5 mm
Shear Strength	1500 N
Tensile Strength	245 N
Maximum Tightening Torque	2 Nm

Technical Diagrams







Thread Size mm	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity
A	G	G		B	H	T	L			
M4	0.1	5.0	8.0	7.9	12.2	1.6	16.8	2.0	245	500
	5.0	10.0	8.0	7.9	12.2	1.6	22.0	2.0	245	500
M5	0.1	5.0	10.0	9.9	14.0	1.6	18.4	2.0	295	250
	5.0	10.0	10.0	9.9	14.0	1.6	23.2	2.0	295	250
M6	0.1	5.0	12.0	11.9	16.0	1.6	18.6	4.2	390	250
	5.0	10.0	12.0	11.9	16.0	2.0	22.9	4.2	390	200
M8	0.1	5.0	15.0	14.9	18.2	2.0	21.0	4.2	490	100
	5.0	10.0	15.0	14.9	18.2	2.0	25.5	4.2	490	100